European Journal of Biochemistry

Author and keyword index
Volumes 211–218 (1993)

Honorary Chairman Frederick Sanger, Cambridge

Editorial Board
August Böck (München)
Philipp Christen (Zürich) Chairman
Michael J. Clemens (London)
Hugo Fasold (Frankfurt)
Jean Girard (Paris)
Cornelis W. Hilbers (Nijmegen)
Eberhard Hofmann (Leipzig) Reviews Editor
Hans Jörnvall (Stockholm)
Claude Liébecq (Liège) Honorary Member
David G. Nicholls (Dundee)
Gösta Pettersson (Lund)
Johannes F. G. Vliegenthart (Utrecht)

Advisory Board
E. Appella (Bethesda)
P. Argos (Heidelberg)
R. Arnon (Rehovot)
F. X. Avilés (Barcelona)
S. Avrameas (Paris)
B. E. C. Banks (London)
A. Bax (Bethesda)
H. Betz (Frankfurt)
T. A. Bickle (Basel)
A. Billiau (Leuven)
M. D. Brand (Cambridge)
R. L. C. Brimacombe (Berlin)
M. Chabre (Valbonne)
K. J. Clemetson (Bern)
A. J. Cornish-Bowden (Marseille)
C. Crane-Robinson (Portsmouth)
R. R. Crichton (Louvain-la-Neuve)
M. Crompton (London)
B. Dobberstein (Heidelberg)
H. Durchschlag (Regensburg)
J. Duszynski (Warszawa)
T. Feizi (Harrow)
J. Filipski (Paris)
A. Finazzi-Agrò (Roma)
F. Franěk (Praha)
H. Frauenfelder (Urbana)
D. Gallwitz (Göttingen)
S. Ghisla (Konstanz)
F. M. Goñi (Bilbao)
L. A. Grivell (Amsterdam)
H. Grosjean (Gif-sur-Yvette)
F. Hucho (Berlin)
R. C. Hughes (London)
M. Jacob (Strasbourg)
K. H. Jakobs (Essen)
P. Jollès (Paris)
A. Kahn (Paris)
J. E. Kay (Brighton)
M. Klingenberg (München)
J. P. Klinman (Berkeley)
W. N. Konings (Haren)
G. Kreil (Salzburg)
C. J. Leaver (Oxford)
L. Lehle (Regensburg)
J.-M. Lhoste (Orsay)
G. P. Mannaerts (Leuven)
W. J. Möller (Leiden)
Y. Nagai (Tokyo)
Y. Nishizuka (Kobe)
P. J. Parker (London)
D. J. Patel (New York)
L. A. Pinna (Padova)
T.A. Rapoport (Berlin)
L. Rask (Uppsala)
J. Rétey (Karlsruhe)
P. R. Rich (Bodmin)
J. F. Riordan (Boston)
H. Rüterjans (Frankfurt)
P. R. Schimmel (Cambridge)
M. C. Scrutton (London)
V. P. Skulachev (Moscow)
K. Soda (Kyoto)
D. G. Söll (New Haven)
J. M. Tager (Bari)
R. K. Thauer (Marburg)
R. Timpl (Martinsried)
I. P. Trayer (Birmingham)
V. Ullrich (Konstanz)
J. Vandekerckhove (Gent)
C. Veeger (Wageningen)
P. Venetianer (Szeged)
A. Verbert (Villeneuve-d'Ascq)
S. G. Wilkinson (Hull)
R. J. P. Williams (Oxford)
K. W. A. Wirtz (Utrecht)

Editorial Office J. Maillou, L. Rowett, B. Whyte, S. A. Brooks, N. Bulgheroni, J. Piket Stähelin, M. E. Vetterli
Apollostrasse 2, Postfach, CH-8032 Zürich, Switzerland

Production Office S. Förster, G. Schanno, B. Gärtner
Springer-Verlag, Tiergartenstrasse 17, Postfach 10 52 80, D-69042 Heidelberg, Germany

**Published by Springer International
on behalf of the
Federation of European Biochemical Societies**

The exclusive copyright for all languages and countries, including the rights for photographic reproduction, electronic data base, video disks, or any other reproduction of text, figures, or tables from this journal, also in microform, is vested in the Federation of European Biochemical Societies.

The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be interpreted that such names are exempt from the relevant protective laws and regulations and may accordingly be used freely by anyone.

Individuals may reproduce material published in this journal when writing a review or book as long as they make proper acknowledgement to the origin of the material and obtain the author(s)' permission if this condition applies.

Springer Verlag Berlin Heidelberg New York

Printers: Wiesbadener Graphische Betriebe GmbH, Wiesbaden

Printed in Germany

Copyright © by the Federation of European Biochemical Societies 1993.

Vol. 211–Vol. 218 (1993)

This author and keyword index Volumes 211–218 (1993) was compiled and composed by Chemical Abstracts Service, Columbus, Ohio, USA

Aas-Eng, D. A. See Aasheim, H. C.
Aasheim, H. C.
——; Aas-Eng, D. A.; Deggerdal, A.; Blomhoff, H. K.; Funderud, S.; Smeland, E. B.
Cell-specific expression of human β-galactoside α2,6-sialyltransferase transcripts differing in the 5' untranslated region. 213: 467
Abarca, D. See Del Pozo, L.
Abarca, S.
——; Garcia, R.
Cholesterol metabolism in rat adrenal gland during reversible endotoxic shock. 211: 829
Abe, S. See Araki, S.
Abe, T.
——; Snajdar, R.; He, X.; Nishiyama, K.; Misono, K. S.
Aortic smooth muscle contains guanylate-cyclase-coupled 130-kDa atrial natriuretic factor receptor as predominant receptor form. Spontaneous switching to 60-kDa C-receptor upon cell culturing. 217: 295
Abell, C. See Haedener, A.
Abney, C. C. See Mauch, L.
Abouakil, N. See Mas, E.; Sugo, T.
Abramovitz, M.
——; Wong, E.; Cox, M. E.; Richardson, C. D.; Li, C.; Vickers, P. J.
5-Lipoxygenase-activating protein stimulates the utilization of arachidonic acid by 5-lipoxygenase. 215: 105
Acerenza, L. See Kacser, H.
Aceto, A. See Martini, F.; Mignogna, G.; Sacchetta, P.
Adachi, H.
——; Iida, S.; Oguchi, S.; Ohshima, H.; Suzuki, H.; Nagasaki, K.; Kawasaki, H.; Sugimura, T.; Esumi, H.
Molecular cloning of a cDNA encoding an inducible calmodulin-dependent nitric-oxide synthase from rat liver and its expression in COS 1 cells. 217: 37
Adamiak, R. See Heydenreich, A.
Adlercreutz, P. See Gololobov, M. Y.
Aducci, P.
——; Ballio, A.; Fogliano, V.; Fullone, M. R.; Marra, M.; Proietti, N.
Purification and photoaffinity labeling of fusicoccin receptors from maize. 214: 339
Aebischer, C. P.
——; Pasche, I.; Joerg, A.
Nanomolar arachidonic acid influences the respiratory burst in eosinophils and neutrophils induced by GTP-binding protein. A comparative study of the respiratory burst in bovine eosinophils and neutrophils. 218: 669
Aehle, W. See Hendle, J.
Agerberth, B.
——; Boman, A.; Andersson, M.; Joernvall, H.; Mutt, V.; Boman, H. G.
Isolation of three antibacterial peptides from pig intestine: Gastric inhibitory polypeptide(7–42), diazepam-binding inhibitor(32–86) and a novel factor, peptide 3910. 216: 623
Agterberg, M.
——; van Die, I.; Yang, H.; Andriessen, J. A.; van Tetering, A.; van den Eijnden, D. H.; Ploegh, H. L.
Isolation and characterization of three cDNAs coding for Rab proteins from the albumen gland of the mollusk Lymnaea stagnalis. 217: 241
Aguiar, A. P. See Campos, A. P.
Ahorn, H. See Sugiyama, K.; Voss, T.
Aigner, S.
——; Gohlsch, B.; Hamalainen, N.; Staron, R. S.; Uber, A.; Wehrle, U.; Pette, D.
Fast myosin heavy chain diversity in skeletal muscles of the rabbit: Heavy chain IId, not IIb predominates. 211: 367
Aimoto, S. See Nakamura, Y.
Aiuchi, T. See Liu, X.
Ajzannay, A. See Mithieux, G.
——; Minassian, C.; Riou, J. P.; Mithieux, G.
Glucose-6-phosphate phosphohydrolase of detergent-treated liver microsomal membranes exhibits a specific kinetic behavior towards glucose 6-phosphate. 212: 335
Akhtar, M. See Brown, N. G.; Dean, K. R.
Akhundova, A. See Gorbulev, V.
Albrecht-Ehrlich, R. See Schwedler, G.
Albuquerque, E. X. See Schrattenholz, A.
Alefounder, P. R. See Haedener, A.
Alessi, D. R.
——; Street, A. J.; Cohen, P.; Cohen, P. T. W.
Inhibitor-2 functions like a chaperone to fold three expressed isoforms of mammalian protein phosphatase-1 into a conformation with the specificity and regulatory properties of the native enzyme. 213: 1055
Alexander, A. See Mapoles, J.
Alexson, S. E. H.
——; Mentlein, R.; Wernstedt, C.; Hellman, U.
Isolation and characterization of microsomal acyl-CoA thioesterase. A member of the rat liver microsomal carboxylesterase multi-gene family. 214: 719
Ali, B. R. S.
——; Dixon, H. B. F.
Synthesis of 3-arsonoalanine and its action on aspartate aminotransferase and aspartate ammonia-lyase. Comparison with arsenical analogs of malate and fumarate. 215: 161
Ali, H. See Gantchev, T. G.
Alimi, E.
——; Martinage, A.; Arkhis, A.; Belaiche, D.; Sautiere, P.; Chevaillier, P.
Amino acid sequence of the human intermediate basic protein 2 (HPI2) from sperm nuclei. Structural relationship with protamine P2. 214: 445
Aliverti, A. See Fusi, P.
Allen, R. E.
——; Lo, T. W. C.; Thornalley, P. J.
Purification and characterization of glyoxalase II from human red blood cells. 213: 1261
Alliel, P. M.
——; Perin, J. P.; Jolles, P.; Bonnet, F. J.
Testican, a multidomain testicular proteoglycan resembling modulators of cell social behavior. 214: 347
Allmang, C. See Mougel, M.
Allocati, N. See Mignogna, G.; Sacchetta, P.
Alonso, J. M.
——; Santa-Cecilia, A.; Calvo, P.
Effect of bromoconduritol on glucosidase II from rat liver. A new kinetic model for the binding and hydrolysis of the substrate. 215: 37
Alonso, M. A. See Ciccarelli, E.
Alsner, J. See Boege, F.
Altendorf, K. See Voelkner, P.
Altenschmidt, U. See Biegert, T.
Alterio, J. See Sutherland, C.
Althaus, E. See Suerbaum, H.
Altman, E. See Hermansson, K.
Altmann, F. See Kubelka, V.
Alunni-Fabbroni, M. See Xodo, L. E.
Alvarez, E.
——; Meesschaert, B.; Montenegro, E.; Gutierrez, S.; Diez, B.; Barredo, J. L.; Martin, J. F.
The isopenicillin-N acyltransferase of Penicillium chrysogenum has isopenicillin-N amidohydrolase, 6-aminopenicillanic acid acyltransferase and penicillin amidase activities, all of which are encoded by the single penDE gene. 215: 323
Alvarez, F. See Ciccarelli, E.
Alvarez, J. See Gallay, J.
Alvarez, J. F. See Sanchez-Arias, J. A.
Alves, M. J. M. See Couto, A. S.
Amano, J. See Hirano, T.
Amano, M.
——; Kyogoku, Y.
Nuclear magnetic resonance study of the codon-anticodon interaction in Bombyx mori $tRNA_{GCC}^{Gly}$. 217: 131
Amar, C. See Lopez Garcia, M. P.
Amatayakul-Chantler, S.
——; Dwek, R. A.; Tennent, G. A.; Pepys, M. B.; Rademacher, T. W.
Molecular characterization of Limulus polyphemus C-reactive protein. II. Asparagine-linked oligosaccharides. 214: 99
Ambroziak, W. See Kurys, G.
Amrhein, N. See Wanke, C.
Anachkova, B. See Lallev, A.
Andersen, S. O. See Andreasen, L.
Andersson, M. See Agerberth, B.
Ando, S. See Araki, S.
Andreasen, L.
——; Hoejrup, P.; Andersen, S. O.; Roepstorff, P.
Combined plasma-desorption mass spectrometry and Edman degradation applied to simultaneous sequence determination of isoforms of structural proteins from the cuticle of Locusta migratoria. 217: 267
Andreesen, J. R. See Luebbers, M.; Schraeder, T.
Andrew, C. R. See Van de Kamp, M.
Andrews, S. C. See Hudson, A. J.
——; Smith, J. M. A.; Hawkins, C.; Williams, J. M.; Harrison, P. M.; Guest, J. R.
Overproduction, purification and characterization of the bacterioferritin of Escherichia coli and a C-terminally extended variant. 213: 329
Andriantomanga, V. See Jaquinod, M.

Andriesse, X. See Kumar, P. A.
Andriessen, J. A. See Agterberg, M.
Angles-Cano, E. See Fleury, V.
Anton, M. See Takahashi, Y.
Antoniazzi, F. See Valli, M.
Antuch, W.
——; Berndt, K. D.; Chavez, M. A.; Delfin, J.; Wuethrich, K.
The NMR solution structure of a Kunitz-type proteinase inhibitor from the sea anemone Stichodactyla helianthus. 212: 675
Anzivino, M. J. See Guerin, S. L.
Aoki, H. See Ganoza, M. C.
Aoubala, M.
——; Daniel, C.; De Caro, A.; Ivanova, M. G.; Hirn, M.; Sarda, L.; Verger, R.
Epitope mapping and immunoinactivation of human gastric lipase using five monoclonal antibodies. 211: 99
Arai, T. See Tsuchida, M.
Arai, Y. See Okada, K.
Araki, S.
——; Abe, S.; Satake, M.; Hayashi, A.; Kon, K.; Ando, S.
Novel phosphonoglycosphingolipids containing pyruvylated galactose from the nervous system of Aplysia kurodai (correction). 217: 1129
Arata, Y. See Ito, K.; Iwai, H.
Arbelaez, L. F.
——; Jensen, P. E. H.; Shanbhag, V. P.; Stigbrand, T.
Probing different conformational states of pregnancy-zone protein. Fluorescence studies utilizing the binding of 4,4'-bis(8-anilino-1-naphthalenesulfonate). 218: 651
Archer, M. See Romao, M. J.
Arcone, R. See Fontaine, V.
——; Arpaia, G.; Ruoppolo, M.; Malorni, A.; Pucci, P.; Marino, G.; Ialenti, A.; Di Rosa, M.; Ciliberto, G.
Structural characterization of a biologically active human lipocortin 1 expressed in Escherichia coli. 211: 347
Argaud, D.
——; Roth, H.; Wiernsperger, N.; Leverve, X. M.
Metformin decreases gluconeogenesis by enhancing the pyruvate kinase flux in isolated rat hepatocytes. 213: 1341
Argyroudi-Akoyunoglou, J. H. See Triantaphyllopoulos, K. A.
Arkhis, A. See Alimi, E.
Arlaud, G. See Girardet, J. L.
Armesto, J. See Bublitz, R.
Arnberg, A. C. See Das, A. T.
Arora, K. K. See Flanigan, I.
Arous, N. See Garel, M. C.
Arpaia, G. See Arcone, R.
Arribas, A. See Rodriguez-Tebar, A.
Arrigo, A. P. See Mehlen, P.
Arrondo, J. L. R. See Banuelos, S.
Arseniev, A. S. See Golovanov, A. P.
Arts, E. G. J. M.
——; Kuiken, J.; Jager, S.; Hoekstra, D.
Fusion of artificial membranes with mammalian spermatozoa. Specific involvement of the equatorial segment after acrosome reaction. 217: 1001
Asakura, R. See Kasahara, K.
Asanami, S. See Toda, H.
Ashkenazi, R. See Ben-Meir, D.
Ashmarin, I. P. See Pshezhetsky, A. V.
Aspinall, G. O.
——; McDonald, A. G.; Raju, T. S.; Pang, H.; Kurjanczyk, L. A.; Penner, J. L.; Moran, A. P.
Chemical structure of the core region of Campylobacter jejuni serotype O:2 lipopolysaccharide. 213: 1029
——; McDonald, A. G.; Raju, T. S.; Pang, H.; Moran, A. P.; Penner, J. L.
Chemical structures of the core regions of Campylobacter jejuni serotypes O:1, O:4, O:23, and O:36 lipopolysaccharides. 213: 1017
Chemical structures of the core regions of Campylobacter jejuni serotypes 0:1, 0:4, 0:23, and 0:36 lipopolysaccharides (correction). 216: 880
Asquith, T. N. See Isfort, R. J.
Asselbergs, F. See Cumin, F.
Asselbergs, F. A. M. See Bergwerff, A. A.
Atack, J. R. See Pollack, S. J.
Atkinson, T. See Nicholls, D. J.; Talett, A.
Atrian, S. See Fibla, J.
Atta, M.
——; Fontecave, M.; Wilkins, P. C.; Dalton, H.
Abduction of iron(III) from the soluble methane monooxygenase hydroxylase and reconstitution of the binuclear site with iron and manganese. 217: 217
Auge, S. See Riviere, M.
Augustin, J. See Nimtz, M.
Aulwurm, S. See Bublitz, R.
Aunis, D. See Metz-Boutigue, M. H.
Aurioi, D. See Yoshpe-Besancon, I.
Auwerx, J. See Schoonjans, K.
Avalos, M. See Garcia-Diaz, M.
Avila, J. See Diez-Guerra, F. J.
Aviles, F. X.
——; Vendrell, J.; Guasch, A.; Coll, M.; Huber, R.
Advances in metallo-procarboxypeptidases. Emerging details on the inhibition mechanism and on the activation process. 211: 381
Axiotis, S. See Baldet, P.
Ayte, J. See Gil-Gomez, G.
Azanza, J. L. See Inquello, V.

Baasov, T.
——; Sheffer-Dee-Noor, S.; Kohen, A.; Jakob, A.; Belakhov, V.
Catalytic mechanism of 3-deoxy-D-manno-2-octulosonate-8-phosphate synthase. The use of synthetic analogs to probe the structure of the putative reaction intermediate. 217: 991
Bach, M. See Marschalek, R.
Bachellerie, J. P. See Hadjiolova, K. V.
Bacher, A. See Eisenreich, W.; Koch, J.
Baer, J. See Kopperschlaeger, G.
Baeumert, H. G. See Gutowski-Eckel, Z.
Bagnara-Tardif, C. See Fierobe, H. P.
Bailey, S.
——; Smith, K.; Fairlamb, A. H.; Hunter, W. N.
Substrate interactions between trypanothione reductase and *N*1-glutathionylspermidine disulfide at 0.28-nm resolution. 213: 67
Bailly, A. See Cohen-Solal, K.
Bakels, R. H. A.
——; Van Walraven, H. S.; Krab, K.; Scholts, M. J. C.; Kraayenhof, R.
On the activation mechanism of the hydrogen ion-ATP synthase and unusual thermodynamic properties in the alkalophilic cyanobacterium Spirulina platensis. 213: 957
Baker, B. S. See Xu, Q.
Baker, G. R. See Leech, A. P.
Bakker-Grunwald, T. See Martin, J. B.
Bakuleva, N. P. See Baykov, A. A.
Balague, C.
——; Watson, C. F.; Turner, A. J.; Rouge, P.; Picton, S.; Pech, J. C.; Grierson, D.
Isolation of a ripening and wound-induced cDNA from Cucumis melo L. encoding a protein with homology to the ethylene-forming enzyme. 212: 27
Balas, L. See Lacoste, A. M.
Balcarova, Z. See Brabec, V.
Baldet, P.
——; Gerbling, H.; Axiotis, S.; Douce, R.
Biotin biosynthesis in higher plant cells. Identification of intermediates. 217: 479
Balestrieri, C. See Servillo, L.
Bali, J. P. See Moroder, L.
Ballantine, S. P. See Volpe, F.
Ballio, A. See Aducci, P.
Ballmer-Hofer, K. See Cayla, X.
Bally, I. See Girardet, J. L.
Balment, R. J. See Waugh, D.
Balvers, W. G.
——; Boersma, M. G.; Veeger, C.; Rietjens, I. M. C. M.
Kinetics of cytochromes P-450 IA1 and IIB1 in reconstituted systems with dilauroyl- and distearoyl-glycerophosphocholine. 215: 373
——; Boersma, M. G.; Vervoort, J.; Ouwehand, A.; Rietjens, I. M. C. M.
A specific interaction between NADPH-cytochrome reductase and phosphatidylserine and phosphatidylinositol. 218: 1021
Ban, N. See Weygand-Durasevic, I.
Banci, L.
——; Bertini, I.; Marconi, S.; Pierattelli, R.
Proton NMR study of reduced heme proteins myoglobin and cytochrome P450. 215: 431
Bandiera, A. See Giancotti, V.
Banuelos, S.
——; Arrondo, J. L. R.; Canaves, J. M.; Ferragut, J. A.; Muga, A.
The interaction of daunomycin with mo[illegible] membranes. Effect of the lipid physical state and the lipid composition. 213: 1269
Banville, D. See Foehr, U. G.
Baquet, A.
——; Gaussin, V.; Bollen, M.; Stalmans, W.; Hue, L.
Mechanism of activation of liver acetyl-CoA carboxylase by cell swelling. 217: 1083
Baracca, A. See Solaini, G.
Barata, B. A. S. See Romao, M. J.
Baratta, D. See Berks, B. C.; Moir, J. W. B.
Barbieri, G. See Giallongo, A.
Barbry, P. See Lingueglia, E.
Barden, J. A. See Ray, F. R.
——; Cuthbertson, R. M.
Stabilized NMR structure of human parathyroid hormone(1-34). 215: 315
Barelli, H.
——; Vincent, J. P.; Checler, F.
Rat kidney endopeptidase 24.16. Purification, physicochemical characteristics and differential specificity towards opiates, tachykinins and neurotensin-related peptides. 211: 79
Barik, S. See Pandey, V. N.

Barja, F. See Blatter, M–C.
Barker, E. V. See Sharp, S.
Barnett, J. See Belkner, J.
Baroni, A. See Tufano, M. A.
Barra, D. See Mignogna, G.
Barrabin, H.
——; Scofano, H. M.; de Gomez–Puyou, M. T.; Gomez–Puyou, A.
Are there different water requirements in different steps of a catalytic cycle? Hydration effects at the E1 and E2 conformers of Sarcoplasmic reticulum calcium–ATPase studied in organic solvents with low amounts of water. 213: 757
Barredo, J. L. See Alvarez, E.
Barret, J. M. See Calsou, P.; Ernould, A. P.
Bartetzko, N.
——; Lezius, A. G.; Spener, F.
Isoforms of fatty–acid–binding protein in bovine heart are coded by distinct mRNA. 215: 555
Barth, P. See Jaquinod, M.
Bartik, K.
——; Dobson, C. M.; Redfield, C.
Proton NMR analysis of turkey egg–white lysozyme and comparison with hen egg–white lysozyme. 215: 255
Bartling, D.
——; Radzio, R.; Steiner, U.; Weiler, E. W.
A glutathione S–transferase with glutathione–peroxidase activity from Arabidopsis thaliana. Molecular cloning and functional characterization. 216: 579
A glutathione S–transferase with glutathione–peroxidase activity from Arabidopsis thaliana. Molecular cloning and functional characterization. (correction) 218: 1096
Barzu, O. See Gilles, A. M.; Munier, H.
Bassi, R.
——; Pineau, B.; Dainese, P.; Marquardt, J.
Carotenoid–binding proteins of photosystem II. 212: 297
Basso, L. A.
——; Engel, P. C.; Walmsley, A. R.
The mechanism of substrate and coenzyme binding to clostridial glutamate dehydrogenase during oxidative deamination. 213: 935
Bassuk, J. A.
——; Iruela–Arispe, M. L.; Lane, T. F.; Benson, J. M.; Berg, R. A.; Sage, E. H.
Molecular analysis of chicken embryo SPARC (osteonectin). 218: 117
Batanero, E. See Villalba, M.
Batenburg, J. J. See Houweling, M.
Battersby, A. R. See Haedener, A.
Baudner, S. See Bonacker, L. G.
Baumann, D. See Srivastava, R. A. K.
Baunsgaard, L.
——; Dalboege, H.; Houen, G.; Rasmussen, E. M.; Welinder, K. G.
Amino acid sequence of Coprinus macrorhizus peroxidase and cDNA sequence encoding Coprinus cinereus peroxidase. A new family of fungal peroxidases. 213: 605
Bause, E. See Dieckmann–Schuppert, A.
——; Bieberich, E.; Rolfs, A.; Voelker, C.; Schmidt, B.
Molecular cloning and primary structure of Man9–mannosidase from human kidney. 217: 535
Bauvois, B. See Laouar, A.
Bayer, P. See Sticht, H.
Baykov, A. A.
——; Bakuleva, N. P.; Rea, P. A.
Steady–state kinetics of substrate hydrolysis by vacuolar hydrogen ion–pyrophosphatase. A simple three–state model. 217: 755
Beaune, P. See Gautier, J. C.
Beaune, P. H. See Lopez Garcia, M. P.
Beauvoit, B.
——; Rigoulet, M.; Bunoust, O.; Raffard, G.; Canioni, P.; Guerin, B.
Interactions between glucose metabolism and oxidative phosphorylations on respiratory–competent Saccharomyces cerevisiae cells. 214: 163
Bebelman, J. P. See Meijerink, P. H. S.
Bechet, J. J. See Nozais, M.
Beck, S. C. See De Maio, A.
Beck, W. See Vogel, H.
Becker, A.
——; Lucka, L.; Kilian, C.; Kannicht, C.; Reutter, W.
Characterization of the ATP–dependent taurocholate–carrier protein (gp110) of the hepatocyte canalicular membrane. 214: 539
Beddell, C. See Riveros–Moreno, V.
Beerthuyzen, M. M. See Kuipers, O. P.
Beeson, D.
——; Brydson, M.; Betty, M.; Jeremiah, S.; Povey, S.; Vincent, A.; Newsom–Davis, J.
Primary structure of the human muscle acetylcholine receptor. cDNA cloning of the γ and ε subunits. 215: 229
Behr, T. See Fischer, W.
Behravan, G. See Liang, Z.
Behrens, M. M. See Mazon, M. J.
Bekhor, I. See Wen, Y.
Belaich, A. See Fierobe, H. P.
Belaich, J. P. See Fierobe, H. P.
Belaiche, D. See Alimi, E.
Belakhov, V. See Baasov, T.
Beletsky, I. P. See Nikonova, L. V.
Belgardt, B. See Burfeind, P.
Belkner, J.
——; Wiesner, R.; Rathman, J.; Barnett, J.; Sigal, E.; Kuehn, H.
Oxygenation of lipoproteins by mammalian lipoxygenases. 213: 251
Bell, W. See De Virgilio, C.
Belles, X. See Martinez–Gonzalez, J.
Belli, S. I.
——; van Driel, I. R.; Goding, J. W.
Identification and characterization of a soluble form of the plasma cell membrane glycoprotein PC–1 (5'–nucleotide phosphodiesterase). 217: 421
Belmouden, A.
——; Le, K. H. D.; Lederer, F.; Garchon, H. J.
Molecular cloning and nucleotide sequence of cDNA encoding rat kidney long–chain L–2–hydroxy acid oxidase. Expression of the catalytically active recombinant protein as a chimera. 214: 17
Belshaw, N. J.
——; Williamson, G.
Specificity of the binding domain of glucoamylase 1. 211: 717
Belyakova, N. V.
——; Kleiner, N. E.; Kravetskaya, T. P.; Legina, O. K.; Naryzhny, S. N.; Perrino, F. W.; Shevelev, I. V.; Krutyakov, V. M.
Proof–reading 3'→5' exonucleases isolated from rat liver nuclei. 217: 493
Ben–Av, P.
——; Eli, Y.; Schmidt, U. S.; Tobias, K. E.; Liscovitch, M.
Distinct mechanisms of phospholipase D activation and attenuation utilized by different mitogens in NIH–3T3 fibroblasts. 215: 455
Benchekroun, M. N.
——; Pourquier, P.; Schott, B.; Robert, J.
Doxorubicin–induced lipid peroxidation and glutathione peroxidase activity in tumor cell lines selected for resistance to doxorubicin. 211: 141
Bendall, A. J.
——; Sturm, R. A.; Danoy, P. A. C.; Molloy, P. L.
Broad binding–site specificity and affinity properties of octamer 1 and brain octamer–binding proteins. 217: 799
Bender, C. J. See Van de Kamp, M.
Bender, K. See Michalon, P.
Bendiak, B.
——; Ward, L. D.; Simpson, R. J.
Proteins of the Golgi apparatus. Purification to homogeneity, N–terminal sequence, and unusually large Stokes radius of the membrane–bound form of UDP–galactose:N–acetylglucosamine β1–4galactosyltransferase from rat liver. 216: 405
Bendrat, K.
——; Buckel, W.
Cloning, sequencing and expression of the gene encoding the carboxytransferase subunit of the biotin–dependent sodium pump glutaconyl–CoA decarboxylase from Acidaminococcus fermentans in Escherichia coli. 211: 697
Bengtsson–Olivecrona, G. See Lookene, A.
Ben–Meir, D.
——; Spungin, A.; Ashkenazi, R.; Blumberg, S.
Specificity of Streptomyces griseus aminopeptidase and modulation of activity by divalent metal ion binding and substitution. 212: 107
Bennett, V. See Lambert, S.
Bensch, K. W. See Sillard, R.
Benson, J. M. See Bassuk, J. A.
Bentrop, J.
——; Plangger, A.; Paulsen, R.
An arrestin homolog of blowfly photoreceptors stimulates visual–pigment phosphorylation by activating a membrane–associated protein kinase. 216: 67
Benyamin, Y. See Labbe, J. P.
Beppu, T. See Kobayashi, M.
Berberich, C.
——; Duerr, I.; Koenen, M.; Witzemann, V.
Two adjacent E box elements and a M–CAT box are involved in the muscle–specific regulation of the rat acetylcholine receptor β subunit gene. 216: 395
Bercovich, Z.
——; Kahana, C.
Involvement of the 20S proteasome in the degradation of ornithine decarboxylase. 213: 205
Berczi, A.
——; Ruthner, M.; Szuts, V.; Fritzer, M.; Schweinzer, E.; Goldenberg, H.
Influence of conjugation of doxorubicin to transferrin on the iron uptake by K562 cells via receptor–mediated endocytosis. 213: 427

Berden, J. A. See Hemrika, W.
Bereziat, G. See Levistre, R.
Berg, H. See Mauch, L.
Berg, R. A. See Bassuk, J. A.
Bergamini, C. M. See Tanfani, F.
Berger, B. See Dallinger, R.
Berger, E. G. See Krezdorn, C. H.
Bergman, T. See Jeffery, J.; Persson, B.
Bergonzoni, L. See Coltrini, D.
Bergwerff, A. A.
——; van Oostrum, J.; Asselbergs, F. A. M.; Buergi, R.; Hokke, C. H.; Kamerling, J. P.; Vliegenthart, J. F. G.
Primary structure of N-linked carbohydrate chains of a human chimeric plasminogen activator K2tu-PA expressed in Chinese hamster ovary cells. 212: 639
Berks, B. C. See Hoeren, F. U.
——; Baratta, D.; Richardson, D. J.; Ferguson, S. J.
Purification and characterization of a nitrous oxide reductase from Thiosphaera pantotropha. Implications for the mechanism of aerobic nitrous oxide reduction. 212: 467
Bernard, A. R. See Graber, P.
Berndt, K. D. See Antuch, W.
Berninger, G.
——; Schmidtchen, R.; Casel, G.; Knoerr, A.; Rautenstrauss, K.; Kunau, W. H.; Schweizer, E.
Structure and metabolic control of the Yarrowia lipolytica peroxisomal 3-oxoacyl-CoA-thiolase gene. 216: 607
Berson, D. See Lichtstein, D.
Berthou, F. See Mapoles, J.
Bertini, I. See Banci, L.
——; Capozzi, F.; Luchinat, C.; Piccioli, M.
Proton NMR investigation of oxidized and reduced high-potential iron–sulfur protein from Rhodopseudomonas globiformis. 212: 69
——; Luchinat, C.; Messori, L.; Vasak, M.
A two-dimensional NMR study of cobalt(II)$_7$ rabbit liver metallothionein. 211: 235
Bertoli, E. See Tanfani, F.
Bertrand, P. See Guinet, F.
Best, L. See Elliott, A. C.
Best-Belpomme, M. See Nahon, E.
Bet, P. See van de Werken, R.
Betty, M. See Beeson, D.
Beuken, E. See Vandenbroeck, K.
Beyaert, R. See De Valck, D.
Beynon, L. M.
——; Richards, J. C.; Perry, M. B.
Characterization of the Actinobacillus pleuropneumoniae serotype K11:01 capsular antigen. 214: 209
Bezeaud, A. See Bouton, M. C.
Bezouska, K.
——; Krajhanzl, A.; Pospisil, M.; Kubrycht, J.; Stajner, K.; Felsberg, J.; Kocourek, J.
Characterization of the high-affinity oligosaccharide-binding site of the 205-kDa porcine large granular lymphocyte lectin, a member of the leukocyte common antigen family. 213: 1303
Bhattacharyya, A.
——; Bhattacharyya, B.; Roy, S.
A study of colchicine tubulin complex by donor quenching of fluorescence energy transfer. 216: 757
Bhattacharyya, B. See Bhattacharyya, A.; Sengupta, S.
Biancone, L. See Tufano, M. A.
Bickel, D. See van Hilten, J. A.
Bidault, J. See Colard, O.
Bieberich, E. See Bause, E.
Biegel, D. See Sharpless, K.
Biegert, T.
——; Altenschmidt, U.; Eckerskorn, C.; Fuchs, G.
Enzymes of anaerobic metabolism of phenolic compounds. 4-Hydroxybenzoate-CoA ligase from a denitrifying Pseudomonas species. 213: 555
Biellmann, J. F. See Jaquinod, M.
Bienen, E. J.
——; Maturi, R. K.; Pollakis, G.; Clarkson, A. B. Jr.
Non-cytochrome mediated mitochondrial ATP production in bloodstream form Trypanosoma brucei brucei. 216: 75
Biersack, H. See Boege, F.
Billiau, A. See Vandenbroeck, K.
Birchler, N. See Dallinger, R.
Birktoft, J. J. See Petersen, L. C.
Bishop, R. E.
——; Weiner, J. H.
Overproduction, solubilization, purification and DNA-binding properties of AmpR from Citrobacter freundii. 213: 405
Bismut, H.
——; Hers, H. G.; Van Schaftingen, E.
Conversion of fructose to glucose in the rabbit small intestine. A reappraisal of the direct pathway. 213: 721
Bismuto, E.
——; Gratton, E.; Sirangelo, I.; Irace, G.
Structure and dynamics of the acidic compact state of apomyoglobin by frequency-domain fluorometry. 218: 213
Bisson, R. See Rizzuto, R.
Bizouarn, T.
——; Jackson, J. B.
The ratio of protons translocated/hydride ion equivalent transferred by nicotinamide nucleotide transhydrogenase in chromatophores from Rhodospirillum rubrum. 217: 763
Bjarnason, J. B. See Gudmundsdottir, A.
Bjoerkhem, I. See Breuer, O.
Blaak, H.
——; Schnellmann, J.; Walter, S.; Henrissat, B.; Schrempf, H.
Characteristics of an exochitinase from Streptomyces olivaceoviridis, its corresponding gene, putative protein domains and relationship to other chitinases. 214: 659
Blachier, F.
——; M'Rabet-Touil, H.; Posho, L.; Darcy-Vrillon, B.; Duee, P. H.
Intestinal arginine metabolism during development. Evidence for de novo synthesis of L-arginine in newborn pig enterocytes. 216: 109
Black, S. M. See Wareing, C. J.
Blanchard, L.
——; Marion, D.; Pollock, B.; Voordouw, G.; Wall, J.; Bruschi, M.; Guerlesquin, F.
Overexpression of Desulfovibrio vulgaris Hildenborough cytochrome c_{553} in Desulfovibrio desulfuricans G200. Evidence of conformation heterogeneity in the oxidized protein by NMR. 218: 293
Blanco, F. J. See Jimenez, M. A.
Blatter, M-C.
——; James, R. W.; Messmer, S.; Barja, F.; Pometta, D.
Identification of a distinct human high-density lipoprotein subspecies defined by a lipoprotein-associated protein, K-45. Identity of K-45 with paraoxonase. 211: 871
Blau, N. See Schoedon, G.
Blecher, O.
——; Goldman, S.; Mevarech, M.
High expression in Escherichia coli of the gene coding for dihydrofolate reductase of the extremely halophilic archaebacterium Haloferax volcanii. Reconstitution of the active enzyme and mutation studies. 216: 199
Bloemendal, H. See van de Klundert, F. A. J. M.; Voorter, C. E. M.
Bloemendal, M. See van Haeringen, B.
Bloemers, H. P. J. See Dirks, R. P. H.
Blomhoff, H. K. See Aasheim, H. C.
Blommaart, P. J. E. See Meijer, A. J.
Blumberg, S. See Ben-Meir, D.
Boardman, M. See Lakin, N. D.
Bock, E. See Edlund, M.
Bock, K. See Vinogradov, E. V.
Bode, W. See Lin, G.; Stoecker, W.
Boecher, R. See Bonacker, L. G.
Boege, F. See Kleymann, G.
——; Kjeldsen, E.; Gieseler, F.; Alsner, J.; Biersack, H.
A drug-resistant variant of topoisomerase IIα in human HL-60 cells exhibits alterations in catalytic pH optimum, DNA binding and sub-nuclear distribution. 218: 575
Boerjesson-Stoll, R. See Schlueter, H.
Boersma, M. G. See Balvers, W. G.
Bogorad, L. See Vallon, O.
Bogumil, R.
——; Kappl, R.; Huettermann, J.; Sudfeldt, C.; Witzel, H.
X- and Q-band EPR studies on the two manganese(2+)-substituted metal-binding sites of D-xylose isomerase. 213: 1185
Boheim, G. See Vogel, H.
Boileau, G. See Brakch, N.
Boiocchi, M. See Giancotti, V.
Boldyreit, B.
——; James, P.; Staudenmann, W.; Issinger, O. G.
Ser2 is the autophosphorylation site in the β subunit from bicistronically expressed human casein kinase-2 and from native rat liver casein kinase-2β. 218: 515
Boles, E.
——; Lehnert, W.; Zimmermann, F. K.
The role of the NAD-dependent glutamate dehydrogenase in restoring growth on glucose of a Saccharomyces cerevisiae phosphoglucose isomerase mutant. 217: 469
Bollen, A. See Ciccarelli, E.
Bollen, M. See Baquet, A.
Boller, T. See De Virgilio, C.
Boman, A. See Agerberth, B.
Boman, H. G. See Agerberth, B.
Bon, C. See Choumet, V.; Faure, G.; Mounier, C.
Bonacker, L. G.
——; Baudner, S.; Moerschel, E.; Boecher, R.; Thauer, R. K.
Properties of the two isoenzymes of methyl-coenzyme M reductase in Methanobacterium thermoautotrophicum. 217: 587
Bonafe, N.
——; Chaussepied, P.; Capony, J. P.; Derancourt, J.; Kassab, R.
Photochemical cross-linking of the skeletal myosin head heavy chain to actin subdomain-1 at Arg95 and Arg28. 213: 1243

Bonci, A.
——; Bracci, L.; Caudai, C.; Lozzi, L.; Moschettini, D.; Niccolai, N.; Scarselli, M.; Valensin, P. E.; Neri, P. Characterization of immunoreactive octapeptides of human cytomegalovirus gp58. 215: 383
Bondon, A. See Brunel, C.
Bongaerts, R. J. M. See Poulsen, C.
Bonkovsky, H. L. See Srivastava, K. K.
Bonne, G.
——; Seibel, P.; Possekel, S.; Marsac, C.; Kadenbach, B. Expression of human cytochrome c oxidase subunits during fetal development. 217: 1099
Bonnet, F. J. See Alliel, P. M.
Bontems, F. See Vita, C.
Boon, L. See Meijer, A. J.
Booth, C. K.
——; Nixon, P. F. Reconstitution of holotransketolase is by a thiamin–diphosphate–magnesium complex. 218: 261
Boot–Handford, R. P. See Kong, R. Y. C.
Borchert, T. V.
——; Pratt, K.; Zeelen, J. P.; Callens, M.; Noble, M. E. M.; Opperdoes, F. R.; Michels, P. A. M.; Wierenga, R. K. Overexpression of trypanosomal triosephosphate isomerase in Escherichia coli and characterization of a dimer–interface mutant. 211: 703
Bordeto, J. C. See Mithieux, G.
Borel, M. See Ferte, N.
Borin, G. See Ruzzene, M.
Borriss, R. See Politz, O.
Bos, J. L. See Osterop, A. P. R. M.
Boschetti, A. See Su, Q.
Bossa, F. See Schinina, M. E.
Bossard, P.
——; Parsa, R.; Decaux, J. F.; Iynedjian, P.; Girard, J. Glucose administration induces the premature expression of liver glucokinase gene in newborn rats. Relation with DNase-I-hypersensitive sites. 215: 883
Bosshard, H. R. See Jelesarov, I.
Bost, F. See Bourguignon, J.
——; Bourguignon, J.; Martin, J. P.; Sesboue, R.; Thiberville, L.; Diarra-Mehrpour, M. Isolation and characterization of the human inter-α-trypsin inhibitor heavy-chain H1 gene. 218: 283
Bouaboula, M.
——; Rinaldi, M.; Carayon, P.; Carillon, C.; Delpech, B.; Shire, D.; Le Fur, G.; Casellas, P. Cannabinoid receptor expression in human leukocytes. 214: 173
Bouet, F. See Hodgson, D.; Vita, C.
Bougis, P. E. See O'Connell, J. F.
Bouhss, A. See Munier, H.
Boulain, J. C. See Hodgson, D.
Boulay, M. See Coutos-Thevenot, P.
Bourguignon, J. See Bost, F.
——; Diarra-Mehrpour, M.; Thiberville, L.; Bost, F.; Sesboue, R.; Martin, J. P. Human pre-α-trypsin inhibitor-precursor heavy chain. cDNA and deduced amino acid sequence. 212: 771
——; Vauclare, P.; Merand, V.; Forest, E.; Neuburger, M.; Douce, R. Glycine decarboxylase complex from higher plants. Molecular cloning, tissue distribution and mass spectrometry analyses of the T protein. 217: 377
Bouterfa, H. L.
——; Triebe, S. M.; Doenecke, D. R. Differential regulation of the human H1°–histone–gene transcription in human tumor cell lines. 217: 353
Boutin, J. A. See Ernould, A. P.
——; Ferry, G.; Ernould, A. P.; Maes, P.; Remond, G.; Vincent, M. Myristoyl–CoA:protein N–myristoyltransferase activity in cancer cells. Purification and characterization of a cytosolic isoform from the murine leukemia cell line L1210. 214: 853
Bouton, M. C.
——; Jandrot-Perrus, M.; Bezeaud, A.; Guillin, M. C. Late–fibrin(ogen) fragment E modulates human α–thrombin specificity 215: 143
Boyer, M. See Labbe, J. P.
Bozzi, A. See Ciriolo, M. R.
Brabec, V.
——; Balcarova, Z. Restriction–enzyme cleavage of DNA modified by platinum(II) complexes 216: 183
Bracci, L. See Bonci, A.
Brackmann, R.
——; Fuchs, G. Enzymes of anaerobic metabolism of phenolic compounds. 4–Hydroxybenzoyl–CoA reductase (dehydroxylating) from a denitrifying Pseudomonas species. 213: 563
Bradaczek, H. See Kastowsky, M.
Brade, H. See Holst, O.; Vinogradov, E. V.
Bradford, H. N. See Puri, R. N.
Brakch, N.
——; Boileau, G.; Simonetti, M.; Nault, C.; Joseph–Bravo, P.; Rholam, M.; Cohen, P. Prosomatostatin processing in Neuro2A cells. Role of β–turn structure in the vicinity of the Arg–Lys cleavage site. 216: 39
Brakenhoff, J. P. J. See Fontaine, V.
Brand, K. See Guppy, M.
Brandan, E. See Campos, A.
Brandenburg, K.
——; Mayer, H.; Koch, M. H. J.; Weckesser, J.; Rietschel, E. T.; Seydel, U. Influence of the supramolecular structure of free lipid A on its biological activity. 218: 555
Brash, A. R. See Chen, X. S.; Takahashi, Y.
Braun, A. P.
——; Walsh, M. P. Cardiac α_1–adrenoceptors stimulate a high–affinity GTPase activity in sarcolemmal membranes from rabbit atrial and ventricular myocytes. 213: 57
Breitenbach, M. See Breiteneder, H.
Breiteneder, H.
——; Ferreira, F.; Hoffmann-Sommergruber, K.; Ebner, C.; Breitenbach, M.; Rumpold, H.; Kraft, D.; Scheiner, O. Four recombinant isoforms of Cor a I, the major allergen of hazel pollen, show different IgE–binding properties. 212: 355
Breton, M. See Colard, O.
Breuer, O.
——; Sudjana-Sugiaman, E.; Eggertsen, G.; Chiang, J. Y. L.; Bjoerkhem, I. Cholesterol 7α–hydroxylase is up–regulated by the competitive inhibitor 7–oxocholesterol in rat liver. 215: 705
Breukink, E.
——; Kusters, R.; De Kruijff, B. In vitro studies on the folding characteristics of the Escherichia coli precursor protein prePhoE. Evidence that SecB prevents the precursor from aggregating by forming a functional complex (correction). 211: 909
Brewer, C. F. See Gupta, D.
Briand, P. See Thomas, M.
Briend–Sutren, M. M. See Van Spronsen, A.
Bright, J. R.
——; Byrom, D.; Danson, M. J.; Hough, D. W.; Towner, P. Cloning, sequencing and expression of the gene encoding glucose dehydrogenase from the thermophilic archaeon Thermoplasma acidophilum. 211: 549
Brini, M. See Rizzuto, R.
Briolay, J. See Mehlen, P.
Brisson, J. R. See Hermansson, K.
Britsch, L.
——; Dedio, J.; Saedler, H.; Forkmann, G. Molecular characterization of flavanone 3β–hydroxylases. Consensus sequence, comparison with related enzymes and the role of conserved histidine residues. 217: 745
Brocklehurst, K. See Gallacher, G.
Brodbeck, U. See Liao, J.
Brody, S. See Schlame, M.
Broer, W. See Holst, O.
Bronfman, M. See Orellana, A.
Broughton, H. B. See Pollack, S. J.
Brouillon, P. See Sayers, Z.
Brown, D. G. See Jenkins, T. C.
Brown, N. G.
——; Fowles, C.; Sharma, R.; Akhtar, M. Mechanistic studies on rhodopsin kinase. Light–dependent phosphorylation of C–terminal peptides of rhodopsin (correction). 212: 840
Brown, S.
——; Colson, A. M.; Meunier, B.; Rich, P. R. Rapid screening of cytochromes of respiratory mutants of Saccharomyces cerevisiae. Application to the selection of strains containing novel forms of cytochrome–c oxidase. 213: 137
Brown, T. See Lane, A. N.
Bruix, M. See Jimenez, M. A.
——; Pascual, J.; Santoro, J.; Prieto, J.; Serrano, L.; Rico, M. Proton and nitrogen-15 NMR assignment and solution structure of the chemotactic Escherichia coli Che Y protein. 215: 573
Brunati, A. M.
——; James, P.; Donella–Deana, A.; Matoskova, B.; Robbins, K. C.; Pinna, L. A. Isolation and identification of two proto–oncogene products related to c–fgr and fyn in a tyrosine protein kinase fraction of rat spleen. 216: 323
Brune, K. See van Hilten, J. A.
Brunel, C.
——; Bondon, A.; Simonneaux, G. Trimethylphosphine binding to horse–heart and sperm–whale myoglobins. Kinetics, proton magnetic resonance assignment and nuclear Overhauser effect investigation of the heme pocket. 214: 405
Brunen, M.
——; Engelhardt, H. Asymmetry of orientation and voltage gating of the Acidovorax delafieldii porin Omp34 in lipid bilayers. 212: 129

Brunow, G. See Lundell, T.
Bruschi, M. See Blanchard, L.; Karkhoff-Schweizer, R. R.
Brydson, M. See Beeson, D.
Bublitz, R.
——; Armesto, J.; Hoffmann-Blume, E.; Schulze, M.; Rhode, H.; Horn, A.; Aulwurm, S.; Hannappel, E.; Fischer, W.
Heterogeneity of glycosylphosphatidylinositol-anchored alkaline phosphatase of calf intestine. 217: 199
Bucciarelli, T. See Martini, F.; Sacchetta, P.
Buchman, T. G. See De Maio, A.
Buckel, W. See Bendrat, K.; Hofmeister, A. E. M.; Scherf, U.
Budzinski, R-M. See Sperker, B.
Budzynski, A. Z. See Cierniewski, C. S.
Buechner, H. See Gorbulev, V.
Bueckmann, A. F. See Hendle, J.
Buerckert, N. See De Virgilio, C.
Buerger, E. See Hartmann, E.
Buergi, R. See Bergwerff, A. A.
Buesa, C. See Martinez-Gonzalez, J.
Buetikofer, P.
——; Yee, M. C.; Schott, M. A.; Lubin, B. H.; Kuypers, F. A.
Generation of phosphatidic acid during calcium-loading of human erythrocytes. Evidence for a phosphatidylcholine-hydrolyzing phospholipase D. 213: 367
Buldain, G. See Fernandez, M.
Bulet, P. See Salzet, M.
Bulte, L. See Vallon, O.
Bunoust, O. See Beauvoit, B.
Burfeind, P.
——; Belgardt, B.; Szpirer, C.; Hoyer-Fender, S.
Structure and chromosomal assignment of a gene encoding the major protein of rat sperm outer dense fibers. 216: 497
Burgat, J. M. See Roulet, A.
Burger, R. See Norgauer, J.
Burgun, C. See Leray, V.
Burkhardt, N. See Vanatalu, K.
Burtnick, L. D. See Koepf, E. K.
Busch, S. See van den Berg, A. A.
Buse, G. See Steffens, G. C. M.
Bushweiler, J. H.
——; Holmgren, A.; Wuethrich, K.
Biosynthetic nitrogen-15 and carbon-13 isotope labeling of glutathione in the mixed disulfide with Escherichia coli glutaredoxin documented by sequence-specific NMR assignments. 218: 327
Butler, P. J. G. See Tennent, G. A.
Byrd, S. K. See Korge, P.
Byrom, D. See Bright, J. R.

Cabanie, L. See Yang, C.
Cable, E. E. See Srivastava, K. K.
Cacan, R.
——; Labiau, O.; Mir, A. M.; Verbert, A.
Effect of cell attachment and growth on the synthesis and fate of dolichol-linked oligosaccharides in Chinese hamster ovary cells. 215: 873
Caccia, P. See Coltrini, D.
Caccuri, A. M. See Piemonte, F.
Cachia, C. See Mougel, M.
Calabrese, L. See Schinina, M. E.
Calderan, A. See Ruzzene, M.
Callender, R. See Manor, D.; Zheng, J.
Callens, M. See Borchert, T. V.
Calonghi, N. See Gesmundo, N.
Calsou, P.
——; Barret, J. M.; Cros, S.; Salles, B.
DNA excision-repair synthesis is enhanced in a murine leukemia L1210 cell line resistant to cisplatin 211: 403
Calvete, J. J.
——; Solis, D.; Sanz, L.; Diaz-Maurino, T.; Schaefer, W.; Mann, K.; Toepfer-Petersen, E.
Characterization of two glycosylated boar spermadhesins. 218: 719
Calvin, M. C. See Garel, M. C.
Calvo, P. See Alonso, J. M.
Camarda, G. See Feriotto, G.
Cameron, K. J. See Tuckey, R. C.
Cameselle, J. C. See Garcia-Diaz, M.
Camici, G. See Cirri, P.
Campbell, D. G. See Sutherland, C.
Campbell, K. B. See Korge, P.
Campbell, R. L. See Shilton, B. H.
Campos, A.
——; Nunez, R.; Koenig, C. S.; Carey, D. J.; Brandan, E.
A lipid-anchored heparan sulfate proteoglycan is present in the surface of differentiated skeletal muscle cells. Isolation and biochemical characterization. 216: 587
Campos, A. P.
——; Aguiar, A. P.; Hervas, M.; Regalla, M.; Navarro, J. A.; Ortega, J. M.; Xavier, A. V.; De La Rosa, M. A.; Teixeira, M.
Cytochrome c_6 from Monoraphidium braunii. A cytochrome with an unusual heme axial coordination. 216: 329
Camps, M. See Schnabel, P.
Camussi, G. See Tufano, M. A.
Canaves, J. M. See Banuelos, S.
Cancedda, R. See van de Werken, R.
Canevari, S. See Gesmundo, N.
Canioni, P. See Beauvoit, B.; Martin, M.; Portais, J. C.
Cannistraro, V. J.
——; Kennell, D.
The 5′ ends of RNA oligonucleotides in Escherichia coli and mRNA degradation. 213: 285
Cannon, M. See Dehoux, P.
Canters, G. W. See Van de Kamp, M.
Capasso, C. See Tufano, M. A.
Capo, C. R. See Schinina, M. E.
Capony, J. P. See Bonafe, N.
Capozzi, F. See Bertini, I.
Cappugi, G. See Cirri, P.
Carayon, P. See Bouaboula, M.
Cardenas, M. L. See Cornish-Bowden, A.
Cardinaud, R. See Roulet, A.
Carey, D. J. See Campos, A.
Carillon, C. See Bouaboula, M.
Carlhoff, D. See Serwe, M.
Carlini, P. See Schinina, M. E.
Carlquist, M. See Sillard, R.
Carne, A. See Ellis, M. V.
Carnoy, C. See Klein, A.
Caro, L. H. P. See Meijer, A. J.
Carozzi, A. See Schnabel, P.
Carpenter, M. L.
——; Marks, J. N.; Fox, K. R.
DNA-sequence binding preference of the GC-selective ligand mithramycin. Deoxyribonuclease-I/deoxyribonuclease-II and hydroxy-radical footprinting at CCCG, CCGC, CGGC, GCCC and GGGG flanked by $(AT)_n$ and A_nT_n. 215: 561
Carr, G. See Finnis, C.
Carroll, J.
——; Ellar, D. J.
An analysis of Bacillus thuringiensis δ-endotoxin action on insect-midgut-membrane permeability using a light-scattering assay. 214: 771
Carrondo, M. A. See Romao, M. J.
Carter, D. C. See Ho, J. X.
Carver, J. A. See Cooper, P. G.
——; Cooper, P. G.; Truscott, R. J. W.
Proton NMR spectroscopy of βB2-crystallin from bovine eye lens. Conformation of the N- and C-terminal extensions. 213: 313
Casel, G. See Berninger, G.
Casellas, P. See Bouaboula, M.
Casetta, B. See Giancotti, V.
Caspari, T. See Opekarova, M.
Cass, A. E. G. See Pappa, H. S.
Cassard-Doulcier, A. M. See Ricquier, D.
Castagnola, P. See van de Werken, R.
Castelli, G. P. See Solaini, G.
Cattarinussi, S. See Esposito, G.
Caudai, C. See Bonci, A.
Cayla, X.
——; Ballmer-Hofer, K.; Merlevede, W.; Goris, J.
Phosphatase 2A associated with polyomavirus small-T or middle-T antigen is an okadaic acid-sensitive tyrosyl phosphatase. 214: 281
Celis, J. E. See Honore, B.
Cescutti, P.
——; Toffanin, R.; Kvam, B. J.; Paoletti, S.; Dutton, G. G. S.
Structural determination of the capsular polysaccharide produced by Klebsiella pneumoniae serotype K40. NMR studies of the oligosaccharide obtained upon depolymerization of the polysaccharide with a bacteriophage-associated endoglycanase. 213: 445
Cetta, G. See Valli, M.
Chaffotte, A. See Yang, C.
Chai, W. See Hanisch, F. G.; Thurman, P. F.
Chan, W. W. C. See Pfuetzner, R. A.
——; Pfuetzner, R. A.
General occurrence of binding synergism in zinc proteases and its possible significance. 218: 529
Chang, G. G.
——; Huang, T. M.; Chang, T. C.
Immobilization of the tetrameric and monomeric forms of pigeon liver malic enzyme on Sepharose beads. 213: 1159
Chang, L. H.
——; Tam, M. F.
Site-directed mutagenesis and chemical modification of histidine residues on an α-class chick liver glutathione S-transferase CL 3-3. Histidines are not needed for the activity of the enzyme and diethylpyrocarbonate modifies both histidine and lysine residues. 211: 805
Chang, T. C. See Chang, G. G.
Chapman, B. E. See Selle, H.
Chappell, J. B. See Henderson, L. M.
Charles, R. See Das, A. T.
Chassande, O. See Linguegliа, E.
Chaussepied, P. See Bonafe, N.
Chavez, M. A. See Antuch, W.
Cheah, K. S. E. See Kong, R. Y. C.
Checler, F. See Barelli, H.
Cheesman, M. R. See McKnight, J.
Chen, H.
——; McLennan, A. G.
The bis(adenosin-N^6-yl)alkanes, a family of potential dinucleoside-polyphosphate analog precursors. Cytotoxicity, adenosine-receptor binding and metabolism. 214: 935
The bis(adenosin-N^6-yl)alkanes, a family of potential dinucleoside polyphosphate analog precursors. Mechanism of growth inhibition and suppression of adenosine toxicity in lymphoid cells. 215: 465

Chen, L.
——; Liu, M. Y.; Legall, J.; Fareleira, P.; Santos, H.; Xavier, A. V.
Purification and characterization of an NADH–rubredoxin oxidoreductase involved in the utilization of oxygen by Desulfovibrio gigas. 216: 443
Chen, M. X.
——; Chen, Y. H.; Cohen, P. T. W.
PPQ, a novel protein phosphatase containing a Ser+Asn-rich amino-terminal domain, is involved in the regulation of protein synthesis. 218: 689
Chen, X. S.
——; Brash, A. R.; Funk, C. D.
Purification and characterization of recombinant histidine-tagged human platelet 12-lipoxygenase expressed in a baculovirus/insect cell system. 214: 845
Chen, Y. C. See Choumet, V.
Chen, Y. H. See Chen, M. X.
Chen, Y. Q. See Zheng, J.
Cherel, J. M. See Guinet, F.
Chesnel, A. See Tiffoche, C.
Cheung, W. T.
——; Richards, D. E.; Rogers, J. H.
Calcium binding by chick calretinin and rat calbindin D28k synthesized in bacteria. 215: 401
Chevaillier, P. See Alimi, E.
Chi, C. See Lin, G.
Chiang, J. Y. L. See Breuer, O.
Chiappinelli, L. See Esposito, G.
Chiarugi, P. See Cirri, P.
Chida, K. See Kasahara, K.
Chinery, R.
——; Poulsom, R.; Elia, G.; Hanby, A. M.; Wright, N. A.
Expression and purification of a trefoil peptide motif in a β-galactosidase fusion protein and its use to search for trefoil-binding sites. 212: 557
Cho, S. W.
——; Song, M. S.; Kim, G. Y.; Kang, W. D.; Choi, E. Y.; Choi, S. Y.
Kinetics and mechanism of an NADPH-dependent succinic semialdehyde reductase from bovine brain 211: 757
Choe, H. W. See Heydenreich, A.; Lenz, A.
Choi, E. Y. See Cho, S. W.
Choi, S. Y. See Cho, S. W.
Chollet-Przednowed, E.
——; Lederer, F.
Aminoacyl chloromethanes as tools to study the requirements of NADPH-oxidase activation in human neutrophils. 218: 83
Choudhury, B. K. See Miyasaka, H.
Choumet, V.
——; Saliou, B.; Fideler, L.; Chen, Y. C.; Gubensek, F.; Bon, C.; Delot, E.
Snake-venom phospholipase A_2 neurotoxins. Potentiation of a single-chain neurotoxin by the chaperon subunit of a two-component neurotoxin. 211: 57
Christ, B.
——; Nath, A.
The glucagon-insulin antagonism in the regulation of cytosolic protein binding to the 3' end of phosphoenolpyruvate carboxykinase mRNA in cultured rat hepatocytes. Possible involvement in the stabilization of the mRNA. 215: 541
Christen, P. See Gupta, S.; Hartmann, C. M.; Mehta, P. K.; Pan, P.; Ziak, M.
Christensen, U. See Olsen, K.
Christianson, D. W. See Nair, S. K.
Chu, M. L. See Pan, T. C.
Chua, N. H. See Kunkel, T.
Chung, B. T. P. See Martin, P. T.
Churchich, J. E. See Pineda, T.
Ciani, L. See Giancotti, V.
Ciccarelli, E.
——; Alonso, M. A.; Cresteil, D.; Bollen, A.; Jacobs, P.; Alvarez, F.
Intracellular retention and degradation of human mutant variant of a α1-antitrypsin in stably transfected Chinese hamster ovary cell lines. 213: 271
Cierniewski, C. S. See Watala, C.
——; Budzynski, A. Z.
Localization of the cross-linking site of GPRVVERHK in the γ-chain of human fibrinogen. 218: 321
Ciliberto, G. See Arcone, R.; Fontaine, V.
Ciriolo, M. R.
——; Paci, M.; Sette, M.; De Martino, A.; Bozzi, A.; Rotilio, G.
Transduction of reducing power across the plasma membrane by reduced glutathione. A proton NMR spin-echo study of intact human erythrocytes. 215: 711
Cirri, P.
——; Chiarugi, P.; Camici, G.; Manao, G.; Raugei, G.; Cappugi, G.; Ramponi, G.
The role of Cys12, Cys17 and Arg18 in the catalytic mechanism of low-M_r cytosolic phosphotyrosine protein phosphatase. 214: 647
Ciucci, A. See Feriotto, G.
Claiborne, A. See Stehle, T.
Clark, B. F. C. See Knudsen, S. M.
Clarke, A. R. See Lees, E. M.; Nicholls, D. J.
Clarkson, A. B. Jr. See Bienen, E. J.
Clemens, M. J. See Sharp, T. V.
Cobbaert, P. See Luyten, K.
Cockcroft, S. See Geny, B.
Cody, D. B. See Isfort, R. J.
Coe, I. R. See Parker, D. B.
Cohen, C. M. See Gascard, P.
Cohen, M. A. See Leech, A. P.
Cohen, P. See Alessi, D. R.; Brakch, N.; Sutherland, C.
Cohen, P. T. W. See Alessi, D. R.; Chen, M. X.; Dombradi, V.; Hughes, V.
Cohen-Solal, K.
——; Bailly, A.; Rauch, C.; Quesne, M.; Milgrom, E.
Specific binding of progesterone receptor to progesterone-responsive elements does not require prior dimerization. 214: 189
Colantuoni, V. See Faraonio, R.
Colard, O.
——; Bidault, J.; Breton, M.; Ninio, E.
Biosynthesis of platelet-activating factor in cultured mast cells. Involvement of the CoA-independent transacylase demonstrated by analysis of the molecular species of platelet-activating factor. 216: 835
Coles, B. See Warburton, M. J.
Coletta, M. See Fago, A.
Coll, M. See Aviles, F. X.
Collen, D. See Lijnen, H. R.
——; Van Hoef, B.; Schlott, B.; Hartmann, M.; Guehrs, K. H.; Lijnen, H. R.
Mechanisms of activation of mammalian plasma fibrinolytic systems with streptokinase and with recombinant staphylokinase. 216: 307
Colli, W. See Couto, A. S.; de Lederkremer, R. M.
Collins, J. G. See Flanigan, I.
Colman, R. W. See Puri, R. N.
Colnaghi, M. I. See Gesmundo, N.
Colomb, M. See Laouar, A.
Colombo, I. See Finocchiaro, G.
Colson, A. M. See Brown, S.; Meunier, B.
Colson, C. See Lesuisse, E.
Coltrini, D.
——; Rusnati, M.; Zoppetti, G.; Oreste, P.; Isacchi, A.; Caccia, P.; Bergonzoni, L.; Presta, M.
Biochemical bases of the interaction of human basic fibroblast growth factor with glycosaminoglycans. New insights from trypsin digestion studies. 214: 51
Conlon, J. M. See Moriyama, S.; Waugh, D.
Connor, W. See Winkfein, R. J.
Conradt, H. S. See Grabenhorst, E.; Nimtz, M.
Constable, A. See Gray, N. K.
Content, J. See Fontaine, V.
Cooper, P. G. See Carver, J. A.
——; Carver, J. A.; Truscott, R. J. W.
Proton NMR spectroscopy of bovine lens β-crystallin. The role of the βB2-crystallin C-terminal extension in aggregation. 213: 321
Cooper, R. A. See Roper, D. I.
Corbalan-Garcia, S.
——; Teruel, J. A.; Gomez-Fernandez, J. C.
Intramolecular distances within the calcium-ATPase from sarcoplasmic reticulum as estimated through fluorescence energy transfer between probes. 217: 737
Cordes, F. See Heydenreich, A.
Cornell, R. B. See Houweling, M.
Cornish, K.
The separate roles of plant cis and trans prenyl transferases in cis-1,4-polyisoprene biosynthesis. 218: 267
Cornish-Bowden, A. See Hofmeyr, J. H. S.
——; Cardenas, M. L.
Channelling can affect concentrations of metabolic intermediates at constant net flux: Artefact or reality?. 213: 87
Channelling can affect concentrations of metabolic intermediates at constant net flux: Artefact or reality? (correction). 216: 879
Costa, C. See Moreno, C.
Costa, H. S.
——; Santos, H.; Turner, D. L.
Characterization of the heme environment in Methylophilus methylotrophus ferricytochrome c'' by proton NMR. 215: 817
Cotinot, C. See McElreavey, K.
Cotton, N. P. J. See Palmer, T.
Coughtrie, M. W. H. See Sharp, S.
Courseille, C. See Langlois d'Estaintot, B.
Courtin, F. See Saunier, B.
Couto, A. S.
——; de Lederkremer, R. M.; Colli, W.; Alves, M. J. M.
The glycosylphosphatidylinositol anchor of the trypomastigote-specific Tc-85 glycoprotein from Trypanosoma cruzi. Metabolic-labeling and structural studies. 217: 597
Coutos-Thevenot, P.
——; Jouenne, T.; Maes, O.; Guerbette, F.; Grosbois, M.; Le Caer, J. P.; Boulay, M.; Deloire, A.; Kader, J. C.; Guern, J.
Four 9-kDa proteins excreted by somatic embryos of grapevine are isoforms of lipid-transfer proteins. 217: 885

Couturier, R. See Michalon, P.
Coves, J.
——; Fontecave, M.
Reduction and mobilization of iron by a NAD(P)H:flavin oxidoreductase from Escherichia coli. 211: 635
Cox, M. E. See Abramovitz, M.
Cozzolino, A. See Mariniello, L.
Crabbe, T.
——; Ioannou, C.; Docherty, A. J. P.
Human progelatinase A can be activated by autolysis at a rate that is concentration-dependent and enhanced by heparin bound to the C-terminal domain. 218: 431
Craescu, C. C. See Gilles, A. M.
Craescu, C. T. See Garel, M. C.; Martineau, L.
Craig, A. G. See Serwe, M.
Craik, C. S. See Gudmundsdottir, A.
Craik, D. J. See Embrey, K. J.
Crane-Robinson, C. See Giancotti, V.
Crawford, L. V. See Lees, E. M.
Cremel, G. See Leray, V.
Crespo, A. See Guinet, F.
Cresteil, D. See Ciccarelli, E.
Cros, S. See Calsou, P.
Crowe, M. See Hudson, J. M.
Cuisset, L. See Levy-Favatier, F.
Cullin, C. See Peyronneau, M. A.
Cumin, F.
——; Asselbergs, F.; Lartigot, M.; Felder, E.
Modulation of human prorenin gene expression by antisense oligonucleotides in transfected CHO cells. 212: 347
Curley, G. P. See Knauf, M. A.
Cuthbertson, R. M. See Barden, J. A.
Czisch, M.
——; Schleicher, M.; Hoerger, S.; Voelter, W.; Holak, T. A.
Conformation of thymosin β_4 in water determined by NMR spectroscopy. 218: 335

Dabrowski, J. See Gamian, A.
Dabrowski, U. See Gamian, A.
Daffe, M. See Lopez Marin, L. M.
D'Agnano, I. See Feriotto, G.
Dahlbaeck, B. See He, X.
Dainese, P. See Bassi, R.
Dalboege, H. See Baunsgaard, L.
Dallinger, R.
——; Berger, B.; Hunziker, P. E.; Birchler, N.; Hauer, C. R.; Kaegi, J. H. R.
Purification and primary structure of snail metallothionein. Similarity of the N-terminal sequence with histones H4 and H2A. 216: 739
Dalton, H. See Atta, M.
Danchin, A. See Gilles, A. M.; Munier, H.
d'Andrea, S. See Vandenbroeck, K.
Daniel, C. See Aoubala, M.
Danielsson, O. See Estonius, M.
Danilova, R. A. See Pshezhetsky, A. V.
Danneel, H. J.
——; Roessner, E.; Zeeck, A.; Giffhorn, F.
Purification and characterization of a pyranose oxidase from the basidiomycete Peniophora gigantea and chemical analyses of its reaction products. 214: 795
Danner, M.
——; Fuchs, A.; Miller, S.; Seckler, R.
Folding and assembly of phage P22 tailspike endorhamnosidase lacking the N-terminal, head-binding domain. 215: 653
Danoff, A.
——; Mai, X. P.; Shields, D.
Intracellular degradation of prohormone-chloramphenicol-acetyl-transferase chimeras in a pre-lysosomal compartment. 218: 1063
Danoy, P. A. C. See Bendall, A. J.
Dansette, P. M. See Lopez Garcia, M. P.
Danson, M. J. See Bright, J. R.; Else, A. J.; Patton, A. J.
Darcy-Vrillon, B. See Blachier, F.
Das, A. T.
——; Arnberg, A. C.; Malingre, H.; Moerer, P.; Charles, R.; Moorman, A. F. M.; Lamers, W. H.
Isolation and characterization of the rat gene encoding glutamate dehydrogenase. 211: 795
——; Luderus, M. E. E.; Lamers, W. H.
Identification and analysis of a matrix-attachment region 5' of the rat glutamate-dehydrogenase-encoding gene. 215: 777
Das, T.
——; Sa, G.; Mukherjea, M.
Characterization of cardiac fatty-acid-binding protein from human placenta. Comparison with placenta hepatic types. 211: 725
da Silva, A. C. R.
——; de Araujo, A. H. B.; Herzberg, O.; Moult, J.; Sorenson, M.; Reinach, F. C.
Troponin-C mutants with increased calcium affinity. 213: 599
d'Auriol, L. See Ellerbrok, H.
Dautant, A. See Langlois d'Estaintot, B.
Dauter, Z. See Sevcik, J.
Dautzenberg, F. M.
——; Mueller, D.; Richter, D.
Dephosphorylation of phosphorylated atrial natriuretic peptide by protein phosphatase 2A. 211: 485
Davidson, I. See Mackay, E. A.
Davies, J. See Dehoux, P.
D'Avino, R. See Fago, A.
Davis, K. L. See Grodberg, J.
Davydova, E. K.
——; Malinin, N. L.; Ovchinnikov, L. P.
Ribosomes terminated in vitro are in a tight association with non-phosphorylated elongation factor 2 (eEF-2) and GDP. 215: 291
Deak, F. See Szilak, L.
Dean, K. R.
——; Akhtar, M.
Phosphorylation of solubilized dark-adapted rhodopsin. Insights into the activation of rhodopsin kinase. 213: 881
Dean, M. See Martin, H.
de Araujo, A. H. B. See da Silva, A. C. R.
De Caro, A. See Aoubala, M.
Decaux, J. F. See Bossard, P.
Decker, K. See Kawada, N.
Dedio, J. See Britsch, L.
Defize, J. See Meijerink, P. H. S.
Degeilh, F. See Neau, P.
Deggerdal, A. See Aasheim, H. C.
de Gomez-Puyou, M. T. See Barrabin, H.
De Graaf, A. A. See Sonntag, K.
De Haas, G. H. See Lugtigheid, R. B.; Vincent, M.
Dehennin, L. See Moslemi, S.
De Hoffmann, E. See Van Schaftingen, E.
Dehoux, P.
——; Davies, J.; Cannon, M.
Natural cycloheximide resistance in yeast. The role of ribosomal protein L41. 213: 841
Deisinger, B.
——; Nawroth, T.; Zwicker, K.; Matuschka, S.; John, G.; Zimmer, G.; Freisleben, H-J.
Purification of ATP synthase from beef heart mitochondria (F_0F_1) and co-reconstitution with monomeric bacteriorhodopsin into liposomes capable of light-driven ATP synthesis. 218: 377
De Jong, W. W. See Voorter, C. E. M.
de Jonge, R. J. A. See Dirks, R. P. H.
de Kok, A. See Eschrich, K.; Schulze, E.
De Koning, W. See Luyten, K.
de Korte, D. See van den Berg, A. A.
De Kretser, T. See Dorow, D. S.
De Kruijff, B. See Breukink, E.
Delannoy, P. See Vandamme, V.
de la Rosa, E. J. See Rodriguez-Tebar, A.
De La Rosa, M. A. See Campos, A. P.; Medina, M.
de Lederkremer, R. M. See Couto, A. S.
——; Lima, C. E.; Ramirez, M. I.; Gonçalvez, M. F.; Colli, W.
Hexadecylpalmitoylglycerol or ceramide is linked to similar glycophosphoinositol anchor-like structures in Trypanosoma cruzi. 218: 929
Delfin, J. See Antuch, W.
Dellsen, A. See Ruetschi, U.
Deloire, A. See Coutos-Thevenot, P.
Delot, E. See Choumet, V.
Delpech, B. See Bouaboula, M.
Delpech, M. See Levy-Favatier, F.
Del Pozo, L.
——; Abarca, D.; Hoenicka, J.; Jimenez, A.
Two different genes from Schwanniomyces occidentalis determine ribosomal resistance to cycloheximide. 213: 849
Delves, C. J. See Volpe, F.
De Magistris, M. T. See Esposito, G.
De Maio, A.
——; Beck, S. C.; Buchman, T. G.
Induction of translational thermotolerance in liver of thermally stressed rats. 218: 413
De Martino, A. See Ciriolo, M. R.; Tufano, M. A.
Demuynck, S.
——; Li, K. W.; Van der Schors, R.; Dhainaut-Courtois, N.
Amino acid sequence of the small cadmium-binding protein (MP II) from Nereis diversicolor (annelida, polychaeta). Evidence for a myohemerythrin structure. 217: 151
Dencher, N. A. See Wach, A.
De Pascalis, A. R. See Jelesarov, I.
Der, A. See Szilak, L.
Derancourt, J. See Bonafe, N.
Desideri, A. See Sette, M.
Desmet, J. See Morozova, L.
Destourbe, A. See Guinet, F.
Deutsch, J. See Lichtstein, D.
DeVack, C.
——; Lupp, B.; Nichols, M.; Kowenz-Leutz, E.; Schmid, W.; Schuetz, G.
Characterization of the nuclear proteins binding the CACCC element of a glucocorticoid-responsive enhancer in the tyrosine aminotransferase gene. 211: 459
De Valck, D.
——; Beyaert, R.; Van Roy, F.; Fiers, W.
Tumor necrosis factor cytotoxicity is associated with phospholipase D activation. 212: 491
Deveer, A. M. See Vincent, M.

Devereux, L. See Dorow, D. S.
De Ville, Y. See Gettemans, J.
De Virgilio, C.
——; Buerckert, N.; Bell, W.; Jenoe, P.; Boller, T.; Wiemken, A.
Disruption of TPS2, the gene encoding the 100-kDa subunit of the trehalose 6-phosphate synthase/phosphatase complex in Saccharomyces cerevisiae, causes accumulation of trenalose 6-phosphate and loss of trehalose 6-phosphate phosphatase activity. 212: 315
De Vos, W. M. See Kuipers, O. P.
De Vries, T.
——; Norberg, T.; Loenn, H.; Van Den Eijnden, D. H.
The use of human milk fucosyltransferase in the synthesis of tumor-associated trimeric X determinants. 216: 769
De Wit, J. G. See Elferink, M. G. L.
De Wit, L. See Fontaine, V.
D'Haese, J. See Serwe, M.
Dhainaut-Courtois, N. See Demuynck, S.
Diarra-Mehrpour, M. See Bost, F.; Bourguignon, J.
Diaz, A. See Medina, M.
Diaz-Latoud, C. See Mehlen, P.
Diaz-Maurino, T. See Calvete, J. J.; Solis, D.
Dickhoff, W. W. See Moriyama, S.
Didat, N. See van der Goot, F. G.
Didonato, S. See Finocchiaro, G.
Dieckmann-Schuppert, A.
——; Bause, E.; Schwarz, R. T.
Studies on O-glycans of Plasmodium-falciparum-infected human erythrocytes. Evidence for O-GlcNAc and O-GlcNAc-transferase in malaria parasites. 216: 779
Diekmann, H. See Macheroux, P.
Dieter, P.
——; Fitzke, E.
Formation of diacylglycerol, inositol phosphates, arachidonic acid and its metabolites in macrophages. 218: 753
Dietzsch, E. See Dorow, D. S.
Diez, B. See Alvarez, E.
Diez-Guerra, F. J.
——; Avila, J.
Rapid dephosphorylation of microtubule-associated protein 2 in the rat brain hippocampus after pentylenetetrazole-induced seizures. 215: 181
Di Giovanni, M. V. See Talesa, V.
Di Ilio, C. See Martini, F.; Mignogna, G.; Sacchetta, P.
Dimroth, P. See Kaim, G.
Dingermann, T. See Marschalek, R.; Rizzuto, R.
Dintinger, T. See Moslemi, S.
Diolez, P. See Valerio, M.
Di Pierro, P. See Mariniello, L.
Di Prisco, G. See Fago, A.
Dirks, R. P. H.
——; Jansen, H. J.; Gerritsma, J.; Onnekink, C.; Bloemers, H. P. J.
Localization and functional analysis of DNase-I-hypersensitive sites in the human c-sis/PDGF-B gene transcription unit and its flanking regions. 211: 509
——; Jansen, H. J.; Onnekink, C.; de Jonge, R. J. A.; Bloemers, H. P. J.
DNase-I-hypersensitive sites located far upstream of the human c-sis/PDGF-B gene comap with transcriptional enhancers and a silencer and are preceded by (part of) a new transcription unit. 216: 487
Di Rosa, M. See Arcone, R.
Distel, B. See Einerhand, A. W. C.
Dittrich, F. See Huber, J.
Dixon, G. H. See Parker, D. B.; Retief, J. D.; Winkfein, R. J.
Dixon, H. B. F. See Ali, B. R. S.
Dobos, G. See Norgauer, J.
Dobson, C. M. See Bartik, K.
Docherty, A. J. P. See Crabbe, T.
Dodsworth, N. See Finnis, C.
Doenecke, D. R. See Bouterfa, H. L.
Doi, M. See Ohno, Y.
Dolcetti, R. See Giancotti, V.
Dombradi, V.
——; Mann, D. J.; Saunders, R. D. C.; Cohen, P. T. W.
Cloning of the fourth functional gene for protein phosphatase 1 in Drosophila melanogaster from its chromosomal location. 212: 177
Donella-Deana, A. See Brunati, A. M.; Ruzzene, M.
Donkers, E. A. M. See Van De Put, F. H. M. M.
Donly, B. C. See Moffat, J. G.
Donohue, S. E. See Srivastava, K. K.
Doolittle, R. F. See Narumi, H.
Dorovska-Taran, V.
——; Veeger, C.; Visser, A. J. W. G.
Reverse micelles as a water-property-control system to investigate the hydration/activity relationship of α-chymotrypsin. 218: 1013
Dorovska-Taran, V. N.
——; Veeger, C.; Visser, A. J. W. G.
Comparison of the dynamic structure of α-chymotrypsin in aqueous solution and in reversed micelles by fluorescent active-site probing. 211: 47
Dorow, D. S.
——; Devereux, L.; Dietzsch, E.; De Kretser, T.
Identification of a new family of human epithelial protein kinases containing two leucine/isoleucine-zipper domains. 213: 701
Douce, R. See Baldet, P.; Bourguignon, J.
Dowhan, W. See van der Goot, F. G.
Dragani, B. See Martini, F.; Sacchetta, P.
Drainas, D. See Zimmerly, S.
Draper, P. See Thurman, P. F.
Dreissen, H. P. C. See Lees, E. M.
Drevet, P. See Hodgson, D.
Drewes, G.
——; Faulstich, H.
Cooperative effects on filament stability in actin modified at the C-terminus by substitution or truncation 212: 247
Drews, G. See Forkl, H.
Driessen, A. J. M. See Elferink, M. G. L.; Garcera, M. J. G.
Dross, F.
——; Geisler, V.; Lenger, R.; Theis, F.; Krafft, T.; Fahrenholz, F.; Kojro, E.; Duchene, A.; Tripier, D.
The quinone-reactive nickel/iron-hydrogenase of Wolinella succinogenes (correction). 214: 949
Druker, B. See Mayeux, P.
Drummond, M.
——; Huff, S.; Green, A.
Roulette mutagenesis of the FMN-binding site of Klebsiella pneumoniae flavodoxin. 217: 395
Duan, C. See Moriyama, S.
Ducancel, F. See Hodgson, D.
Duchene, A. See Dross, F.
Duee, P. H. See Blachier, F.
Duerr, I. See Berberich, C.
Dufresne, M. See Silvente Poirot, S.
Duguay, S. J. See Moriyama, S.
Duine, J. A. See Van Ophem, P. W.
Dulubova, I. See Kiyatkin, N.
Dumora, C. See Lacoste, A. M.
Dunbar, B. See Mackay, E. A.
Dundas, S. R. See Warburton, M. J.
Dunham, W. R.
——; Harding, L. J.; Sands, R. H.
Moessbauer spectroscopy of metalloproteins and the use of Fourier transforms. 214: 1
Dupont, Y. See Girardet, J. L.
Dusanter-Fourt, I. See Mayeux, P.
Duszenko, M. See Seyfang, A.
Dutta-Roy, A. K.
——; Hoque, L.; Paterson, B. J.
Prostaglandin-E_1-binding sites in rabbit erythrocyte membranes. 213: 1167
Dutton, G. G. S. See Cescutti, P.
Duval-Valentin, G. See Jacob, A.
Dwek, R. A. See Amatayakul-Chantler, S.; Joao, H. C.

Eakin, A. K. See Gudmundsdottir, A.
Ebbesen, P. See Jensen, P. H.
Ebel, S. See Lane, A. N.
Eberharter, A.
——; Grabher, A.; Gstraunthaler, G.; Loidl, P.
Nuclear matrix of the lower eukaryote Physarum polycephalum and the mammalian epithelial LLC-PK_1 cell line. A comprehensive investigation of different preparation procedures. 212: 573
Ebisui, O. See Fuse, N.
Eble, J. See Kern, A.
Ebner, C. See Breiteneder, H.
Eccleston, J. F.
——; Molloy, D. P.; Hinds, M. G.; King, R. W.; Feeney, J.
Conformational differences between complexes of elongation factor Tu studied by fluorine-19 NMR spectroscopy. 218: 1041
Ecker, A. See Gaertner, P.
Eckerskorn, C. See Biegert, T.
Eden, D. See van Haeringen, B.
Edlund, M.
——; Gaardsvoll, H.; Bock, E.; Oebrink, B.
Different isoforms and stock-specific variants of the cell adhesion molecule C-CAM (cell-CAM 105) in rat liver. 213: 1109
Edmondson, D. E. See Schieber, A.
Egge, H. See Fischer, W.
Eggeling, L. See Sonntag, K.
Eggert, M.
——; Radomski, N.; Linder, D.; Tripier, D.; Traub, P.; Jost, E.
Identification of novel phosphorylation sites in murine A-type lamins. 213: 659
Eggertsen, G. See Breuer, O.
Ehresmann, B. See Mougel, M.
Ehresmann, C. See Mougel, M.
Einerhand, A. W. C.
——; Kos, W. T.; Distel, B.; Tabak, H. F.
Characterization of a transcriptional control element involved in proliferation of peroxisomes in yeast in response to oleate. 214: 323
Eisenmenger, F. See Hinzmann, B.
Eisenreich, W. See Koch, J.
——; Strauss, G.; Werz, U.; Fuchs, G.; Bacher, A.
Retrobiosynthetic analysis of carbon fixation in the phototrophic eubacterium Chloroflexus aurantiacus. 215: 619

Eichart, A. See Sticht, H.
Eleouet, J. F.
——; Romeo, P. H.
CCACC-binding or simian-virus-40-protein-1-binding proteins cooperate with human GATA-1 to direct erythroid-specific transcription and to mediate 5' hypersensitive site 2 sensitivity of a TATA-less promoter. 212: 763
Elferink, M. G. L. See Garcera, M. J. G.
——; De Wit, J. G.; Driessen, A. J. M.; Konings, W. N.
Energy-transducing properties of primary proton pumps reconstituted into archaeal bipolar lipid vesicles. 214: 917
Energy-transducing properties of primary proton pumps reconstituted into archaeal bipolar lipid vesicles (correction). 216: 880
Eli, Y. See Ben-Av, P.
Elia, G. See Chinery, R.
El Kouben, R.
——; Fierobe, H. P.; Scianimanico, S.; Steiert, M.; Pattus, F.; Pages, J. M.
Characterization of the receptor and translocator domains of colicin N. 214: 635
Ellar, D. J. See Carroll, J.
Ellerbrok, H.
——; Serpente, N.; Pancino, G.; Vanhee, C.; d'Auriol, L.; Sitbon, M.; Vaquero, C.
Sequences in the rev-responsive element responsible for premature translational arrest in the human-immunodeficiency-virus-type-1 envelope. 216: 459
Elliot, T. See Zahradka, P.
Elliott, A. C.
——; Trebilcock, R.; Yates, A. P.; Best, L.
Stimulation of HIT-T15 insulinoma cells by glyceraldehyde does not require its metabolism. 213: 359
Ellis, M. V.
——; Carne, A.; Katan, M.
Structural requirements of phosphatidylinositol-specific phospholipase C δ_1 for enzyme activity. 213: 339
Else, A. J.
——; Hough, D. W.; Danson, M. J.
Cloning, sequencing, and expression of Trypanosoma brucei dihydrolipoamide dehydrogenase. 212: 423
Eltis, L. D.
——; Karlson, U.; Timmis, K. N.
Purification and characterization of cytochrome $P450_{RR1}$ from Rhodococcus rhodochrous. 213: 211
Embrey, K. J.
——; Searle, M. S.; Craik, D. J.
Interaction of Hoechst 33258 with the minor groove of the A + T-rich DNA duplex $d(GGTAATTACC)_2$ studied in solution by NMR spectroscopy. 211: 437
Emorine, L. J. See Van Spronsen, A.
Endo, T. See Kodama, S.; Nakae, H.; Sugo, T.
Endres, B. See Renz, P.
Engel, P. C. See Basso, L. A.
Engel, S. See Pick, E.
Engelhardt, H. See Brunen, M.
Engh, R. A. See Lin, G.
Erguelen, E. See Voss, T.
Eriksson, A. W. See Meijerink, P. H. S.
Eriksson, P.
——; Wrange, O.
The glucocorticoid receptor acts as an antirepressor in receptor-dependent in vitro transcription. 215: 505
Erneux, C.
——; Moreau, C.; Vandermeers, A.; Takazawa, K.
Interaction of calmodulin with a putative calmodulin-binding domain of inositol 1,4,5-triphosphate 3-kinase. Effects of synthetic peptides and site-directed mutagenesis of Trp165. 214: 497
Ernould, A. P. See Boutin, J. A.
——; Ferry, G.; Barret, J. M.; Boutin, J. A.; Genton, A.
Purification and characterization of the major tyrosine protein kinase from the human promyelocytic cell line, HL60. 214: 503
Ernst, W. H. See Janknecht, R.
Eschrich, K.
——; van der Bolt, F. J. T.; de Kok, A.; van Berkel, W. J. H.
Role of Tyr201 and Tyr385 in substrate activation by p-hydroxybenzoate hydroxylase from Pseudomonas fluorescens. 216: 137
Escribano, M. J. See Sugo, T.
Escrieut, C. See Silvente Poirot, S.
Esposito, C. See Mariniello, L.
Esposito, G.
——; Fogolari, F.; Viglino, P.; Cattarinussi, S.; De Magistris, M. T.; Chiappinelli, L.; Pessi, A.
Conformational study of a short pertussis toxin T cell epitope incorporated in a multiple antigen peptide template by CD and two-dimensional NMR. Analysis of the structural effects on the activity of synthetic immunogens. 217: 171
Estevez, F. See Fanjul, L. F.
Estonius, M.
——; Danielsson, O.; Karlsson, C.; Persson, H.; Joernvall, H.; Hoeoeg, J. O.
Distribution of alcohol and sorbitol dehydrogenases. Assessment of mRNA species in mammalian tissues. 215: 497
Esumi, H. See Adachi, H.
Evans, J. F. See Mancini, J. A.
Evtushenko, L. I. See Potekhina, N. V.
Ewer, J. See Horodyski, F. M.
Eyermann, F. See Mougel, M.

Fabian, H. See Gilles, A. M.
Fabre, N. See Mehlen, P.
Faelt, I. C.
——; Schweda, E. K. H.; Weintraub, A.; Sturm, S.; Timmis, K. N.; Lindberg, A. A.
Expression of the Shigella dysenteriae type-1 lipopolysaccharide repeating unit in Escherichia coli K12/Shigella dysenteriae type-1 hybrids. 213: 573
Fago, A.
——; Romano, M.; Tamburrini, M.; Coletta, M.; D'Avino, R.; Di Prisco, G.
A polymerizing root-effect fish hemoglobin with high subunit heterogeneity. Correlation with primary structure. 218: 829
Fahrenholz, F. See Dross, F.; Gorbulev, V.
Fahrner, J.
——; Labruyere, W. T.; Gaunitz, C.; Moorman, A. F. M.; Gebhardt, R.; Lamers, W. H.
Identification and functional characterization of regulatory elements of the glutamine synthetase gene from rat liver. 213: 1067
Faili, A. See Mounier, C.
Fair, D. S. See Kumar, A.
Fairlamb, A. H. See Bailey, S.; Kelly, J. M.
Fanjul, L. F.
——; Marrero, I.; Gonzalez, J.; Quintana, J.; Santana, P.; Estevez, F.; Mato, J. M.; Ruiz de Galarreta, C. M.
Does oligosaccharide-phosphatidylinositol (glycosyl-phosphatidylinositol) hydrolysis mediate prolactin signal transduction in granulosa cells?. 216: 747
Faraonio, R.
——; Galdieri, M.; Colantuoni, V.
Cellular retinoic acid binding protein and retinol binding protein mRNA expression in the cells of the rat seminiferous tubules and their regulation by retinoids. 211: 835
Fareleira, P. See Chen, L.
Farruggia, G. See Gesmundo, N.
Fattah, D. See Graber, P.
Faulhammer, H. G. See Loew, A.
Faulstich, H. See Drewes, G.
Faundez, V. See Orellana, A.
Faure, G.
——; Harvey, A. L.; Thomson, E.; Saliou, B.; Radvanyi, F.; Bon, C.
Comparison of crotoxin isoforms reveals that stability of the complex plays a major role in its pharmacological action. 214: 491
Federici, G. See Piemonte, F.
Fedorova, I. M. See Pshezhetsky, A. V.
Feeney, J. See Eccleston, J. F.
Feinstein, S. I. See Reisher, S. R.
Feizi, T. See Hanisch, F. G.
Felder, E. See Cumin, F.
Feldmann, H. See Schaaff-Gerstenschlaeger, I.
Felipo, V.
——; Grau, E.; Minana, M. D.; Grisolia, S.
Hyperammonemia decreases protein-kinase-C-dependent phosphorylation of microtubule-associated protein 2 and increases its binding to tubulin. 214: 243
Feliu, J. E. See Sanchez-Arias, J. A.
Fellous, M. See McElreavey, K.
Felsberg, J. See Bezouska, K.
Feng, D. F. See Narumi, H.
Fensome, A. See Geny, B.
Feo, S. See Giallongo, A.
Ferguson, M. A. J. See Haynes, P. A.
Ferguson, S. J. See Berks, B. C.; Hoeren, F. U.; Moir, J. W. B.; Page, M. D.
Feriotto, G.
——; Pozzi, L.; Ciucci, A.; Camarda, G.; Mischiati, C.; D'Agnano, I.; Gambari, R.; Giacomini, P.
Methylation state of the human HLA-DRA gene in T-lymphocytes and B-lymphocytes of transgenic mice. Lack of methylation at one 5'-GCGC site is not required for gene expression. 218: 485
Fernandez, M.
——; Frydman, R. B.; Hurst, J.; Buldain, G.
Structure/activity relationships in porphobilinogen oxygenase and horseradish peroxidase. An analysis using synthetic hemins. 218: 251
Fernandez, P. See Solis, D.
Fernandez, V. M. See Schwoerer, B.
Ferragut, J. A. See Banuelos, S.
Ferreira, F. See Breiteneder, H.
Ferrera, M. See Scacheri, E.
Ferrero-Garcia, M. A.
——; Trombetta, S. E.; Sanchez, D. O.; Reglero, A.; Frasch, A. C. C.; Parodi,

A. J.
The action of Trypanosoma cruzi trans-sialidase on glycolipids and glycoproteins. 213: 765
Ferry, G. See Boutin, J. A.; Ernould, A. P.
Ferte, N.
——; Moustacas, A. M.; Nari, J.; Teissere, M.; Borel, M.; Thiebart, I.; Noat, G.
Characterization and kinetic properties of a soybean cell-wall phosphatase. 211: 297
Fibla, J.
——; Atrian, S.; Gonzalez-Duarte, R.
Evidence of serine-protease activity closely associated with Drosophila alcohol dehydrogenase. 211: 357
Ficner, R.
——; Huber, R.
Refined crystal structure of phycoerythrin from Porphyridium cruentum at 0.23-nm resolution and localization of the γ subunit. 218: 103
Fideler, L. See Choumet, V.
Fiebich, B. L.
——; Jaeger, B.; Schoellmann, C.; Weindel, K.; Wilting, J.; Kochs, G.; Marme, D.; Hug, H.; Weich, H. A.
Synthesis and assembly of functionally active human vascular endothelial growth factor homodimers in insect cells. 211: 19
Fierobe, H. P. See El Kouhen, R.
——; Bagnara-Tardif, C.; Gaudin, C.; Guerlesquin, F.; Sauve, P.; Belaich, A.; Belaich, J. P.
Purification and characterization of endoglucanase C from Clostridium cellulolyticum. Catalytic comparison with endoglucanase A. 217: 557
Fiers, W. See De Valck, D.
Finbow, M. E. See Holzenburg, A.
Findlay, J. B. C. See Holzenburg, A.
Finger, A.
——; Knop, M.; Wolf, D. H.
Analysis of two mutated vacuolar proteins reveals a degradation pathway in the endoplasmic reticulum or a related compartment of yeast. 218: 565
Finkenzeller, B. See Paulsen, H.
Finnis, C.
——; Dodsworth, N.; Pollitt, C. E.; Carr, G.; Sleep, D.
Thymidine phosphorylase activity of platelet-derived endothelial cell growth factor is responsible for endothelial cell mitogenicity. 212: 201
Finocchiaro, G.
——; Colombo, I.; Garavaglia, B.; Gellera, C.; Valdameri, G.; Garbuglio, N.; Didonato, S.
cDNA cloning and mitochondrial import of the β-subunit of the human electron-transfer flavoprotein. 213: 1003
Fischer, B. See Hinzmann, B.
Fischer, R. See Gaertner, P.
Fischer, S. See Mayeux, P.
Fischer, W. See Bublitz, R.; Kochanowski, B.
——; Behr, T.; Hartmann, R.; Peter-Katalinic, J.; Egge, H.
Teichoic acid and lipoteichoic acid of Streptococcus pneumoniae possess identical chain structures. A reinvestigation of teichoid acid (C polysaccharide). 215: 851
Fischman, D. A. See Weber, F. E.
Fisher, E. A. See Reisher, S. R.
Fiten, P. See Masure, S.; Vandenbroeck, K.
Fitzke, E. See Dieter, P.
Flanigan, I.
——; Collins, J. G.; Arora, K. K.; MacLeod, J. K.; Williams, J. F.
Exchange reactions catalyzed by group-transferring enzymes oppose the quantitation and the unravelling of the identity of the pentose pathway. 213: 477
Flatmark, T. See Martinez, A.
Fleckner, J. See Frolova, L. Yu.
Fleury, V.
——; Loyau, S.; Lijnen, H. R.; Nieuwenhuizen, W.; Angles-Cano, E.
Molecular assembly of plasminogen and tissue-type plasminogen activator on an evolving fibrin surface. 216: 549
Flodgaard, H. See Petersen, L. C.
Floerke, R. R.
——; Klein, H. W.; Reinauer, H.
Differential insertion of insulin receptor complexes into Triton X-114 bilayer membranes. Evidence for a differential accessibility of the membrane-exposed receptor domain. 211: 241
Floris, R. See Lundell, T.
——; Piersma, S. R.; Yang, G.; Jones, P.; Wever, R.
Interaction of myeloperoxidase with peroxynitrite. A comparison with lactoperoxidase, horseradish peroxidase and catalase. 215: 767
Interaction of myeloperoxidase with peroxynitrite. A comparison with lactoperoxidase, horseradish peroxidase and catalase (correction). 216: 881
Foehr, U. G.
——; Weber, B. R.; Muentener, M.; Staudenmann, W.; Hughes, G. J.; Frutiger, S.; Banville, D.; Schaefer, B. W.; Heizmann, C. W.
Human α and β parvalbumins. Structure and tissue-specific expression. 215: 719
Fogliano, V. See Aducci, P.
Fogolari, F. See Esposito, G.
Folkers, P. J. M. See van Duynhoven, J. P. M.
Folliard, F. See Guinet, F.
Follmann, H. See Wuerfel, M.
Foltmann, B. See Nielsen, F. S.
Fontaine, V.
——; Savino, R.; Arcone, R.; De Wit, L.; Brakenhoff, J. P. J.; Content, J.; Ciliberto, G.
Involvement of the Arg179 in the active site of human IL-6. 211: 749
Fontecave, M. See Atta, M.; Coves, J.
Fooks, S. G. See Shone, C. C.
Foray, M. F.
——; Lancelin, J. M.; Hollecker, M.; Marion, D.
Sequence-specific proton NMR assignment and secondary structure of black mamba dendrotoxin I, a highly selective blocker of voltage-gated potassium channels. 211: 813
Forest, E. See Bourguignon, J.
Forkl, H.
——; Vandekerckhove, J.; Drews, G.; Tadros, M. H.
Molecular cloning, sequence analysis and expression of the gene for catalase-peroxidase (cpeA) from the photosynthetic bacterium Rhodobacter capsulatus B10. 214: 251
Forkmann, G. See Britsch, L.
Forlino, A. See Valli, M.
Forsman, C. See Johansson, I. M.
Forssmann, W. G. See Sillard, R.
Fothergill, J. E. See Mackay, E. A.
Fourmy, D. See Silvente Poirot, S.
Fournier, A. See Mimeault, M.
Fowles, C. See Brown, N. G.
Fox, K. R. See Carpenter, M. L.
Franc, J. L. See Mas, E.
Franco, R. See Moreno, C.
Frank, R. See Sticht, H.
Franklin, T. See Holzenburg, A.
Frasch, A. C. C. See Ferrero-Garcia, M. A.
Fredenhagen, A. See Zimmermann, N.
Freisleben, H-J. See Deisinger, B.
Frentzel, S.
——; Kuhn-Hartmann, I.; Gernold, M.; Goett, P.; Seelig, A.; Kloetzel, P. M.
The major-histocompatibility-complex-encoded β-type proteasome subunits LMP2 and LMP7. Evidence that LMP2 and LMP7 are synthesized as proproteins and that cellular levels of both mRNA and LMP-containing 20S proteasomes are differentially regulated. 216: 119
Frere, J. M. See Matagne, A.
Freund, J. See Kienzle, N.
Freund, S. See Zimmermann, N.
Fried, M. G. See Hudson, J. M.
——; Stickle, D. F.
Ion-exchange reactions of proteins during DNA binding. 218: 469
Friedrich, K. See Pompejus, M.
Friedrich, M.
——; Schink, B.
Hydrogen formation from glycolate driven by reversed electron transport in membrane vesicles of a syntrophic glycolate-oxidizing bacterium. 217: 233
Fritz, H. J. See Pompejus, M.
Fritzer, M. See Berczi, A.
Frolova, L. Yu.
——; Fleckner, J.; Justesen, J.; Timms, K. M.; Tate, W. P.; Kisselev, L. L.; Haenni, A. L.
Are the tryptophanyl-tRNA synthetase and the peptide-chain-release factor from higher eukaryotes one and the same protein? 212: 457
Frolow, F. See Inbar, L.
Frutiger, S. See Foehr, U. G.
Frydenberg, J. See Knudsen, S. M.
Frydman, R. B. See Fernandez, M.
Fuchs, A. See Danner, M.
Fuchs, G. See Biegert, T.; Brackmann, R.; Eisenreich, W.; Gaertner, P.; Koch, J.; Strauss, G.
Fujii-Kuriyama, Y. See Watanabe, N.
Fujimori, Y.
——; Kudo, I.; Fujita, K.; Inoue, K.
Characteristics of lysophospholipase activity expressed by cytosolic phospholipase A_2. 218: 629
Fujisawa, J. See Watanabe, N.
Fujita, K. See Fujimori, Y.
Fujita, M. See Hashimoto, H.
Fujita, N. See Shibanaka, Y.
Fujiwara, K. See Okamura-Ikeda, K.
Fujiwara, Y. See Matsumoto, A.
Fukata, J. See Fuse, N.
Fukazawa, C. See Muramatsu, M.; Totsuka, A.; Tsuchida, M.
Fukuchi, J. See He, Y.
Fullone, M. R. See Aducci, P.
Funabashi, H. See Morisaki, N.
Funderud, S. See Aasheim, H. C.
Funk, C. D. See Chen, X. S.
Furukawa, J. See Morisaki, N.
Furukawa, Y. See Kida, N.
Furuya, M. See Kunkel, T.
Fuse, N.
——; Hayashi, Y.; Fukata, J.; Tominaga, T.; Ebisui, O.; Satoh, Y.; Isohara,

T.; Uno, I.; Imura, H.
Purification and characterization of new anti-adrenocorticotropin rabbit neutrophil peptides (defensins). 216: 653
Fusi, P.
——; Tedeschi, G.; Aliverti, A.; Ronchi, S.; Tortora, P.; Guerritore, A.
Ribonucleases from the extreme thermophilic archaebacterium S. solfataricus. 211: 305

Gaardsvoll, H. See Edlund, M.
Gabrielsen, O. S. See Jamin, N.
Gaertner, P.
——; Ecker, A.; Fischer, R.; Linder, D.; Fuchs, G.; Thauer, R. K.
Purification and properties of N⁵-methyltetrahydromethanopterin:coenzyme M methyltransferase from Methanobacterium thermoautotrophicum. 213: 537
Gahn, L. G. See Roskoski, R. Jr.
Gaillard, J. L. See Moslemi, S.
Galat, A.
Peptidylproline cis-trans-isomerases: Immunophilins. 216: 689
Galdieri, M. See Faraonio, R.
Gallacher, G.
——; Jackson, C. S.; Searcey, M.; Goel, R.; Mellor, G. W.; Smith, C. Z.; Brocklehurst, K.
Catalytic antibody activity elicited by active immunization. Evidence for natural variation involving preferential stabilization of the transition state. 214: 197
Gallay, J. See Vincent, M.
——; Vincent, M.; Li de la Sierra, I. M.; Alvarez, J.; Ubieta, R.; Madrazo, J.; Padron, G.
Protein flexibility and aggregation state of human epidermal growth factor. A time-resolved fluorescence study of the native protein and engineered single-tryptophan mutants. 211: 213
Galli, D. See Hirt, H.; Muscholl, A.
Galliano, M. See Minchiotti, L.
Gallwitz, B. See Mentlein, R.
Gambari, R. See Feriotto, G.
Gamian, A.
——; Romanowska, E.; Dabrowski, U.; Dabrowski, J.
Structure of the O-specific polysaccharide containing pentitol phosphate, isolated from Hafnia alvei strain PCM 1191 lipopolysaccharide. 213: 1255
Gani, D. See Leech, A. P.
Ganoza, M. C.
——; Aoki, H.; Kozieradzki, I.; Schwartz, I.
Reconstruction of translation. Evidence for the involvement of the rescue protein in the association/dissociation of ribosomal subunits. 217: 839
Ganss, B.
——; Hoffmann, W.
Calcium binding to sialic acids and its effect on the conformation of ependymins. 217: 275
Gantchev, T. G.
——; Ali, H.; van Lier, J. E.
Interactions of chloroaluminum tetramethyltetrapyridinoporphyrazine with DNA. 217: 371
Gao, X. See Ray, B. K.
Garavaglia, B. See Finocchiaro, G.
Garbugno, N. See Finocchiaro, G.
Garcera, M. J. G.
——; Elferink, M. G. L.; Driessen, A. J. M.; Konings, W. N.
In vitro pore-forming activity of the lantibiotic nisin. Role of protonmotive force and lipid composition. 212: 417
Garchon, H. J. See Belmouden, A.
Garcia, M. M. See Hermansson, K.
Garcia, R. See Abarca, S.
Garcia-Borron, J. C. See Jimenez-Cervantes, C.; Valverde, P.
Garcia-Diaz, M.
——; Avalos, M.; Cameselle, J. C.
Alcohol esterification reactions and mechanisms of snake venom 5'-nucleotide phosphodiesterase. 213: 1139
Garcia-Jimenez, C. See Hernandez, A.
Garcia-Sablone, P. See Metz-Boutigue, M. H.
Garel, M. C.
——; Lemarchandel, V.; Calvin, M. C.; Arous, N.; Craescu, C. T.; Prehu, M. O.; Rosa, J.; Rosa, R.
Amino acid residues involved in the catalytic site of human erythrocyte bisphosphoglycerate mutase. Functional consequences of substitutions of His10, His187 and Arg89. 213: 493
Garnier, A.
——; John, R. A.
Probes of ligand-induced conformational change in aspartate aminotransferase. 216: 763
Garrone, R. See Humbert-David, N.
Gascard, P.
——; Pawelczyk, T.; Lowenstein, J. M.; Cohen, C. M.
The role of inositol phospholipids in the association of band 4.1 with the human erythrocyte membrane. 211: 671
Gasparini, S. See Hodgson, D.
Gati, I. See Lichtstein, D.
Gaudin, C. See Fierobe, H. P.
Gault, N. See Guinet, F.
Gaunitz, C. See Fahrner, J.
Gausing, K. See Nielsen, P. S.
Gaussin, V. See Baquet, A.
Gautier, J. C.
——; Urban, P.; Beaune, P.; Pompon, D.
Engineered yeast cells as model to study coupling between human xenobiotic metabolizing enzymes. Simulation of the two first steps of benzo[a]pyrene activation. 211: 63
Gautvik, K. M. See Rian, E.
Gazit, A. See Sticht, H.
Gebhardt, R. See Fahrner, J.
Gedamu, L. See Wisniewski, J.
Gehring, H. See Hartmann, C. M.; Ziak, M.
Geilen, C. C. See Nuck, R.
Geiser, M. See Oddou, P.
Geisler, V. See Dross, F.
Gellera, C. See Finocchiaro, G.
Gennari, M. See van de Werken, R.
Gentile, F.
——; Salvatore, G.
Preferential sites of proteolytic cleavage of bovine, human and rat thyroglobulin. The use of limited proteolysis to detect solvent-exposed regions of the primary structure. 218: 603
Genton, A. See Ernould, A. P.
Geny, B.
——; Fensome, A.; Cockcroft, S.
Rat brain cytosol contains a factor which reconstitutes guanine nucleotide binding protein-regulated phospholipase-D activation in HL60 cells previously permeabilized with streptolysin O. 215: 389
Geraerts, W. P. M. See Li, K. W.; Smit, A. B.
Gerbling, H. See Baldet, P.
Gernold, M. See Frentzel, S.
Gerok, W. See Hallbrucker, C.
Gerritsma, J. See Dirks, R. P. H.
Gesmundo, N.
——; Calonghi, N.; Sartor, G.; Farruggia, G.; Miotti, S.; Canevari, S.; Colnaghi, M. I.; Masotti, L.
Effect of hydrostatic pressure and cholesterol depletion on the expression of a tumor-associated antigen. 217: 337
Gettemans, J.
——; De Ville, Y.; Vandekerckhove, J.; Waelkens, E.
Purification and partial amino acid sequence of the actin-fragmin kinase from Physarum polycephalum. 214: 111
Gewert, D. R. See Parrington, J.; Sharp, T. V.
Ghosh, P. See Jacoby, A. S.
Giacomini, P. See Feriotto, G.
Giallongo, A.
——; Venturella, S.; Oliva, D.; Barbieri, G.; Rubino, P.; Feo, S.
Structural features of the human gene for muscle-specific enolase. Differential splicing in the 5'-untranslated sequence generates two forms of mRNA. 214: 367
Structural features of the human gene for muscle-specific enolase. Differential splicing in the 5'-untranslated sequence generates two forms of mRNA. (correction) 218: 1095
Giancotti, V.
——; Bandiera, A.; Ciani, L.; Santoro, D.; Crane-Robinson, C.; Goodwin, G. H.; Boiocchi, M.; Dolcetti, R.; Casetta, B.
High-mobility-group (HMG) proteins and histone H1 subtypes expression in normal and tumor tissues of mouse. 213: 825
Gierschik, P. See Ligeti, E.; Norgauer, J.; Schnabel, P.
Gieseler, F. See Boege, F.
Giffhorn, F. See Danneel, H. J.
Gil-Gomez, G.
——; Ayte, J.; Hegardt, F. G.
The rat mitochondrial 3-hydroxy-3-methylglutaryl-coenzyme-A-synthase gene contains elements that mediate its multihormonal regulation and tissue specificity. 213: 773
Gilles, A. M. See Munier, H.
——; Sismeiro, O.; Munier, H.; Fabian, H.; Mantsch, H. H.; Surewicz, W. K.; Craescu, C. C.; Barzu, O.; Danchin, A.
Structural and physicochemical characteristics of Bordetella pertussis adenylate kinase, a tryptophan-containing enzyme. 218: 921
Gilles, N. See Jamin, N.
Gimona, M. See Niggli, V.
Giovane, A. See Servillo, L.; Wasylyk, B.
Giovannini, E. See Talesa, V.
Girard, J. See Bossard, P.
Girardet, J. L.
——; Bally, I.; Arlaud, G.; Dupont, Y.
Localization of a putative magnesium-binding site within the cytoplasmic domain of the sarcoplasmic reticulum calcium-ATPase. 217: 225
Gisselbrecht, S. See Mayeux, P.
Giudici-Orticoni, M. T. See Gontero, B.; Rault, M.
Glaser, P. See Munier, H.

Glasgow, W. C. See Takahashi, Y.
Gliemann, J. See Jensen, P. H.
Glockshuber, R. See Tomschy, A.
Gloe, T. R. See Neu-Yilik, G.
Gloessl, J. See Voss, T.
Glund, K. See Loeffler, A.
Goding, J. W. See Belli, S. I.
Godinot, C. See Lopez-Mediavilla, C.
Godovac-Zimmermann, J. See Schrattenholz, A.
Goel, R. See Gallacher, G.
Goerig, M. See Nuesing, R.
Goerlich, D. See Hartmann, E.
Goerne-Tschelnokow, U.
——; Naumann, D.; Weise, C.; Hucho, F.
Secondary structure and temperature behavior of acetylcholinesterase. Studies by Fourier-transform infrared spectroscopy. 213: 1235
Goett, P. See Frentzel, S.
Goffin, V.
——; Struman, I.; Goormaghtigh, E.; Martial, J. A.
The addition of nine residues at the C-terminus of human prolactin drastically alters its biological properties. 214: 483
Gohlsch, B. See Aigner, S.
Golbik, R. See Kern, A.
Goldberg, D.
——; Marbach, I.; Gross, E.; Levitzki, A.; Simchen, G.
A Candida albicans homolog of CDC25 is functional in Saccharomyces cerevisiae. 213: 195
Goldenberg, H. See Berczi, A.; Schweinzer, E.
Goldman, S. See Blecher, O.
Goldstein, I. J. See Saito, K.
Gollan, U.
——; Schneider, K.; Mueller, A.; Schueddekopf, K.; Klipp, W.
Detection of the in vivo incorporation of a metal cluster into a protein. The iron-molybdenum cofactor is inserted into the iron-iron protein of the alternative nitrogenase of Rhodobacter capsulatus. 215: 25
Gololobov, M. Y.
——; Stepanov, V. M.; Voyushina, T. L.; Adlercreutz, P.
The second nucleophile molecule binds to the acyl-enzyme-nucleophile complex in α-chymotrypsin catalysis. Kinetic evidence for the interaction. 217: 955
Golovanov, A. P.
——; Lomize, A. L.; Arseniev, A. S.; Utkin, Y. N.; Tsetlin, V. I.
Two-dimensional proton-NMR study of the spatial structure of neurotoxin II from Naja naja oxiana. 213: 1213
Gomez-Fernandez, J. C. See Corbalan-Garcia, S.
Gomez-Moreno, C. See Medina, M.
Gomez-Puyou, A. See Barrabin, H.
Gomis-Rueth, F. X. See Stoecker, W.
Goncalvez, M. F. See de Lederkremer, R. M.
Gontero, B. See Rault, M.
——; Mulliert, G.; Rault, M.; Giudici-Orticoni, M. T.; Ricard, J.
Structural and functional properties of a multi-enzyme complex from spinach chloroplasts. 2. Modulation of the kinetic properties of enzymes in the aggregated state. 217: 1075
Gonzalez, A. See Orellana, A.
Gonzalez, C. See Jimenez, M. A.
Gonzalez, D. See Lamattina, L.
Gonzalez, J. See Fanjul, L. F.
Gonzalez de la Pena, M. A. See Villalba, M.
Gonzalez-Duarte, R. See Fibla, J.
Gonzalez-Manas, J. M.
——; Lakey, J. H.; Pattus, F.
Interaction of the colicin-A pore-forming domain with negatively charged phospholipids. 211: 625
Goodenough, P. W. See Sumner, I. G.
Goodwin, G. H. See Giancotti, V.
Gooley, A. A. See Haynes, P. A.
Goormaghtigh, E. See Goffin, V.
Goossen, B. See Gray, N. K.
Gorbulev, V.
——; Buechner, H.; Akhundova, A.; Fahrenholz, F.
Molecular cloning and functional characterization of V_2[8-lysine] vasopressin and oxytocin receptors from a pig kidney cell line. 215: 1
Gordeladze, J. O. See Rian, E.
Gordon, P. B. See Holen, I.
Goris, J. See Cayla, X.
Gorzalczany, Y. See Pick, E.
Gottschalk, G. See Soehling, B.
Gottschling, C.
——; Huber, J.; Oberbaeumer, I.
Expression of the laminin-A chain is down-regulated by a non-canonical polyadenylation signal. 216: 293
Goud, B. See Yang, C.
Grabenhorst, E.
——; Hofer, B.; Nimtz, M.; Jaeger, V.; Conradt, H. S.
Biosynthesis and secretion of human interleukin 2 glycoprotein variants from baculovirus-infected Sf21 cells. Characterization of polypeptides and posttranslational modifications. 215: 189
Graber, P.
——; Bernard, A. R.; Hassell, A. M.; Milburn, M. V.; Jordan, S. R.; Proudfoot, A. E. I.; Fattah, D.; Wells, T. N. C.
Purification, characterization and crystallization of selenomethionyl recombinant human interleukin-5 from Escherichia coli. 212: 751
Grabher, A. See Eberharter, A.
Grabowski, R. See Hofmeister, A. E. M.
Graeber, P. See Wach, A.
Grant, M. E. See Kong, R. Y. C.
Granzin, J. See Lenz, A.
Gratton, E. See Bismuto, E.
Grau, E. See Felipo, V.
Gray, N. K.
——; Goossen, B.; Constable, A.; Hirling, H.; Kuehn, L. C.; Hentze, M. W.; Quick, S.
Recombinant iron-regulatory factor functions as an iron responsive element-binding protein, a translational repressor and an aconitase. A functional assay for translational repression and direct demonstration of the iron switch. 218: 657
Green, A. See Drummond, M.
Gregory, P. See Haystead, C. M. M.
Greiner, E. See Guppy, M.
Grienenberger, J. M. See Lamattina, L.
Grierson, D. See Balague, C.
Grimaldi, M. See Wagner, P.
Grimaldi, P. See Schoonjans, K.
Grimmig, M. See Lutz, F.
Gripon, J. C. See Yoshpe-Besancon, I.
Grishin, E. See Kiyatkin, N.
Grisolia, S. See Felipo, V.
Griveil, L. A. See Hemrika, W.
Grodberg, J.
——; Davis, K. L.; Sytkowski, A. J.
Alanine scanning mutagenesis of human erythropoietin identifies four amino acids which are critical for biological activity. 218: 597
Groenen, P. M. A. See Martens, G. J. M.
Groneveld, D. See Martens, G. J. M.
Grosbois, M. See Coutos-Thevenot, P.
Gross, E. See Goldberg, D.
Gross, M.
——; Lehle, K.; Jaenicke, R.; Nierhaus, K. H.
Pressure-induced dissociation of ribosomes and elongation cycle intermediates. Stabilizing conditions and identification of the most sensitive functional state. 218: 463
Gruen, L. C.
——; Kortt, A. A.; Nice, E.
Determination of relative binding affinity of influenza virus N9 sialidases with the Fab fragment of monoclonal antibody NC41 using biosensor technology. 217: 319
Grunert, F. See Nagel, G.
Gstraunthaler, G. See Eberharter, A.
Guadano, A. See Sanchez-Arias, J. A.
Gualberto, J. See Lamattina, L.
Guasch, A. See Aviles, F. X.
Guba, W. See Moroder, L.
Gubensek, F. See Choumet, V.
Gudmundsdottir, A.
——; Gudmundsdottir, E.; Oskarsson, S.; Bjarnason, J. B.; Eakin, A. K.; Craik, C. S.
Isolation and characterization of cDNAs from Atlantic cod encoding two different forms of trypsinogen. 217: 1091
Gudmundsdottir, E. See Gudmundsdottir, A.
Guehrs, K. H. See Collen, D.
Guengerich, F. P. See Lopez Garcia, M. P.
Guerbette, F. See Coutos-Thevenot, P.
Guerin, B. See Beauvoit, B.
Guerin, S. L. See Potvin, F.
——; Anzivino, M. J.; Roy, R. J.; Moore, D. D.
Expression of the rat growth-hormone gene is under the influence of a cell-type-specific silencer element. 213: 399
Guerlesquin, F. See Blanchard, L.; Fierobe, H. P.
Guern, J. See Coutos-Thevenot, P.
Guerrero, L. See Schoedon, G.
Guerritore, A. See Fusi, P.
Guest, J. R. See Andrews, S. C.; Hudson, A. J.
Guillain, F. See Lacapere, J. J.
Guillin, M. C. See Bouton, M. C.
Guinet, F.
——; Guitton, J. D.; Gault, N.; Folliard, F.; Touchet, N.; Cherel, J. M.; Crespo, A.; Destourbe, A.; Bertrand, P.
Interleukin-1β-specific partial agonists defined by site-directed mutagenesis studies. 211: 583
Guitton, J. D. See Guinet, F.
Gunne, H.
——; Steiner, H.
Efficient secretion of attacin from insect fat-body cells requires proper processing of the prosequence. 214: 287
Gunther Sillero, M. A. See Ortiz, B.
Guppy, M.
——; Greiner, E.; Brand, K.
The role of the Crabtree effect and an endogenous fuel in the energy metabolism of resting and proliferating thymocytes. 212: 95
Gupta, D.
——; Sabesan, S.; Brewer, C. F.
Selective inhibition of N-acetylglucosamine and galactose-specific lectins

including the 14-kDa vertebrate lectin by novel synthetic bianten= nary oligosaccharides. 216: 789
Gupta, S.
——; Hollenstein, R.; Kochhar, S.; Christen, P.
Paracatalytic self-inactivation of fructose-1,6-bisphosphate aldolase. Structure of the crosslink formed at the active site. 214: 515
Gurusiddappa, S. See Lindgren, P. E.
Guss, B. See Lindgren, P. E.
Gustafson, L. A. See Meijer, A. J.
Gusterson, B. A. See Warburton, M. J.
Gutberlet, T. See Kastowsky, M.
Gutierrez, S. See Alvarez, E.
Gutowski-Eckel, Z.
——; Baeumert, H. G.
Two states of the nucleotide-binding site of sarcoplasmic reticulum aden= osine triphosphatase detected by the calcium-dependent reaction with adenosine 5'-[γ-imidazolidate]= triphosphate and adenosine 5'-[β-= imidazolidate]diphosphate. 218: 823
Gwozdzinski, K. See Watala, C.

Haaker, H. See Pierik, A. J.
Haavik, J. See Sutherland, C.
Habenicht, A. J. R. See Nuesing, R.
Haber, J.
——; Maslakiewicz, P.; Rodakiewicz-No= wak, J.; Walde, P.
Activity and spectroscopic properties of bovine liver catalase in sodium bis(2-ethylhexyl)sulfosuccinate/= isooctane reverse micelles. 217: 567
Hadjiivanova, C. See Silvente Poirot, S.
Hadjiolov, A. A. See Hadjiolova, K. V.
Hadjiolova, K. V.
——; Nicoloso, M.; Mazan, S.; Hadjio= lov, A. A.; Bachellerie, J. P.
Alternative pre-rRNA processing pathways in human cells and their alteration by cycloheximide inhib= ition of protein synthesis. 212: 211
Haeberlein, I. See Wuerfel, M.
Haedener, A.
——; Matzinger, P. K.; Malashkevich, V. N.; Louie, G. V.; Wood, S. P.; Oliver, P.; Alefounder, P. R.; Pitt, A. R.; Abell, C.; Battersby, A. R.
Purification, characterization, crystal= lization and x-ray analysis of sele= nomethionine-labeled hydroxyme= thylbilane synthase from Escherichia coli. 211: 615
Haeggstroem, J. Z. See Watanabe, T.
Haenni, A. L. See Frolova, L. Yu.
Haeussinger, D. See Hallbrucker, C.
Haeuw-Fievre, S.
——; Wieruszeski, J. M.; Plancke, Y.; Michalski, J. C.; Montreuil, J.; Strecker, G.
Primary structure of human milk octa-, dodeca- and tridecasacchar= ides determined by a combination of proton NMR spectroscopy and fast-atom-bombardment mass spec= trometry. Evidence for a new core structure, the para-lacto-N-octaose 215: 361
Hagen, W. R. See Pierik, A. J.
Hah, Y. C. See Shin, K. S.
Hahlbrock, K. See Kirsch, C.
Hahn, M. See Kleymann, G.
Hahn, S. L. See Wasylyk, B.
Hahn, U. See Heydenreich, A.
Hakkola, E. H.
——; Hiltunen, J. K.
The existence of two mitochondrial isoforms of 2,4-dienoyl-CoA reduc= tase in the rat. 215: 199
Hale, T. I. See Mehta, P. K.
Hall, M. See Kopacek, P.
Hallbrucker, C.
——; Ritter, M.; Lang, F.; Gerok, W.; Haeussinger, D.
Hydroperoxide metabolism in rat liver. Potassium channel activation, cell volume changes and eicosanoid formation. 211: 449
Hallis, B. See Shone, C. C.
Hamada, Y. See Watanabe, K.
Hamalainen, N. See Aigner, S.
Hamamoto, T. See Lee, Y. C.
Hambleton, P. See Shone, C. C.
Hamer, E.
——; Schoner, W.
Modification of the E_1ATP binding site of sodium/potassium-ATPase by the chromium complex of adeno= sine 5'-[β,γ-methylene]triphosphate blocks the overall reaction but not the partial activities of the E_2 con= formation. 213: 743
Hammerschmidt, F. See Lacoste, A. M.
Hampe, W. See Kleymann, G.
Han, Y. H. See Shin, K. S.
Hanby, A. M. See Chinery, R.
Hanemaaijer, R. See Schulze, E.
Hanisch, F. G.
——; Chai, W.; Rosankiewicz, J. R.; Lawson, A. M.; Stoll, M. S.; Feizi, T.
Core-typing of O-linked glycans from human gastric mucins. Lack of evidence for the occurrence of the core sequence Gal1-6GalNAc. 217: 645
Hannappel, E. See Bublitz, R.
Happe, T.
——; Naber, J. D.
Isolation, characterization and N-ter= minal amino acid sequence of hyd= rogenase from the green alga Chla= mydomonas reinhardtii. 214: 475
Haraguchi, G. See Kogan, G.
Haraux, F. See Valerio, M.
Harazono, A. See Irie, A.
Harbecke, D. See Ilg, T.
Hard, K. See Kubelka, V.
Harding, L. J. See Dunham, W. R.
Hariguchi, S. See Nakamura, Y.
Harmsen, B. J. M. See van Duynho= ven, J. P. M.
Harris, G. W. See Sumner, I. G.
Harris, J. B. See Hodgson, D.
Harris, T. M. See Tamura, M.
Harrison, P. M. See Andrews, S. C.; Hudson, A. J.
Hartley, R. W. See Yakovlev, G. I.
Hartmann, C. M.
——; Gehring, H.; Christen, P.
The mature form of imported mito= chondrial proteins undergoes confor= mational changes upon binding to isolated mitochondria. 218: 905
Hartmann, E.
——; Goerlich, D.; Kostka, S.; Otto, A.; Kraft, R.; Knespel, S.; Buerger, E.; Rapoport, T. A.; Prehn, S.
A tetrameric complex of membrane proteins in the endoplasmic reticu= lum. 214: 375
Hartmann, H. See Oddou, P.
Hartmann, M. See Collen, D.
Hartmann, R. See Fischer, W.
Hartmans, S. See van der Werf, M. J.
Harvey, A. L. See Faure, G.; Vita, C.
Harvey, D. J. See Tennent, G. A.
Harvey, P. See Lundell, T.
Hase, S. See Yoneda, A.
Hashimoto, H.
——; Toide, K.; Kitamura, R.; Fujita, M.; Tagawa, S.; Itoh, S.; Kamataki, T.
Gene structure of CYP3A4, an adult-specific form of cytochrome P450 in human livers, and its tran= scriptional control. 218: 585
Hasler, T. H.
——; Rader, C.; Stoeckli, E. T.; Zuellig, R. A.; Sonderegger, P.
cDNA cloning, structural features, and eukaryotic expression of human TAG-1/axonin-1. 211: 329
Hassell, A. M. See Graber, P.
Hata, M. See Okada, K.
Hatakka, A. See Lundell, T.
Hatefi, Y.
ATP synthesis in mitochondria. 218: 759
Hatmi, M. See Mounier, C.
Hauer, C. R. See Dallinger, R.
Hawkins, C. See Andrews, S. C.; Hud= son, A. J.
Hayashi, A. See Araki, S.
Hayashi, H. See Shibanaka, Y.
Hayashi, K. See Kida, N.
Hayashi, S. See Miyazaki, Y.
Hayashi, Y. See Fuse, N.; Matsuoka, S.
Hayes, J. D. See Wareing, C. J.
Haynes, P. A.
——; Gooley, A. A.; Ferguson, M. A. J.; Redmond, J. W.; Williams, K. L.
Post-translational modifications of the Dictyostelium discoideum glyco= protein PsA. Glycosylphosphatidyli= nositol membrane anchor and com= position of O-linked oligosacchar= ides. 216: 729
Haystead, C. M. M.
——; Gregory, P.; Sturgill, T. W.; Hay= stead, T. A. J.
γ-Phosphate-linked ATP-Sepharose for the affinity purification of pro= tein kinases. Rapid purification to homogeneity of skeletal muscle mitogen-activated protein kinase kinase. 214: 459
Haystead, T. A. J. See Haystead, C. M. M.
Hazon, N. See Waugh, D.
He, X. See Abe, T.
——; Dahlbaeck, B.
Molecular cloning, expression and functional characterization of rabbit anticoagulant vitamin-K-dependent protein S. 217: 857
He, Y.
——; Kashiwagi, K.; Fukuchi, J.; Terao, K.; Shirahata, A.; Igarashi, K.
Correlation between the inhibition of cell growth by accumulated poly= amines and the decrease of magnesi= um and ATP. 217: 89
Heby, O. See Stjernborg, L.
Hecker, H. See Michalon, P.
Hedderich, R. See Heiden, S.
Hederstedt, L. See Von Wachenfeldt, C.
Hedrick, J. L. See Hirano, T.
Hegardt, F. G. See Gil-Gomez, G.; Martinez-Gonzalez, J.
Hegde, R.
——; Karande, A. A.; Podder, S. K.
The variants of the protein toxins abrin and ricin. A useful guide to understanding the processing events in the toxin transport. 215: 411
Heiden, S.
——; Hedderich, R.; Setzke, E.; Thauer, R. K.
Purification of a cytochrome b con=

taining H_2:heterodisulfide oxidoreductase complex from membranes of Methanosarcina barkeri. 213: 529
Heidrich, C. See Nuck, R.
Heiland, S.
——; Knippers, R.; Kunze, N. The promoter region of the human type-I-DNA-topoisomerase gene. Protein-binding sites and sequences involved in transcriptional regulation. 217: 813
Heimburg, T. See Holzenburg, A.
Heinemann, U. See Lenz, A.; Welfle, H.
Heinrich, P. C. See Stoyan, T.
Heinstra, P. W. H. See Voorter, C. E. M.
Heinz, E. See Sperling, P.
Heizmann, C. W. See Foehr, U. G.
Helander, I. M.
——; Lindner, B.; Seydel, U.; Vaara, M. Defective biosynthesis of the lipid A component of temperature-sensitive firA (omsA) mutant of Escherichia coli. 212: 363
——; Moll, H.; Zaehringer, U. 4-O-(2-Amino-2-deoxy-α-D-glucopyranosyl)-3-deoxy-D-manno-2-octulosonic acid, a constituent of lipopolysaccharides of the genus Pectinatus. 213: 377
Helene, C. See Jacob, A.
Hellman, U. See Alexson, S. E. H.
Hemrika, W.
——; Berden, J. A.; Grivell, L. A. A region of the C-terminal part of the 11-kDa subunit of ubiquinol-cytochrome-c oxidoreductase of the yeast Saccharomyces cerevisiae contributes to the structure of the Q_{out} reaction domain. 215: 601
Henderson, L. M.
——; Chappell, J. B. Dihydrorhodamine 123: A fluorescent probe for superoxide generation?. 217: 973
——; Moule, S. K.; Chappell, J. B. The immediate activator of the NADPH oxidase is arachidonate not phosphorylation. 211: 157
Henderson, P. J. F. See Walmsley, A. R.
Hendle, J.
——; Bueckmann, A. F.; Aehle, W.; Schomburg, D.; Schmid, R. D. Structure/activity relationship of adenine-modified NAD derivatives with respect to porcine heart lactate dehydrogenase isozyme H_4 simulated with molecular mechanics. 213: 947
Hengstenberg, W. See Kalbitzer, H. R.
Henly, C. See Weston, A.
Henrissat, B. See Blaak, H.; Schou, C.
Hentze, M. W. See Gray, N. K.
Hermansson, K.
——; Perry, M. B.; Altman, E.; Brisson, J. R.; Garcia, M. M. Structural studies of the O-antigenic polysaccharide of Fusobacterium necrophorum. 212: 801
Hermes, C. See Sayers, Z.
Hernandez, A.
——; Garcia-Jimenez, C.; Santisteban, P.; Obregon, M. J. Regulation of malic-enzyme-gene expression by cAMP and retinoic acid in differentiating brown adipocytes. 215: 285
Herranz, J. See Jimenez, M. A.
Herrmann, F. See Sticht, H.
Herrmann, R. G. See Palomares, R.
Hers, H. G. See Bismut, H.
Hervas, M. See Campos, A. P.; Medina, M.
Herve, M.
——; Wietzerbin, J.; Tran Dinh, S. Non-cooperative effects of glucose and 2-deoxyglucose on their metabolism in Saccharomyces cerevisiae studied by proton and carbon-13 NMR spectroscopy. 218: 221
Herzberg, O. See da Silva, A. C. R.
Hesterkamp, T.
——; Weeds, A. G.; Mannherz, H. G. The actin momomers in the ternary gelsolin: 2 actin complex are in an antiparallel orientation. 218: 507
Heydenreich, A.
——; Koellner, G.; Choe, H. W.; Cordes, F.; Kisker, C.; Schindelin, H.; Adamiak, R.; Hahn, U.; Saenger, W. The complex between ribonuclease T1 and 3'-GMP suggests geometry of enzymic reaction path. An X-ray study. 218: 1005
Hidalgo, P. C. See Orellana, A.
Hilbers, C. W. See van Duynhoven, J. P. M.
Hilhorst, R. See Khmelnitsky, Yu. L.
Hiltunen, J. K. See Hakkola, E. H.
Hinds, M. G. See Eccleston, J. F.
Hinzmann, B.
——; Wernicke, D.; Pfeifer, M.; Zacharias, U.; Fischer, B.; Eisenmenger, F.; Will, H. Tissue-type plasminogen activator mutants imitating urokinase in the peptide link between kringle and protease domains and at selected sites within the protease domain. 213: 437
Hirai, M.
——; Kawai-Hirai, R.; Hirai, T.; Ueki, T. Structural change of jack bean urease induced by addition of surfactants studied with synchrotron-radiation small-angle x-ray scattering. 215: 55
Hirai, T. See Hirai, M.
Hirano, T.
——; Takasaki, S.; Hedrick, J. L.; Wardrip, N. J.; Amano, J.; Kobata, A. O-Linked neutral sugar chains of porcine zona pellucida glycoproteins. 214: 763
Hirasawa, M. See Jelesarov, I.
Hirling, H. See Gray, N. K.
Hirn, M. See Aoubala, M.
Hirt, H.
——; Wanner, G.; Galli, D.; Wirth, R. Biochemical, immunological and ultrastructural characterization of aggregation substances encoded by Enterococcus faecalis sex-pheromone plasmids. 211: 711
Hishida, T. See Narumi, H.
Ho, J. X.
——; Holowachuk, E. W.; Norton, E. J.; Twigg, P. D.; Carter, D. C. X-ray and primary structure of horse serum albumin (Equus caballus) at 0.27-nm resolution. 215: 205
Hodgson, D.
——; Gasparini, S.; Drevet, P.; Ducancel, F.; Bouet, F.; Boulain, J. C.; Harris, J. B.; Menez, A. Production of recombinant notechis 11'2L, an enzymically active mutant of a phospholipase A_2 from Notechis scutatus scutatus venom, as directly generated by cleavage of a fusion protein produced in Escherichia coli. 212: 441
Hoehl, W.
——; Stahl, B.; Mundkowski, R.; Hofmann, U.; Meese, C. O.; Kuhlmann, U.; Schlegel, W. Mass determination of 15-hydroxyprostaglandin dehydrogenase from human placenta and kinetic studies with (5Z,8E,10E,12S)-12-hydroxy-5,8,10-heptadecatrienoic acid as substrate. 214: 67
Hoejrup, P. See Andreasen, L.
Hoekstra, D. See Arts, E. G. J. M.; Ter Beest, M. B. A.
Hoenicka, J. See Del Pozo, L.
Hoeoeg, J. O. See Estonius, M.; Karlson, C.
——; Vagelopoulos, N.; Yip, P. K.; Keung, W. M.; Joernvall, H. Isozyme developments in mammalian class-I alcohol dehydrogenase. cDNA cloning, functional correlations, and lack of evidence for genetic isozymes in rabbit. 213: 31
Hoecoek, M. See Lindgren, P. E.
Hoeren, F. U.
——; Berks, B. C.; Ferguson, S. J.; McCarthy, J. E. G. Sequence and expression of the gene encoding the respiratory nitrous-oxide reductase from Paracoccus denitrificans. New and conserved structural and regulatory motifs. 218: 49
Hoerger, S. See Czisch, M.
Hofer, B. See Grabenhorst, E.
Hofer, S. See Schoedon, G.
Hoffmann, W. See Ganss, B.
Hoffmann-Blume, E. See Bublitz, R.
Hoffmann-Sommergruber, K. See Breiteneder, H.
Hofmann, J. See Marschalek, R.
Hofmann, U. See Hoehl, W.
Hofmeister, A. E. M.
——; Grabowski, R.; Linder, D.; Buckel, W. L-Serine and L-threonine dehydratase from Clostridium propionicum. Two enzymes with different prosthetic groups. 215: 341
Hofmeyr, J. H. S.
——; Cornish-Bowden, A.; Rohwer, J. M. Taking enzyme kinetics out of control; putting control into regulation. 212: 833
Hogue-Angeletti, R. See Metz-Boutigue, M. H.
Hohmann, S. See Luyten, K.
Hoj, P. B. See Peralta, D.
Hokke, C. H. See Bergwerff, A. A.
Holak, T. A. See Czisch, M.
Holbrook, J. J. See Nicholls, D. J.
Holen, I.
——; Gordon, P. B.; Seglen, P. O. Inhibition of hepatocytic autophagy by okadaic acid and other protein phosphatase inhibitors. 215: 113
Hollecker, M. See Foray, M. F.
Hollenstein, R. See Gupta, S.
Holmgren, A. See Bushweller, J. H.
Holmquist, B. See Persson, B.
Holmskov, U. See Lu, J.
Holowachuk, E. W. See Ho, J. X.
Holst, E. See Svensson, U.
Holst, O. See Vinogradov, E. V.
——; Broer, W.; Thomas-Oates, J. E.; Mamat, U.; Brade, H. Structural analysis of two oligosaccharide bisphosphates isolated from the lipopolysaccharide of a recombinant strain of Escherichia coli F515 (Re chemotype) expressing the genus-specific epitope of Chlamydia lipopolysaccharide. 214: 703
——; Mueller-Loennies, S.; Lindner, B.; Brade, H. Chemical structure of the lipid A of Escherichia coli J-5. 214: 695

Holuigue, L. See Orellana, A.
Holzenburg, A.
——; Jones, P. C.; Franklin, T.; Pali, T.; Heimburg, T.; Marsh, D.; Findlay, J. B. C.; Finbow, M. E.
Evidence for a common structure for a class of membrane channels. 213: 21
Honda, A. See Irie, A.
Honore, B.
——; Leffers, H.; Madsen, P.; Celis, J. E.
Interferon-γ up-regulates a unique set of proteins in human keratinocytes. Molecular cloning and expression of the cDNA encoding the RGD-sequence-containing protein IGUP I-5111. 218: 421
Hoogenraad, N. J. See Peralta, D.
Hoon, M. A. See Tadros, M. H.
Hopp-Christensen, T. A. See Neu-Yilik, G.
Hoppert, M. See Stupperich, E.
Hoque, L. See Dutta-Roy, A. K.
Horinouchi, S. See Kobayashi, M.
Horn, A. See Bublitz, R.
Horodyski, F. M.
——; Ewer, J.; Riddiford, L. M.; Truman, J. w.
Isolation, characterization and expression of the eclosion hormone gene of Drosophila melanogaster. 215: 221
Horrocks, J. See Ingledew, W. J.
Hoshi, M. See Kurata, S.
Hoshino, K. See Suzuki, T.
Hostetler, K. Y. See Schlame, M.
Hou, E. W. See Miyasaka, H.
Houen, G. See Baunsgaard, L.
Hough, D. W. See Bright, J. R.; Else, A. J.; Patton, A. J.
Houthaeve, T. See Janknecht, R.
Houweling, M. See Svensson, U.
——; Tijburg, L. B. M.; Vaartjes, W. J.; Batenburg, J. J.; Kalmar, G. B.; Cornell, R. B.; Van Golde, L. M. G.
Evidence that CTP:choline-phosphate cytidylyltransferase is regulated at a pretranslational level in rat liver after partial hepatectomy. 214: 927
Hovingh, P.
——; Piepkorn, M.; Linker, A.
Differentially expressed patterns of glycosaminoglycan structure in heparan sulfate proteoglycans and free chains. 211: 771
Hovland, K. See Zahradka, P.
Howl, J.
——; Wang, X.; Kirk, C. J.; Wheatley, M.
Fluorescent and biotinylated linear peptides as selective bifunctional ligands for the V_{1a} vasopressin receptor. 213: 711
Hoyer-Fender, S. See Burfeind, P.
Hsu, V. L. See Reisman, J. M.
Hsueh, A. J. W. See Peng, X. R.
Hu, Z. See Liu, X.
Huang, T. M. See Chang, G. G.
Huber, J. See Gottschling, C.
——; Dittrich, F.; Phelan, P.
Characterization of high-affinity and low-affinity receptors for ciliary neurotrophic factor. 218: 1031
Huber, R. See Aviles, F. X.; Ficner, R.; Karshikoff, A.; Lin, G.; Romao, M. J.
Hubert, P. See Leray, V.
Hucho, F. See Goerne-Tschelnokow, U.
Hudson, A. J.
——; Andrews, S. C.; Hawkins, C.; Williams, J. M.; Izuhara, M.; Meldrum, F. C.; Mann, S.; Harrison, P. M.; Guest, J. R.
Overproduction, purification and characterization of the Escherichia coli ferritin. 218: 985
Hudson, J. M.
——; Crowe, M.; Fried, M. G.
Effects of anions on the binding of the cAMP receptor protein to the lactose promoter. 212: 539
Hue, L. See Baquet, A.
Huettermann, J. See Bogumil, R.
Huff, S. See Drummond, M.
Hug, H. See Fiebich, B. L.; Kochs, G.
Hughes, G. J. See Foehr, U. G.
Hughes, V.
——; Muller, A.; Stark, M. J. R.; Cohen, P. T. W.
Both isoforms of protein phosphatase Z are essential for the maintenance of cell size and integrity in Saccharomyces cerevisiae in response to osmotic stress. 216: 269
Both isoforms of protein phosphatase Z are essential for the maintenance of cell size and integrity in Saccharomyces cerevisiae in response to osmotic stress (correction). 216: 881
Huh, G. H. See Sakamoto, A.
Hull, R. A. See Kogan, G.
Hull, S. I. See Kogan, G.
Humbert-David, N.
——; Garrone, R.
A six-armed, tenascin-like protein extracted from the Porifera Oscarella tuberculata (Homosclerophorida) 216: 255
Hume, R. See Sharp, S.
Hummel, R. See Kochs, G.
Hunter, K. J. See Kelly, J. M.
Hunter, W. N. See Bailey, S.
Hunziker, P. E. See Dallinger, R.; Mackay, E. A.
Huppertz, C.
——; Schuermann, A.; Joost, H. G.
Abundance and subcellular distribution of GTP-binding proteins in 3T3-L1 cells before and after differentiation to the insulin-sensitive phenotype. 215: 611
Hurme, M. See Serkkola, E.
Hurst, J. See Fernandez, M.
Hutton, T. See Tennent, G. A.
Huwiler, A.
——; Pfeilschifter, J.
A role for protein kinase C-α in zymosan-stimulated eicosanoid synthesis in mouse peritoneal macrophages. 217: 69
Hyde, E. I. See Jaseja, M.
Hyland, V. J. See Jacoby, A. S.

Ialenti, A. See Arcone, R.
Ichikawa, A. See Irie, A.
Igarashi, K. See He, Y.; Suzuki, T.
Iida, M. See Watanabe, K.
Iida, S. See Adachi, H.
Iida-Tanaka, N. See Kochanowski, B.
Iizuka, Y. See Watanabe, K.
Ikeda, H. See Kimura, A.
Ikeda, K.
——; Nagano, K.; Kawakami, K.
Anomalous interaction of Sp1 and specific binding of an E-box-binding protein with the regulatory elements of the sodium-potassium ATPase α2 subunit gene promoter. 218: 195
Ikegami, Y. See Ito, M.
Ikuta, T. See Kasahara, K.
Ilg, T.
——; Harbecke, D.; Wiese, M.; Overath, P.
Monoclonal antibodies directed against Leishmania secreted acid phosphatase and lipophosphoglycan. Partial characterization of private and public epitopes. 217: 603
Imoto, T. See Ito, Y.
Imura, H. See Fuse, N.
Inagami, T. See Tamura, M.
Inbar, L.
——; Frolow, F.; Lapidot, A.
The conformation of new tetrahydropyrimidine derivatives in solution and in the crystal. 214: 897
Ingledew, W. J.
——; Horrocks, J.; Salerno, J. C.
Ligand binding to the heme-copper binuclear catalytic site of cytochrome bo, a respiratory quinol oxidase from Escherichia coli. 212: 657
Ingram, L. O. See Zhao, G.
Ingrand, D. See Jacob, A.
Inoue, K. See Fujimori, Y.; Suga, H.
——; Morita, T.
Identification of O-linked oligosaccharide chains in the activation peptides of blood coagulation factor X. The role of the carbohydrate moieties in the activation of factor X. 218: 153
Inoue, M. See Ohno, Y.
Inquello, V.
——; Raymond, J.; Azanza, J. L.
Disulfide interchange reactions in 11S globulin subunits of Cruciferae seeds. Relationships to gene families. 217: 891
Ioannou, C. See Crabbe, T.
Iorio, E. L. See Servillo, L.; Tufano, M. A.
Irace, G. See Bismuto, E.
Irie, A.
——; Sugimoto, Y.; Namba, T.; Harazono, A.; Honda, A.; Watabe, A.; Negishi, M.; Narumiya, S.; Ichikawa, A.
Third isoform of the prostaglandin-E-receptor EP_3 subtype with different C-terminal tail coupling to both stimulation and inhibition of adenylate cyclase. 217: 313
Irie, M. See Loeffler, A.
Irons, L. I. See Tallett, A.
Iruela-Arispe, M. L. See Bassuk, J. A.
Isacchi, A. See Coltrini, D.
Isfort, R. J.
——; Cody, D. B.; Asquith, T. N.; Ridder, G. M.; Stuard, S. B.; Leboeuf, R. A.
Induction of protein phosphorylation, protein synthesis, immediate-early-gene expression and cellular proliferation by intracellular pH modulation. Implications for the role of hydrogen ions in signal transduction. 213: 349
Ishibashi, M.
——; Sasai, Y.; Nakanishi, S.; Kageyama, R.
Molecular characterization of HES-2, a mammalian helix-loop-helix factor structurally related to Drosophila hairy and Enhancer of split. 215: 645
Ishida, S.
——; Muto, S.; Miyachi, S.
Structural analysis of periplasmic carbonic anhydrase 1 of Chlamydomonas reinhardtii. 214: 9
Ishida, T. See Ohno, Y.
Ishimori, Y. See Nakae, H.
Ishizuka, I. See Kochanowski, B.; Yoneda, A.
Isohara, T. See Fuse, N.
Isohashi, F. See Liu, G.
Isono, K. See Matsushita, Y.

Issinger, O. G. See Boldyreit, B.
Ito, K.
——; Takahashi, N.; Takahashi, A.; Shimada, I.; Arata, Y.; O'Brien, J. S.; Kishimoto, Y.
Structural study of the oligosaccharide moieties of sphingolipid activator proteins, saposins A, C and D obtained from the spleen of a Gaucher patient. 215: 171
Ito, M.
——; Ikegami, Y.; Tai, T.; Yamagata, T.
Specific hydrolysis of intact erythrocyte cell-surface glycosphingolipids by endoglycoceramidase. Lack of modulation of erythrocyte glucose transporter by endogenous glycosphingolipids. 218: 637
——; Ikegami, Y.; Yamagata, T.
Kinetics of endoglycoceramidase action toward cell-surface glycosphingolipids of erythrocytes. 218: 645
Ito, Y.
——; Yamada, H.; Nakamura, M.; Yoshikawa, A.; Ueda, T.; Imoto, T.
The primary structures and properties of non-stomach lysozymes of sheep and cow, and implication for functional divergence of lysozyme. 213: 649
Itoh, S. See Hashimoto, H.
Itzhaki, J. E. See Porter, A. C. G.
IUPAC-IUB Joint Commission on Biochemical Nomenclature (JCBN)
Nomenclature and symbolism for amino acids and peptides. Corrections to Recommendations 1983. 213: 2
The nomenclature of steroids. Corrections to Recommendations 1989. 213: 2
Ivanov, S. X. See Krezdorn, C. H.
Ivanova, M. G. See Aoubala, M.
Iwabuchi, M. See Sakamoto, A.
Iwai, H.
——; Nakajima, Y.; Natori, S.; Arata, Y.; Shimada, I.
Solution conformation of an antibacterial peptide, sarcotoxin IA, as determined by proton NMR. 217: 639
Iwasaki, S. See Morisaki, N.
Iwasaki, Y.
——; Shimoi, H.; Saiki, H.; Nishikawa, Y.
Tissue-specific molecular diversity of amidating enzymes (peptidylglycine α-hydroxylating monooxygenase and peptidylhydroxyglycine N–C lyase) in Xenopus laevis. 214: 811
Iwashita, T. See Ohno, Y.
Iynedjian, P. See Bossard, P.
Izuhara, M. See Hudson, A. J.
Izumi, Y. See Miyata, A.

Jaaskelainen, T. See Pirskanen, A.
Jackson, C. S. See Gallacher, G.
Jackson, J. B. See Bizouarn, T.; Palmer, T.
Jacob, A.
——; Duval-Valentin, G.; Ingrand, D.; Thuong, N. T.; Helene, C.
Inhibition of viral growth by an α-oligonucleotide directed to the splice junction of Herpes simplex virus type-1 immediate-early pre-mRNA species 22 and 47. 216: 19
Jacobs, P. See Ciccarelli, E.
Jacoby, A. S.
——; Melrose, J.; Robinson, B. G.; Hyland, V. J.; Ghosh, P.
Secretory leucocyte proteinase inhibitor is produced by human articular cartilage chondrocytes and intervertebral disc fibrochondrocytes. 218: 951
Jacquemin, C. See Saunier, B.
Jaeger, B. See Fiebich, B. L.
Jaeger, J. See Ziak, M.
Jaeger, V. See Grabenhorst, E.
Jaenicke, R. See Gross, M.; Ostendorp, R.; Reng, W.; Schumann, J.; Tomschy, A.
Jager, S. See Arts, E. G. J. M.
Jahn, D. See Weygand-Durasevic, I.
Jakob, A. See Baasov, T.
Jakobs, K. H. See Ligeti, E.
James, P. See Boldyreit, B.; Brunati, A. M.
James, R. W. See Blatter, M-C.
Jamin, N.
——; Gabrielsen, O. S.; Gilles, N.; Lirsac, P. N.; Toma, F.
Secondary structure of the DNA-binding domain of the c-Myb oncoprotein in solution. A multidimensional double and triple heteronuclear NMR study. 216: 147
Janave, M. T.
——; Ramaswamy, N. K.; Nair, P. M.
Purification and characterization of glyoxylate synthetase from greening potato-tuber chloroplasts. 214: 889
Jandrot-Perrus, M. See Bouton, M. C.
Janknecht, R.
——; Ernst, W. H.; Houthaeve, T.; Nordheim, A.
C-terminal phosphorylation of the serum-response factor. 216: 469
Jann, B. See Kogan, G.
Jann, K. See Kogan, G.
Jansen, H. J. See Dirks, R. P. H.
Jansonius, J. N. See Ziak, M.
Janssen, A. See Vandenbroeck, K.
Jaouen, M. See Peyronneau, M. A.
Jaquinod, M.
——; Potier, N.; Klarskov, K.; Reymann, J. M.; Sorokine, O.; Kieffer, S.; Barth, P.; Andriantomanga, V.; Biellmann, J. F.; Van Dorsselaer, A.
Sequence of pig lens aldose reductase and electrospray mass spectrometry of non-covalent and covalent complexes. 218: 893
Jariel-Encontre, I. See Reisman, J. M.
Jaseja, M.
——; Smith, K. J.; Lu, X.; Williams, J. A.; Trayer, H.; Trayer, I. P.; Hyde, E. I.
Proton NMR studies and secondary structure of the RGD-containing snake toxin, albolabrin. 218: 853
Jastorff, B. See Monsees, T.
Jaussi, R. See Ziak, M.
Jaworski, J. G.
——; Post-Beittenmiller, D.; Ohlrogge, J. B.
Acetyl-acyl carrier protein is not a major intermediate in fatty acid biosynthesis in spinach. 213: 981
Jeffery, J.
——; Persson, B.; Wood, I.; Bergman, T.; Jeffery, R.; Joernvall, H.
Glucose-6-phosphate dehydrogenase. Structure-function relationships and the Pichia jadinii enzyme structure. 212: 41
Jeffery, R. See Jeffery, J.
Jeffrey, I. See Sharp, T. V.
Jego, P. See Tiffoche, C.
Jelesarov, I.
——; De Pascalis, A. R.; Koppenol, W. H.; Hirasawa, M.; Knaff, D. B.; Bosshard, H. R.
Ferredoxin binding site on ferredoxin:NADP+ reductase. Differential chemical modification of free and ferredoxin-bound enzyme. 216: 57
Jemtland, R. See Rian, E.
Jendrossek, D.
——; Mueller, B.; Schlegel, H. G.
Cloning and characterization of the poly(hydroxyalkanoic acid)-depolymerase gene locus, phaZ1, of Pseudomonas lemoignei and its gene product. 218: 701
Jenkins, J. R. See Wagner, P.
Jenkins, T. C.
——; Lane, A. N.; Neidle, S.; Brown, D. G.
NMR and molecular modeling studies of the interaction of berenil and pentamidine with d(CGCAAATTTGCG)$_2$. 213: 1175
Jenoe, P. See De Virgilio, C.
Jensen, P. E. H. See Arbelaez, L. F.
Jensen, P. H.
——; Lorand, L.; Ebbesen, P.; Gliemann, J.
Type-2 plasminogen activator inhibitor is a substrate for trophoblast transglutaminase and factor XIII$_a$. Transglutaminase-catalyzed cross-linking to cellular and extracellular structures. 214: 141
Jensen, P. R.
——; Westerhoff, H. V.; Michelsen, O.
The use of lac-type promoters in control analysis. 211: 181
Jensen, R. A. See Zhao, G.
Jeremiah, S. See Beeson, D.
Jimenez, A. See Del Pozo, L.; Tercero, J. A.
Jimenez, M. A.
——; Bruix, M.; Gonzalez, C.; Blanco, F. J.; Nieto, J. L.; Herranz, J.; Rico, M.
CD and proton NMR studies on the conformational properties of peptide fragments from the C-terminal domain of thermolysin. 211: 569
Jimenez-Barbero, J. See Solis, D.
Jimenez-Cervantes, C. See Valverde, P.
——; Garcia-Borron, J. C.; Valverde, P.; Solano, F.; Lozano, J. A.
Tyrosinase isoenzymes in mammalian melanocytes. 1. Biochemical characterization of two melanosomal tyrosinases from B16 mouse melanoma. 217: 549
Joao, H. C.
——; Dwek, R. A.
Effects of glycosylation on protein structure and dynamics in ribonuclease B and some of its individual glycoform. 218: 239
——; Williams, R. J. P.
The anatomy of a kinase and the control of phosphate transfer. 216: 1
Joerg, A. See Aebischer, C. P.
Joernvall, H. See Agerberth, B.; Estonius, M.; Hoeoeg, J. O.; Jeffery, J.; Persson, B.; Rouimi, P.; Ruetschi, U.; Sillard, R.
Johansson, I. M.
——; Forsman, C.
Kinetic studies of pea carbonic anhydrase. 218: 439
John, G. See Deisinger, B.
John, R. A. See Garnier, A.
Johnsen, A. H.
——; Rehfeld, J. F.
LymnaDFamides, a new family of neuropeptides from the pond snail, Lymnaea stagnalis. Clue to cholecystokinin immunoreactivity in invertebrates?. 213: 875

Jolles, P. See Alliel, P. M.
Jones, P. See Floris, R.
Jones, P. C. See Holzenburg, A.
Joniau, M. See Morozova, L.
Jonsson, B. H. See Liang, Z.
Joost, H. G. See Huppertz, C.
Jordan, S. R. See Graber, P.
Joseph-Bravo, P. See Brakch, N.
Jost, E. See Eggert, M.
Jouenne, T. See Coutos-Thevenot, P.
Juenemann, R. See Vanatalu, K.
Jung, G. See Vogel, H.; Zimmermann, N.
Jungermann, K. See Neuschaefer-Rube, F.; Pueschel, G. P.
Junius, F. K.
——; Weiss, A. S.; King, G. F.
The solution structure of the leucine zipper motif of the Jun oncoprotein homodimer. 214: 415
Justesen, J. See Frolova, L. Yu.
Juza, A. See Stupperich, E.

Kacser, H. See Small, J. R.
——; Acerenza, L.
A universal method for achieving increases in metabolite production. 216: 361
Kadenbach, B. See Bonne, G.; Steverding, D.
Kader, J. C. See Coutos-Thevenot, P.
Kaegi, J. H. R. See Dallinger, R.; Mackay, E. A.
Kageyama, R. See Ishibashi, M.
Kageyama, T.
Rabbit procathepsin E and cathepsin E. Nucleotide sequence of cDNA, hydrolytic specificity for biologically active peptides and gene expression during development. 216: 717
Kahana, C. See Bercovich, Z.; Tobias, K. E.
Kahn, A. See Thomas, M.
Kaim, G.
——; Dimroth, P.
Formation of a functionally active sodium-translocating hybrid F_1F_0 ATPase in Escherichia coli by homologous recombination. 218: 937
Kaiser, R. See Lindquist, L.
Kakinuma, Y. See Suzuki, T.
Kakuta, M. See Saito, K.
Kalbitzer, H. R. See Kienzle, N.
——; Hengstenberg, W.
The solution structure of the histidine-containing protein (HPr) from Staphylococcus aureus as determined by two-dimensional proton NMR spectroscopy. 216: 205
Kalkkinen, N. See Vuorio, O. E.
Kalmar, G. B. See Houweling, M.
Kaltoft, M. B. See Schou, C.
Kamataki, T. See Hashimoto, H.
Kamerling, J. P. See Bergwerff, A. A.; Kubelka, V.
Kamo, M. See Miyatake, N.
Kamps, J. A. A. M.
——; Van Berkel, T. J. C.
Regulation of low-density-lipoprotein receptors in the human hepatoma cell line Hep G2. Effect of phorbol 12-myristate 13-acetate and low-density lipoprotein. 213: 989
Kaneda, T. See Wang, G. F.
——; Obata, H.; Tokumoto, M.
Aromatization of 4-oxocyclohexane-carboxylic acid to 4-hydroxybenzoic acid by two distinctive desaturases from Corynebacterium cyclohexanicum. Properties of two desaturases. 218: 997
Kang, S. O. See Shin, K. S.
Kang, W. D. See Cho, S. W.
Kannicht, C. See Becker, A.
Kanzaki, T. See Yokote, K.
Kappl, R. See Bogumil, R.
Karande, A. A. See Hegde, R.
Karas, M. See Sorgenfrei, O.
Karkhoff-Schweizer, R. R.
——; Bruschi, M.; Voordouw, G.
Expression of the γ-subunit gene of desulfoviridin-type dissimilatory sulfite reductase and of the α- and β-subunit genes is not coordinately regulated. 211: 501
Karlson, U. See Eltis, L. D.
Karlsson, B. G. See Pascher, T.
Karlsson, C. See Estonius, M.
——; Hoeoeg, J. O.
Zinc coordination in mammalian sorbitol dehydrogenase. Replacement of putative zinc ligands by site-directed mutagenesis. 216: 103
Karshikoff, A.
——; Reinemer, P.; Huber, R.; Ladenstein, R.
Electrostatic evidence for the activation of the glutathione thiol by Tyr7 in π-class glutathione transferases. 215: 663
Kasahara, K.
——; Ikuta, T.; Chida, K.; Asakura, R.; Kuroki, T.
Rapid phosphorylation of 28-kDa heat-shock protein by treatment with okadaic acid and phorbol ester of BALB/MK-2 mouse keratinocytes. 213: 1101
Kashiwagi, K. See He, Y.; Suzuki, T.
Kassab, R. See Bonafe, N.
Kastowsky, M.
——; Gutberlet, T.; Bradaczek, H.
Comparison of x-ray powder-diffraction data of various bacterial lipopolysaccharide structures with theoretical model conformations. 217: 771
Katan, M. See Ellis, M. V.
Katsiou, E. See Tadros, M. H.
Kaushik, N. See Pandey, V. N.
Kawada, N.
——; Tran Thi, T. A.; Klein, H.; Decker, K.
The contraction of hepatic stellate (Ito) cells stimulated with vasoactive substances. Possible involvement of endothelin 1 and nitric oxide in the regulation of the sinusoidal tonus. 213: 815
Kawaguchi, A. See Morisaki, N.
Kawai, G. See Sakamoto, K.
Kawai-Hirai, R. See Hirai, M.
Kawakami, J.
——; Kumar, P. K. R.; Suh, Y. A.; Nishikawa, F.; Kawakami, K.; Taira, K.; Ohtsuka, E.; Nishikawa, S.
Identification of important bases in a single-stranded region (SSrC) of the hepatitis delta (δ) virus ribozyme. 217: 29
Kawakami, K. See Ikeda, K.; Kawakami, J.
Kawasaki, H. See Adachi, H.
Kay, J. E. See Morley, S. J.
Kearns, D. R. See Reisman, J. M.
Keidel, S.
——; Szardenings, M.; Mueller, W. H.
In vivo biological activity of retinoids partially correlates to their affinity to recombinant retinoic acid receptor α and recombinant cellular retinoic acid-binding protein I. 212: 13
Kellie, S. See Murphy, C. T.
Kelly, J. M.
——; Taylor, M. C.; Smith, K.; Hunter, K. J.; Fairlamb, A. H.
Phenotype of recombinant Leishmania donovani and Trypanosoma cruzi which over-express trypanothione reductase. Sensitivity towards agents that are thought to induce oxidative stress. 218: 29
Kemp, B. E. See Ray, F. R.
Kengen, S. W. M.
——; Luesink, E. J.; Stams, A. J. M.; Zehnder, A. J. B.
Purification and characterization of an extremely thermostable β-glucosidase from the hyperthermophilic archaeon Pyrococcus furiosus. 213: 305
Kenmochi, N. See Machida, M.
Kennell, D. See Cannistraro, V. J.
Kern, A.
——; Eble, J.; Golbik, R.; Kuehn, K.
Interaction of type IV collagen with the isolated integrins $\alpha1\beta1$ and $\alpha2\beta1$. 215: 151
Kern, R. See Kunkel, T.
Kerr, I. M. See Parrington, J.
Kessler, B. See Waelchli, C.
Kessler, H. See Moroder, L.
Keung, W. M. See Hoeoeg, J. O.; Persson, B.
Khaitlina, S. Y. See Strzelecka-Golaszewska, H.
——; Moraczewska, J.; Strzelecka-Golaszewska, H.
The actin/actin interactions involving the N-terminus of the DNase I binding loop are crucial for stabilization of the actin filament. 218: 911
Khan, Z.
——; Smyth, D. G.
Isolation and identification of N-terminally extended forms of 5-oxoprolylglutamylprolinamide (Glp-Glu-Pro-NH_2), a thyrotropin-releasing-hormone(TRH)-like peptide present in human semen. 212: 35
Khmelnitsky, Yu. L.
——; Hilhorst, R.; Visser, A. J. W. G.; Veeger, C.
Enzyme inactivation and protection during entrapment in reversed micelles. 211: 73
——; van Hoek, A.; Veeger, C.; Visser, A. J. W. G.
Dissociation of lactate dehydrogenase in aqueous and reversed micellar solutions. A time-resolved polarized fluoresence study. 212: 63
Kholodenko, B. N. See van Dam, K.
Kida, N.
——; Yoshimura, T.; Takahashi, H.; Nagao, S.; Nozawa, Y.; Furukawa, Y.; Mori, K.; Hayashi, K.
Estrogen-inducible pS2 protein is not the key regulatory component in the proliferation of human breast cancer cells (MCF-7). 215: 671
Kieffer, S. See Jaquinod, M.
Kienzle, N.
——; Freund, J.; Kalbitzer, H. R.; Mueller-Lantzsch, N.
Oligomerization of the Nef protein from human immunodeficiency virus (HIV) type 1. 214: 451
Kieweg, V. See Macheroux, P.
Kikonyogo, A. See Kurys, G.
Kilian, C. See Becker, A.
Kim, G. Y. See Cho, S. W.
Kim, J. P. See Toda, H.
Kim, J. S. See Park, J. H.
Kimura, A.
——; Nakashima, S.; Uda, T.; Ikeda, H.; Yasuda, S.; Tsuji, T.; Matsumura, S.
Heavy-chain isoforms of non-muscle myosin in human tissues. 213: 5
King, G. F. See Junius, F. K.

King, R. W. See Eccleston, J. F.
Kirchner, C. See Pueschel, G. P.
Kirk, C. J. See Howl, J.
Kirsch, C.
——; Hahlbrock, K.; Kombrink, E.
Purification and characterization of extracellular, acidic chitinase isoenzymes from elicitor-stimulated parsley cells. 213: 419
Kishimoto, Y. See Ito, K.
Kisker, C. See Heydenreich, A.
Kisselev, L. L. See Frolova, L. Yu.
Kitajima, S. See Nakamura, Y.
Kitamura, K. See Ohno, Y.
Kitamura, N. See Okajima, A.
Kitamura, R. See Hashimoto, H.
Kitazume, M. See Watanabe, N.
Kiyatkin, N.
——; Dulubova, I.; Grishin, E.
Cloning and structural analysis of α-latroinsectotoxin cDNA. Abundance of ankyrin-like repeats. 213: 121
Kjeldsen, E. See Boege, F.
Klarskov, K. See Jaquinod, M.
Kleene, R. B. See Krezdorn, C. H.
Klein, A. See Sorgenfrei, O.
——; Carnoy, C.; Lamblin, G.; Roussel, P.; van Kuik, J. A.; Vliegenthart, J. F. G.
Isolation and structural characterization of novel sialylated oligosaccharide-alditols from respiratory-mucus glycoproteins of a patient suffering from bronchiectasis. 211: 491
Klein, G. See Martin, J. B.
Klein, H. See Kawada, N.
Klein, H. W. See Floerke, R. R.
Klein, J. R.
——; Klein, U.; Schad, M.; Plapp, R.
Cloning, DNA sequence analysis and partial characterization of pepN, a lysyl aminopeptidase from Lactobacillus delbruckii ssp. lactis DSM7290. 217: 105
Klein, U. See Klein, J. R.
Kleiner, N. E. See Belyakova, N. V.
Kleymann, G.
——; Boege, F.; Hahn, M.; Hampe, W.; Vasudevan, S.; Reilaender, H.
Human β_2-adrenergic receptor produced in stably transformed insect cells is functionally coupled via endogenous GTP-binding protein to adenylyl cyclase. 213: 797
Klipp, W. See Gollan, U.
Klosterg, B. See Potin, P.
Kloeppel, K. D. See Nimtz, M.
Kloetzel, P. M. See Frentzel, S.
Kloppstech, K. See Kumar, P. A.; Poetter, E.
Kluge, M. See Pan, T. C.
Kluth, B. See Schlueter, H.
Knaff, D. B. See Jelesarov, I.
Knauf, M. A.
——; Loehr, F.; Curley, G. P.; O'Farrell, P.; Mayhew, S. G.; Mueller, F.; Rueterjans, H.
Homonuclear and heteronuclear NMR studies of oxidized Desulfovibrio vulgaris flavodoxin. Sequential assignments and identification of secondary structure elements. 213: 167
Knespel, S. See Hartmann, E.
Knippers, R. See Heiland, S.
Knoerr, A. See Berninger, G.
Knop, M. See Finger, A.
Knowles, M. R. See Pollack, S. J.
Knudsen, S. M.
——; Frydenberg, J.; Clark, B. F. C.; Leffers, H.
Tissue-dependent variation in the expression of elongation factor-1α isoforms: Isolation and characterization of a cDNA encoding a novel variant of human elongation-factor 1α. 215: 549
Kobata, A. See Hirano, T.; Kodama, S.; Sugo, T.
Kobayashi, H. See Shibata, N.
Kobayashi, M.
——; Komeda, H.; Nagasawa, T.; Nishiyama, M.; Horinouchi, S.; Beppu, T.; Yamada, H.; Shimizu, S.
Amidase coupled with low-molecular-mass nitrile hydratase from Rhodococcus rhodochrous J1. Sequencing and expression of the gene and purification and characterization of the gene product. 217: 327
Kobayashi, Y. See Tsuchida, M.
Koch, C. See Liao, J.
Koch, J.
——; Eisenreich, W.; Bacher, A.; Fuchs, G.
Products of enzymic reduction of benzoyl-CoA, a key reaction in anaerobic aromatic metabolism. 211: 649
Koch, M. H. J. See Brandenburg, K.; Sayers, Z.
Kochanowski, B.
——; Fischer, W.; Iida-Tanaka, N.; Ishizuka, I.
Isomalto-oligosaccharide-containing lipoteichoic acid of Streptococcus sanguis. Basic structure. 214: 747
——; Leopold, K.; Fischer, W.
Isomalto-oligosaccharide-containing lipoteichoic acid of Streptococcus sanguis. Microheterogeneity and distribution of chain substituents. 214: 757
Kochhar, S. See Gupta, S.
Kochs, G. See Fiebich, B. L.
——; Hummel, R.; Meyer, D.; Hug, H.; Marme, D.; Sarre, T. F.
Activation and substrate specificity of the human protein kinase C α and ζ isoenzymes. 216: 597
Kocourek, J. See Bezouska, K.
Kodama, S.
——; Tsujimoto, M.; Tsuruoka, N.; Sugo, T.; Endo, T.; Kobata, A.
Role of sugar chains in the in-vitro activity of recombinant human interleukin 5. 211: 903
Koecher, K. See Moroder, L.
Koehnke, D. See Steverding, D.
Koellner, G. See Heydenreich, A.
Koenen, M. See Berberich, C.
Koenig, C. S. See Campos, A.
Koepf, E. K.
——; Burtnick, L. D.
Horse plasma gelsolin labeled with fluorescein isothiocyanate responds to calcium and actin. 212: 713
Koerner, M. See Suerbaum, H.
Kogan, G.
——; Haraguchi, G.; Hull, S. I.; Hull, R. A.; Shashkov, A. S.; Jann, B.; Jann, K.
Structural analysis of O4-reactive polysaccharides from recombinant Escherichia coli. Changes in the O-specific polysaccharide induced by cloning of the rfb genes. 214: 259
Kohen, A. See Baasov, T.
Kojima, C. See Shibata, N.
Kojro, E. See Dross, F.
Kolarov, J. See Sabova, L.
Komae, A. See Saito, K.
Komatsu-Takaki, M.
Energy-dependent changes in the conformation of the chloroplast ATP synthase and its catalytic activity. 214: 587
Kombrink, E. See Kirsch, C.
Komeda, H. See Kobayashi, M.
Kon, K. See Araki, S.
Kondo, H. See Toh, H.
Kong, R. Y. C.
——; Kwan, K. M.; Lau, E. T.; Thomas, J. T.; Boot-Handford, R. P.; Grant, M. E.; Cheah, K. S. E.
Intron-exon structure, alternative use of promoter and expression of the mouse collagen X gene, Col10a-1. 213: 99
Konings, R. N. H. See van Duynhoven, J. P. M.
Konings, W. N. See Elferink, M. G. L.; Garcera, M. J. G.
Konishi, F. See Tamura, M.
Kooijman, M. See Leenders, R.
Kopacek, P.
——; Hall, M.; Soederhaell, K.
Characterization of a clotting protein, isolated from plasma of the freshwater crayfish Pacifastacus leniusculus. 213: 591
Koppenol, W. H. See Jelesarov, I.
Kopperschlaeger, G.
——; Baer, J.; Stellwagen, E.
Limited proteolysis of yeast phosphofructokinase. Sequence locations of cleavage sites created by the actions of different proteinases. 217: 527
Korge, P.
——; Byrd, S. K.; Campbell, K. B.
Functional coupling between sarcoplasmic-reticulum-bound creatine kinase and calcium-ATPase. 213: 973
Kortt, A. A. See Gruen, L. C.
Kos, W. T. See Einerhand, A. W. C.
Koshland, D. E. Jr. See Martin, P. T.
Kostka, S. See Hartmann, E.
Kotik, M.
——; Zuber, H.
Mutations that significantly change the stability, flexibility and quaternary structure of the L-lactate dehydrogenase from Bacillus megaterium. 211: 267
Kowenz-Leutz, E. See DeVack, C.
Kownatzki, E. See Norgauer, J.
Koyama, N.
Stimulatory effect of ammonium ion on the transport of leucine and glucose in an anaerobic alkaliphile. 217: 435
Kozieradzki, I. See Ganoza, M. C.
Kraayenhof, R. See Bakels, R. H. A.
Krab, K. See Bakels, R. H. A.
Krafft, T. See Dross, F.
Kraft, D. See Breiteneder, H.
Kraft, R. See Hartmann, E.
Krajhanzl, A. See Bezouska, K.
Kralisz, U. See Watala, C.
Kravetskaya, T. P. See Belyakova, N. V.
Krawczyk, Z. See Wisniewski, J.
Kreutzer, R. See Park, H. J.
Krezdorn, C. H.
——; Watzele, G.; Kleene, R. B.; Ivanov, S. X.; Berger, E. G.
Purification and characterization of recombinant human β1-4 galactosyltransferase expressed in Saccharomyces cerevisiae. 212: 113
Krief, S. See Van Spronsen, A.
Krin, E. See Munier, H.
Kronidou, N. G.
——; Sloboda, R. D.
Partial cloning of a squid microtubule-associated protein (MAP H1) and the identification of the microtubule binding domain. 211: 193
Kruft, V. See Scherzinger, E.

Kruh, J. See Levy-Favatier, F.
Kruse, E. See Kumar, P. A.
Krutyakov, V. M. See Belyakova, N. V.
Kubelka, V. See Voss, T.
——; Altmann, F.; Staudacher, E.; Tretter, V.; Maerz, L.; Hard, K.; Kamerling, J. P.; Vliegenthart, J. F. G. Primary structures of the N-linked carbohydrate chains from honeybee venom phospholipase A_2. 213: 1193
Kubrycht, J. See Bezouska, K.
Kuchel, P. W. See Selle, H.
Kudo, I. See Fujimori, Y.; Suga, H.
Kuehlein, N. See Paulsen, H.
Kuehn, H. See Belkner, J.; Takahashi, Y.
Kuehn, K. See Kern, A.
Kuehn, L. C. See Gray, N. K.
Kuhlmann, U. See Hoehl, W.
Kuhn-Hartmann, I. See Frentzel, S.
Kuijpers, T. W. See Nagel, G.
Kuiken, J. See Arts, E. G. J. M.
Kuipers, O. P.
——; Beerthuyzen, M. M.; Siezen, R. J.; De Vos, W. M. Characterization of the nisin gene cluster nisABTCIPR of Lactococcus lactis. Requirement of expression of the nisA and nisI genes for development of immunity. 216: 281
Kumagai, I.
——; Maenaka, K.; Sunada, F.; Takeda, S.; Miura, K. Effects of subsite alterations on substrate-binding mode in the active site of hen egg-white lysozyme. 212: 151
Kumar, A.
——; Fair, D. S. Specific molecular interaction sites on factor VII involved in factor X activation. 217: 509
Kumar, P. A.
——; Kruse, E.; Andriesse, X.; Weisbeek, P.; Kloppstech, K. Integration of a cyanobacterial protein involved in nitrate reduction (narB) into isolated Synechococcus but not into pea thylakoid membranes. 214: 533
Kumar, P. K. R. See Kawakami, J.
Kumazaki, T. See Saito, T.
Kunau, W. H. See Berninger, G.
Kunkel, T.
——; Tomizawa, K.; Kern, R.; Furuya, M.; Chua, N. H.; Schaefer, E. In vitro formation of a photoreversible adduct of phycocyanobilin and tobacco apophytochrome B. 215: 587
Kunow, J.
——; Schwoerer, B.; Setzke, E.; Thauer, R. K. Si-face stereospecificity at C5 of coenzyme F_{420} for F_{420}-dependent N^5,N^{10}-methylenetetrahydromethanopterin dehydrogenase, F_{420}-dependent N^5,N^{10}-methylenetetrahydromethanopterin reductase and $F_{420}H_2$:dimethylnaphthoquinone oxidoreductase. 214: 641
Kunz, B. See Rader, C.
Kunze, N. See Heiland, S.
Kupper, R. See Norgauer, J.
Kurahashi, A. See Ogata, K.
Kuras, R. See Vallon, O.
Kurata, S.
——; Matsumoto, M.; Hoshi, M.; Nakajima, H. Transcriptional control of the heme oxygenase gene during mouse spermatogenesis. 217: 633
Kurihara, Y. See Liu, X.
Kuriki, T. See Wang, G. F.
Kurjanczyk, L. A. See Aspinall, G. O.
Kuroki, T. See Kasahara, K.; Shibanuma, M.
Kuromizu, K. See Teplyakov, A.
Kurosawa, N. See Lee, Y. C.
Kurth, H. H. See Vogel, H.
Kurys, G.
——; Shah, P. C.; Kikonyogo, A.; Reed, D.; Ambroziak, W.; Pietruszko, R. Human aldehyde dehydrogenase. cDNA cloning and primary structure of the enzyme that catalyzes dehydrogenation of 4-aminobutyraldehyde. 218: 311
Kurz, B. See Renz, P.
Kurz, S. See Reinhardt-Maelicke, S.
Kusters, R. See Breukink, E.
Kuypers, F. A. See Buetikofer, P.
Kvam, B. J. See Cescutti, P.
Kwan, K. M. See Kong, R. Y. C.
Kwon, O. S. See Pineda, T.
Kwon, S. T. See Park, J. H.
Kyogoku, Y. See Amano, M.

Labbe, J. P.
——; Boyer, M.; Mejean, C.; Roustan, C.; Benyamin, Y. Localization of two myosin-subfragment-1 binding contacts in the 96–132 region of actin subdomain-1 215: 17
Labia, R. See Lenfant, F.
Labiau, O. See Cacan, R.
Labouesse, J. See Martin, M.
Labruyere, W. T. See Fahrner, J.
Lacalle, R. A. See Tercero, J. A.
Lacapere, J. J.
——; Guillain, F. The reaction mechanism of calcium-ATPase of sarcoplasmic reticulum. Direct measurement of the magnesium-ATP dissociation constant gives similar values in the presence or absence of calcium. 211: 117
Lacombe, C. See Mayeux, P.
Lacoste, A. M.
——; Dumora, C.; Balas, L.; Hammerschmidt, F.; Vercauteren, J. Stereochemistry of the reaction catalyzed by 2-aminoethylphosphonate aminotransferase. A proton NMR study. 215: 841
Ladenstein, R. See Karshikoff, A.
Lahoz, C. See Villalba, M.
Lakey, J. H. See Gonzalez-Manas, J. M.
Lakin, N. D.
——; Boardman, M.; Woodland, H. R. Determination of the sequence requirements for the expression of a Xenopus borealis embryonic/larval skeletal actin gene. 214: 425
Lallev, A.
——; Anachkova, B.; Russev, G. Effect of ionizing radiation and topoisomerase II inhibitors on DNA synthesis in mammalian cells. 216: 177
Lamattina, L.
——; Gonzalez, D.; Gualberto, J.; Grienenberger, J. M. Higher plant mitochondria encode an homolog of the nuclear-encoded 30-kDa subunit of bovine mitochondrial complex I. 217: 831
Lambert, S.
——; Bennett, V. From anemia to cerebellar dysfunction. A review of the ankyrin gene family. 211: 1
Lambeth, J. D. See Stevens, V. L.
Lamblin, G. See Klein, A.
Lamers, W. H. See Das, A. T.; Fahrner, J.
Lamotte, H. See Neau, P.
Lamotte-Brasseur, J. See Matagne, A.
Lampen, A. See Van, P. N.
Lancelin, J. M. See Foray, M. F.
Landau, I. See Lichtstein, D.
Lane, A. N. See Jenkins, T. C.
——; Ebel, S.; Brown, T. NMR assignments and solution conformation of the DNA-RNA hybrid duplex d(GTGAACTT)-r(AAGUUC-AC). 215: 297
Lane, T. F. See Bassuk, J. A.
Laneelle, M. A. See Lopez Marin, L. M.
Lang, F. See Hallbrucker, C.
Langlois d'Estaintot, B.
——; Dautant, A.; Courseille, C.; Precigoux, G. Orthorhombic crystal structure of the A-DNA octamer d-(GTACGTAC). Comparison with the tetragonal structure. 213: 673
Lania, A. See Schinina, M. E.
Lankelma, J. See Mulder, H. S.
Lantner, F. See Neumann, S.
Laouar, A.
——; Villiers, C.; Sanceau, J.; Maison, C.; Colomb, M.; Wietzerbin, J.; Bauvois, B. Inactivation of interleukin-6 in vitro by monoblastic U937 cell plasma membranes involves both protease and peptidyl-transferase activities. 215: 825
Lapidot, A. See Inbar, L.
Larson, D. E. See Zahradka, P.
Lartigot, M. See Cumin, F.
Lau, E. T. See Kong, R. Y. C.
Lavalette, D. See Martini, J. L.
Lawson, A. M. See Hanisch, F. G.; Thurman, P. F.
Lazdunski, M. See Lingueglia, E.
Le, K. H. D. See Belmouden, A.
Leadlay, P. F. See Roberts, G. A.
Leboeuf, R. A. See Isfort, R. J.
Le Bourdelles, B. See Sutherland, C.
Le Caer, J. P. See Coutos-Thevenot, P.
Lecou, C. See Reisman, J. M.
Lederer, F. See Belmouden, A.; Cholet-Przednowed, E.
Lee, D. S. See Park, J. H.
Lee, T. H. See Soyombo, O.
Lee, V. M. Y. See Otvos, L. Jr.
Lee, Y. C.
——; Kurosawa, N.; Hamamoto, T.; Nakaoka, T.; Tsuji, S. Molecular cloning and expression of Galβ1,3GalNAcα2,3-sialyltransferase from mouse brain. 216: 377
Leech, A. P.
——; Baker, G. R.; Shute, J. K.; Cohen, M. A.; Gani, D. Chemical and kinetic mechanism of the inositol monophosphatase reaction and its inhibition by lithium-(1+). 212: 693
Leenders, R.
——; Kooijman, M.; van Hoek, A.; Veeger, C.; Visser, A. J. W. G. Flavin dynamics in reduced flavodoxins. A time-resolved polarized fluorescence study. 211: 37
——; Van Hoek, A.; Van Iersel, M.; Veeger, C.; Visser, A. J. W. G. Flavin dynamics in oxidized Clostridium beijerinckii flavodoxin as assessed by time-resolved polarized fluorescence. 218: 977
Lees, E. M.
——; Dreissen, H. P. C.; Crawford, L.

V.; Clarke, A. R.
Retraction concerning "The E2 protein of human papillovirus type 16. Overexpression and purification of an active transcriptional regulator". 212: 271
Leeuw, T.
——; Pette, D.
Coordinate changes in the expression of troponin subunit and myosin heavy-chain isoforms during fast-to-slow transition of low-frequency-stimulated rabbit muscle. 213: 1039
Leffers, H. See Honore, B.; Knudsen, S. M.
Le Fur, G. See Bouaboula, M.
Legall, J. See Chen, L.; Moreno, C.; Romao, M. J.
Legina, O. K. See Belyakova, N. V.
Legrand, D. See Leveugle, B.
Lehle, K. See Gross, M.
Lehle, L. See Okorokov, L. A.
Lehnert, W. See Boles, E.
Leidolf, R. See Lutz, F.
Lemarchandel, V. See Garel, M. C.
Lemarre, P. See Meunier, B.
Lenfant, F.
——; Petit, A.; Labia, R.; Maveyraud, L.; Samama, J. P.; Masson, J. M.
Site-directed mutagenesis of β-lactamase TEM-1. Investigating the potential role of specific residues on the activity of Pseudomonas-specific enzymes. 217: 939
Lenger, R. See Dross, F.
Lentz, J. M. See Martini, J. L.
Lenz, A.
——; Choe, H. W.; Granzin, J.; Heinemann, U.; Saenger, W.
Three-dimensional structure of the ternary complex between ribonuclease T1, guanosine 3',5'-bisphosphate and inorganic phosphate at 0.19 nm resolution. 211: 311
Lenz, M.
——; Retey, J.
Cloning, expression and mutational analysis of the urocanase gene (hutU) from Pseudomonas putida. 217: 429
Leontein, K. See Weintraub, A.
Leopold, K. See Kochanowski, B.
Le Pennec, J. P. See Tiffoche, C.
Leray, V.
——; Hubert, P.; Burgun, C.; Staedel, C.; Cremel, G.
Reconstitution studies of lipid effects on insulin-receptor kinase activation. 213: 277
Leshchinskaya, I. B. See Yakovlev, G. I.
Lesuisse, E.
——; Schanck, K.; Colson, C.
Purification and preliminary characterization of the extracellular lipase of Bacillus subtilis 168, an extremely basic pH-tolerant enzyme. 216: 155
Letellier, L. See van der Goot, F. G.
Leverve, X. M. See Argaud, D.
Leveugle, B.
——; Mazurier, J.; Legrand, D.; Mazurier, C.; Montreuil, J.; Spik, G.
Lactotransferrin binding to its platelet receptor inhibits platelet aggregation. 213: 1205
Levine, M. M. See Weintraub, A.
Levistre, R.
——; Masliah, J.; Bereziat, G.
Stimulatory and inhibitory guanine-nucleotide-binding regulatory protein involvement in stimulation of arachidonic-acid release by N-formyl-methionyl-leucyl-phenylalanine and platelet-activating factor from guinea pig alveolar macrophages. Differential receptor/G-protein interaction assessed by pertussis and cholera toxins. 213: 295
Levitzki, A. See Goldberg, D.
Levy, D. E. See Parrington, J.
Levy-Favatier, F.
——; Cuisset, L.; Nedelec, B.; Tichonicky, L.; Kruh, J.; Delpech, M.
Characterization, purification and cDNA cloning of a rat perchloric-acid-soluble 23-kDa protein present only in liver and kidney. 212: 665
Lezius, A. G. See Bartetzko, N.
Li, C. See Abramovitz, M.
Li, K. W. See Demuynck, S.
——; Geraerts, W. P. M.
Isolation and chemical characterization of a novel insulin-related neuropeptide from the freshwater snail, Lymnaea stagnalis (correction). 212: 839
Li, S. S. L. See Miyasaka, H.
Liang, Z.
——; Xue, Y.; Behravan, G.; Jonsson, B. H.; Lindskog, S.
Importance of the conserved active-site residues Tyr7, Glu106 and Thr199 for the catalytic function of human carbonic anhydrase II. 211: 821
Liao, J.
——; Mortensen, V.; Noergaard-Pedersen, B.; Koch, C.; Brodbeck, U.
Monoclonal antibodies against brain acetylcholinesterases which recognize the subunits bearing the hydrophobic anchor. 215: 333
Lichtstein, D.
——; Gati, I.; Samuelov, S.; Berson, D.; Rozenman, Y.; Landau, L.; Deutsch, J.
Identification of digitalis-like compounds in human cataractous lenses. 216: 261
Li de la Sierra, I. M. See Gallay, J.
Lieber, A.
——; Sandig, V.; Strauss, M.
A mutant T7 phage promoter is specifically transcribed by T7-RNA polymerase in mammalian cells. 217: 387
Liebl, W. See Ostendorp, R.
Liebman, H. A.
The metal-dependent conformational changes in factor IX associated with phospholipid binding. Studies using antibodies against a synthetic peptide and chemical modification of factor IX. 212: 339
Liedvogel, B. See Mauch, L.
Ligeti, E.
——; Pizon, V.; Wittinghofer, A.; Gierschik, P.; Jakobs, K. H.
GTPase activity of small GTP-binding proteins in HL-60 membranes is stimulated by arachidonic acid. 216: 813
Lijnen, H. R. See Collen, D.; Fleury, V.
——; Van Hoef, B.; Collen, D.
Interaction of staphylokinase with different molecular forms of plasminogen. 211: 91
Liljestroem, P. See Mikus, P.
Lima, C. E. See de Lederkremer, R. M.
Limmer, S. See Loew, A.
Lin, G.
——; Bode, W.; Huber, R.; Chi, C.; Engh, R. A.
The 0.25-nm x-ray structure of the Bowman-Birk-type inhibitor from mung bean in ternary complex with porcine trypsin. 212: 549
Lin, S. See van de Werken, R.
Lindberg, A. A. See Faelt, I. C.; Lindquist, L.; Weintraub, A.
Lindberg, M. See Lindgren, P. E.
Linder, D. See Eggert, M.; Gaertner, P.; Hofmeister, A. E. M.; Lutz, F.; Sorgenfrei, O.
Lindgren, P. E.
——; McGavin, M. J.; Signaes, C.; Guss, B.; Gurusiddappa, S.; Hoeoek, M.; Lindberg, M.
Two different genes coding for fibronectin-binding proteins from Streptococcus dysgalactiae. The complete nucleotide sequences and characterization of the binding domains. 214: 819
Lindner, B. See Helander, I. M.; Holst, O.
Lindquist, L.
——; Kaiser, R.; Reeves, P. R.; Lindberg, A. A.
Purification, characterization and HPLC assay of Salmonella glucose-1-phosphate thymidylyltransferase from the cloned rfbA gene. 211: 763
Lindqvist, Y. See Macheroux, P.
Lindskog, S. See Liang, Z.
Lindstedt, S. See Ruetschi, U.
Lingueglia, E.
——; Renard, S.; Voilley, N.; Waldmann, R.; Chassande, O.; Lazdunski, M.; Barbry, P.
Molecular cloning and functional expression of different molecular forms of rat amiloride-binding proteins. 216: 679
Linial, M.
VAT-1 from Torpedo electric organ forms a high-molecular-mass protein complex within the synaptic vesicle membrane. 216: 189
Linker, A. See Hovingh, P.
Lirsac, P. N. See Jamin, N.
Lis, H.
——; Sharon, N.
Protein glycosylation. Structural and functional aspects. 218: 1
Liscovitch, M. See Ben-Av, P.
Lithgow, T. See Peralta, D.
Liu, G.
——; Okamoto, K.; Isohashi, F.
Purification and characterization of a macromolecular-translocation inhibitor III of activated-glucocorticoid-receptor-complex binding to nuclei from rat liver. 218: 679
Liu, M. Y. See Chen, L.; Moreno, C.
Liu, X.
——; Maeda, S.; Hu, Z.; Aiuchi, T.; Nakaya, K.; Kurihara, Y.
Purification, complete amino acid sequence and structural characterization of the heat-stable sweet protein, mabinlin II. 211: 281
Lo, T. W. C. See Allen, R. E.
Lobeck, K. See Romao, M. J.
Loeffler, A.
——; Glund, K.; Irie, M.
Amino acid sequence of an intracellular, phosphate-starvation-induced ribonuclease from cultured tomato (Lycopersicon esculentum) cells. 214: 627
Loehr, F. See Knauf, M. A.
Loenn, H. See De Vries, T.
Loevkvist, E.
——; Stjernborg, L.; Persson, L.
Feedback regulation of mammalian ornithine decarboxylase. Studies using a transient expression system. 215: 753
Loew, A.
——; Sprinzl, M.; Faulhammer, H. G.

Affinity labeling of c-H-ras p21 consensus elements with periodate-oxidized GDP and GTP. 215: 473
——; Sprinzl, M.; Limmer, S. Nucleotide binding and GTP hydrolysis by the 21-kDa product of the c-H-ras gene as monitored by proton-NMR spectroscopy. 213: 781
Loidl, P. See Eberharter, A.
Lombardo, D. See Mas, E.; Sugo, T.
Lomize, A. L. See Golovanov, A. P.
Londesborough, J. See Vuorio, O. E.
——; Vuorio, O. E. Purification of trehalose synthase from bakers' yeast. Its temperature-dependent activation by fructose 6-phosphate and inhibition by phosphate. 216: 841
Lookene, A.
——; Bengtsson-Olivecrona, G. Chymotryptic cleavage of lipoprotein lipase. Identification of cleavage sites and functional studies of the truncated molecule. 213: 185
Loomes, K. See Rouimi, P.
Lopez Garcia, M. P.
——; Dansette, P. M.; Valadon, P.; Amar, C.; Beaune, P. H.; Guengerich, F. P.; Mansuy, D. Human liver cytochromes P-450 expressed in yeast as tools for reactive-metabolite formation studies. Oxidative activation of tienilic acid by cytochromes P-450 2C9 and 2C10. 213: 223
Lopez Marin, L. M.
——; Laneelle, M. A.; Prome, D.; Daffe, M. Structures of the glycopeptidolipid antigens of two animal pathogens: Mycobacterium senegalense and Mycobacterium porcinum. 215: 859
Lopez-Mediavilla, C.
——; Vigny, H.; Godinot, C. Docking the mitochondrial inhibitor protein IF_1 to a membrane receptor different from the F_1-ATPase β subunit. 215: 487
Lopez-Otin, C. See Villalba, M.
Lorand, L. See Jensen, P. H.
Lottspeich, F. See Romao, M. J.
Louie, G. V. See Haedener, A.
Lowenstein, J. M. See Gascard, P.
Lowenstein, P. R. See Sharp, S.
Loyau, S. See Fleury, V.
Lozano, J. A. See Jimenez-Cervantes, C.; Valverde, P.
Lozzi, L. See Bonci, A.
Lu, J.
——; Wiedemann, H.; Holmskov, U.; Thiel, S.; Timpl, R.; Reid, K. B. M. Structural similarity between lung surfactant protein D and conglutinin. Two distinct, C-type lectins containing collagen-like sequences. 215: 793
Lu, X. See Jaseja, M.
Lubin, B. H. See Buetikofer, P.
Luchinat, C. See Bertini, I.
Lucka, L. See Becker, A.
Luderus, M. E. E. See Das, A. T.
Ludwig, B. See Steverding, D.
Luebbers, M.
——; Andreesen, J. R. Components of glycine reductase from Eubacterium acidaminophilum. Cloning, sequencing and identification of the genes for thioredoxin reductase, thioredoxin and selenoprotein P_A. 217: 791
Luesink, E. J. See Kengen, S. W. M.
Lugtigheid, R. B.
——; Nicolaes, G. A. F.; Veldhuizen, E. J. A.; Slotboom, A. J.; Verheij, H. M.; de Haas, G. H. Acylation of porcine pancreatic phospholipase A_2 influences penetration and substrate head-group binding, depending on the position of the acylated lysine in the enzyme molecule. 216: 519
——; Otten-Kuipers, M. A.; Verheij, H. M.; De Haas, G. H. Arginine 53 is involved in head-group specificity of the active site of porcine pancreatic phospholipase A_2. 213: 517
Luiken, J. J. F. P. See Meijer, A. J.
Lundell, T.
——; Wever, R.; Floris, R.; Harvey, P.; Hatakka, A.; Brunow, G.; Schoemaker, H. Lignin peroxidase L3 from Phlebia radiata. Pre-steady-state and steady-state studies with veratryl alcohol and a non-phenolic lignin model compound 1-(3,4-dimethoxyphenyl)-2-(2-methoxyphenoxy)propane-1,3-diol. 211: 391
Lupp, B. See DeVack, C.
Luttik, M. A. H. See Wenzel, T. J.
Lutz, F.
——; Mohr, M.; Grimmig, M.; Leidolf, R.; Linder, D. Pseudomonas aeruginosa cytotoxin-binding protein in rabbit erythrocyte membranes. An oligomer of 28 kDa with similarity to transmembrane channel proteins. 217: 1123
Luyten, K.
——; De Koning, W.; Tesseur, I.; Ruiz, M. C.; Ramos, J.; Cobbaert, P.; Thevelein, J. M.; Hohmann, S. Disruption of the Kluyveromyces lactis GGS1 gene causes inability to grow on glucose and fructose and is suppressed by mutations that reduce sugar uptake. 217: 701

Maassen, J. A. See Osterop, A. P. R. M.
McAllister, G. See Pollack, S. J.
McCaffrey, M. See Yang, C.
McCarthy, J. E. G. See Hoeren, F. U.
McCaughan, K. K. See Moffat, J. G.
McDonald, A. G. See Aspinall, G. O.
McElreavey, K.
——; Vilain, E.; Cotinot, C.; Payen, E.; Fellous, M. Control of sex determination in animals. 218: 769
McGavin, M. J. See Lindgren, P. E.
Macheroux, P.
——; Kieweg, V.; Massey, V.; Soederlind, E.; Stenberg, K.; Lindqvist, Y. Role of tyrosine 129 in the active site of spinach glycolate oxidase. 213: 1047
——; Plattner, H. J.; Romaguera, A.; Diekmann, H. FAD and substrate analogs as probes for lysine N^6-hydroxylase from Escherichia coli EN 222. 213: 995
Machida, M.
——; Toku, S.; Kenmochi, N.; Tanaka, T. The structure of the gene encoding chicken ribosomal protein L37a. 213: 77
Mackay, E. A.
——; Overnell, J.; Dunbar, B.; Davidson, I.; Hunziker, P. E.; Kaegi, J. H. R.; Fothergill, J. E. Complete amino acid sequences of five dimeric and four monomeric forms of metallothionein from the edible mussel Mytilus edulis. 218: 183
McKinley-McKee, J. S. See Reiersen, H.
McKnight, J.
——; Cheesman, M. R.; Thomson, A. J.; Miles, J. S.; Munro, A. W. Identification of charge-transfer transitions in the optical spectrum of low-spin ferric cytochrome P-450 Bacillus megaterium. 213: 683
McLennan, A. G. See Chen, H.
MacLeod, J. K. See Flanigan, I.
Madrazo, J. See Gallay, J.
Madsen, P. See Honore, B.
Maeda, S. See Liu, X.
Maelicke, A. See Schrattenholz, A.
Maenaka, K. See Kumagai, I.
Maenpaa, P. H. See Pirskanen, A.
Maerz, L. See Kubelka, V.
Maes, O. See Coutos-Thevenot, P.
Maes, P. See Boutin, J. A.
Mager, W. H. See Meijerink, P. H. S.
Mai, X. P. See Danoff, A.
Maidebura, I. P. See Minich, W. B.
Maier, P. See Saad, B.
Maison, C. See Laouar, A.
Makeh, I. See Thomas, M.
Malashkevich, V. N. See Haedener, A.; Ziak, M.
Malecha, J. See Salzet, M.
Malezewski, M. See Wisniewski, J.
Malingre, H. See Das, A. T.
Malinin, N. L. See Davydova, E. K.
Mallet, J. See Sutherland, C.
Malmstroem, B. G. See Pascher, T.
Malorni, A. See Arcone, R.
Mamat, U. See Holst, O.
Mamont, P. See Stjernborg, L.
Mamroud-Kidron, E. See Tobias, K. E.
Manao, G. See Cirri, P.
Mancini, J. A.
——; Evans, J. F. Coupling of recombinant 5-lipoxygenase and leukotriene A_4 hydrolase activities and transcellular metabolism of leukotriene A_4 in Sf9 insect cells. 218: 477
Mann, D. J. See Dombradi, V.
Mann, K. See Calvete, J. J.; Mayer, U.
Mann, S. See Hudson, A. J.
Mannhaupt, G. See Schaaff-Gerstenschlaeger, I.
Mannherz, H. G. See Hesterkamp, T.
Manor, D.
——; Callender, R.; Noy, N. The interactions of retinoids with retinol-binding protein. A resonance Raman spectroscopic study. 213: 413
Mansuy, D. See Lopez Garcia, M. P.; Peyronneau, M. A.
Mantsch, H. H. See Gilles, A. M.; Otvos, L. Jr.
Manzini, G. See Xodo, L. E.
Mapoles, J.
——; Berthou, F.; Alexander, A.; Simon, F.; Menez, J. F. Mammalian PC-12 cell genetically engineered for human cytochrome P450 2E1 expression. 214: 735
Marbach, I. See Goldberg, D.
Marconi, S. See Banci, L.
Marcus, F. See Zaror, I.
Marin, O. See Ruzzene, M.
Mariniello, L.
——; Esposito, C.; Di Pierro, P.; Cozzolino, A.; Pucci, P.; Porta, R. Human immunodeficiency virus transmembrane glycoprotein gp41 is an amino acceptor and donor substrate for transglutaminase in vitro. 215: 99
Marino, G. See Arcone, R.

Marion, C. See Michalon, P.
Marion, D. See Blanchard, L.; Foray, M. F.
Mark, M. See Sperker, B.
Marks, J. N. See Carpenter, M. L.
Marme, D. See Fiebich, B. L.; Kochs, G.
Marquardt, J. See Bassi, R.
Marquart, J. See Renz, P.
Marra, M. See Aducci, P.
Marrero, I. See Fanjul, L. F.
Marriott, M. S. See Weston, A.
Marsac, C. See Bonne, G.
Marschalek, R. See Rizzuto, R.
——; Hofmann, J.; Schumann, G.; Bach, M.; Dingermann, T.
Different organization of the tRNA-gene-associated repetitive element, DRE, in NC4-derived strains and in other wild-type Dictyostelium discoideum strains. 217: 627
Marsh, D. See Holzenburg, A.
Martens, E. See Vandenbroeck, K.
Martens, G. J. M.
——; Groenen, P. M. A.; Groneveld, D.; Van Riel, M. C. H. M.
Expression of the Xenopus D_2 dopamine receptor. Tissue-specific regulation and two transcriptionally active genes but no evidence for alternative splicing. 213: 1349
Martial, J. A. See Goffin, V.
Martin, G.
——; Sorokine, O.; Van Dorsselaer, A.
Isolation and molecular characterization of a hyperglycemic neuropeptide from the sinus gland of the terrestrial isopod Armadillidium vulgare (Crustacea). 211: 601
Martin, H.
——; Dean, M.
An N-terminal peptide from link protein is rapidly degraded by chondrocytes, monocytes and B cells. 212: 87
Martin, J. B.
——; Bakker-Grunwald, T.; Klein, G.
Phosphorus-31 NMR analysis of Entamoeba histolytica. Occurrence of high amounts of two inositol phosphates. 214: 711
Martin, J. F. See Alvarez, E.
Martin, J. P. See Bost, F.; Bourguignon, J.
Martin, M.
——; Portais, J. C.; Labouesse, J.; Canioni, P.; Merle, M.
[1-^{13}C]glucose metabolism in rat cerebellar granule cells and astrocytes in primary culture. Evaluation of flux parameters by carbon-13 and proton NMR spectroscopy. 217: 617
Martin, P. T.
——; Chung, B. T. P.; Koshland, D. E. Jr.
Regulation of neurosecretory habituation by cAMP. Role of adaptation of cAMP signals. 217: 259
Martin, W. See Nimtz, M.
Martinage, A. See Alimi, E.
Martineau, L.
——; Craescu, C. T.
Sequential assignment of proton resonances in the NMR spectrum of zinc-substituted α chains from human hemoglobin. Ligand-induced tertiary changes in the heme pocket 214: 383
Martinez, A.
——; Olafsdottir, S.; Flatmark, T.
The cooperative binding of phenylalanine to phenylalanine 4-monooxygenase studied by proton NMR paramagnetic relaxation. Changes in water accessibility to the iron at the active site upon substrate binding. 211: 259
Martinez, J. See Silvente Poirot, S.
Martinez-Gonzalez, J.
——; Buesa, C.; Piulachs, M. D.; Belles, X.; Hegardt, F. G.
Molecular cloning, developmental pattern and tissue expression of 3-hydroxy-3-methylglutaryl coenzyme A reductase of the cockroach Blattella germanica. 213: 233
3-Hydroxy-3-methylglutaryl-coenzyme-A synthase from Blattella germanica. Cloning, expression, developmental pattern and tissue expression. 217: 691
Martini, F. See Mignogna, G.
——; Aceto, A.; Sacchetta, P.; Bucciarelli, T.; Dragani, B.; Di Ilio, C.
Investigation of intra-domain and inter-domain interactions of glutathione transferase P1-1 by limited chymotryptic cleavage. 218: 845
Martini, J. L.
——; Tetreau, C.; Pochon, F.; Tourbez, H.; Lentz, J. M.; Lavalette, D.
On the mechanism of energy transfer to terbium(3+) ions in proteins. A time-resolved luminescence study of the terbium-elastase complex. 211: 467
Martin-Lomas, M. See Solis, D.
Mas, E. See Sugo, T.
——; Abouakil, N.; Roudani, S.; Franc, J. L.; Montreuil, J.; Lombardo, D.
Variation of the glycosylation of human pancreatic bile-salt-dependent lipase. 216: 807
Mashimo, J. See Shibanuma, M.
Maslakiewicz, P. See Haber, J.
Masliah, J. See Levistre, R.
Masotti, L. See Gesmundo, N.
Massey, V. See Macheroux, P.
Masson, J. M. See Lenfant, F.
Masure, S.
——; Nys, G.; Fiten, P.; Van Damme, J.; Opdenakker, G.
Mouse gelatinase B. cDNA cloning, regulation of expression and glycosylation in WEHI-3 macrophages and gene organization. 218: 129
Matagne, A.
——; Lamotte-Brasseur, J.; Frere, J. M.
Interactions between active-site serine β-lactamases and so-called β-lactamase-stable antibiotics. Kinetic and molecular modeling studies. 217: 61
Mato, J. M. See Fanjul, L. F.; Sanchez-Arias, J. A.
Matoskova, B. See Brunati, A. M.
Matsueda, R. See Puri, R. N.
Matsufuji, S. See Miyazaki, Y.
Matsukage, A. See Matsuoka, S.
Matsumoto, A.
——; Fujiwara, Y.
Aberrant proteolysis of the β-amyloid precursor protein in familial Alzheimer's disease lymphoblastoid cells. 217: 21
Matsumoto, I. See Yoneda, A.
Matsumoto, M. See Kurata, S.
Matsumura, S. See Kimura, A.
Matsuoka, S.
——; Yamaguchi, M.; Hayashi, Y.; Matsukage, A.
Nucleotide sequence and promoter-specific effect of a negative regulatory region located upstream of the mouse proliferating cell nuclear antigen gene. 218: 173
Matsushita, Y.
——; Isono, K.
Mitochondrial transport of mitoribosomal proteins, YmL8 and YmL20, in Saccharomyces cerevisiae. 214: 577
Matsuura, K.
——; Sawada, H.; Yokosawa, H.
Purification and properties of N-acetylglucosaminidase from eggs of the ascidian, Halocynthia roretzi. 218: 535
Matsuyama, K. See Okada, K.
Maturi, R. K. See Bienen, E. J.
Matuschka, S. See Deisinger, B.
Matzinger, P. K. See Haedener, A.
Mauch, L.
——; Abney, C. C.; Berg, H.; Scherbaum, W. A.; Liedvogel, B.; Northemann, W.
Characterization of a linear epitope within the human pancreatic 64-kDa glutamic acid decarboxylase and its autoimmune recognition by sera from insulin-dependent diabetes mellitus patients. 212: 597
Mauduit, P. See Mayeux, P.
Maurer-Fogy, I. See Sugiyama, K.; Voss, T.
Maveyraud, L. See Lenfant, F.
Mavilio, F.
Regulation of vertebrate homeobox-containing genes by morphogens. 212: 273
May, R. See Vanatalu, K.
Mayer, F. See Stupperich, E.
Mayer, H. See Brandenburg, K.
Mayer, U. See Pan, T. C.
——; Mann, K.; Timpl, R.; Murphy, G.
Sites of nidogen cleavage by proteases involved in tissue homeostasis and remodeling. 217: 877
Mayeux, P.
——; Dusanter-Fourt, I.; Muller, O.; Mauduit, P.; Sabbah, M.; Druker, B.; Vainchenker, W.; Fischer, S.; Lacombe, C.; Gisselbrecht, S.
Erythropoietin induces the association of phosphatidylinositol 3'-kinase with a tyrosine-phosphorylated protein complex containing the erythropoietin receptor. 216: 821
Mayhew, S. G. See Knauf, M. A.
Mazan, S. See Hadjiolova, K. V.
Mazon, M. J.
——; Behrens, M. M.; Morgado, E.; Portillo, F.
Low activity of the yeast cAMP-dependent protein kinase catalytic subunit Tpk3 is due to the poor expression of the TPK3 gene. 213: 501
Mazurier, C. See Leveugle, B.
Mazurier, J. See Leveugle, B.
Medema, R. H. See Osterop, A. P. R. M.
Meder, S. See Vogel, H.
Medina, J. F. See Watanabe, T.
Medina, M.
——; Diaz, A.; Hervas, M.; Navarro, J. A.; Gomez-Moreno, C.; De la Rosa, M. A.; Tollin, G.
A comparative laser-flash absorption spectroscopy study of Anabaena PCC 7119 plastocyanin and cytochrome c_6 photooxidation by photosystem I particles. 213: 1133
Meese, C. O. See Hoehl, W.
Meesschaert, B. See Alvarez, E.
Mehlen, P.
——; Briolay, J.; Smith, L.; Diaz-Latoud, C.; Fabre, N.; Pauli, D.; Arrigo, A. P.
Analysis of the resistance to heat and hydrogen peroxide stresses in COS cells transiently expressing wild type or deletion mutants of the Drosophila 27-kDa heat-shock protein. 215: 277

Mehta, P. K.
——; Christen, P.
Homology of pyridoxal-5'-phosphate-dependent aminotransferases with the cobC (cobalamin synthesis), nifS (nitrogen fixation), pabC (p-aminobenzoate synthesis) and malY (abolishing endogenous induction of the maltose system) gene products. 211: 373
——; Hale, T. I.; Christen, P.
Aminotransferases: Demonstration of homology and division into evolutionary subgroups. 214: 549
Meijer, A. J.
——; Gustafson, L. A.; Luiken, J. J. F. P.; Blommaart, P. J. E.; Caro, L. H. P.; van Woerkom, G. M.; Spronk, C.; Boon, L.
Cell swelling and the sensitivity of autophagic proteolysis to inhibition by amino acids in isolated rat hepatocytes. 215: 449
Meijer, L. See Monsees, T.
Meijerink, P. H. S.
——; Bebelman, J. P.; Oldenburg, A. M.; Defize, J.; Planta, R. J.; Eriksson, A. W.; Pals, G.; Mager, W. H.
Gastric chief cell-specific transcription of the pepsinogen A gene. 213: 1283
Mejean, C. See Labbe, J. P.
Meldrum, F. C. See Hudson, A. J.
Mellor, G. W. See Gallacher, G.
Mellor, H.
——; Price, N. T.; Oldfield, S.; Sarre, T. F.; Proud, C. G.
Purification and characterization of an initiation-factor-2 kinase from uninduced mouse erythroleukemia cells. 211: 529
Melrose, J. See Jacoby, A. S.
Menez, A. See Hodgson, D.; Vita, C.
Menez, J. F. See Mapoles, J.
Mentele, R. See Teschauer, W. F.
Mentlein, R. See Alexson, S. E. H.
——; Gallwitz, B.; Schmidt, W. E.
Dipeptidyl-peptidase IV hydrolyzes gastric inhibitory polypeptide, glucagon-like peptide-1(7–36)amide, peptide histidine methionine and is responsible for their degradation in human serum. 214: 829
Merand, V. See Bourguignon, J.
Mercier, I. See Mithieux, G.
Mercy, S. P. D.
——; Ravindranath, M. H.
Purification and characterization of N-glycolylneuraminic-acid-specific lectin from Scylla serrata. 215: 697
Merle, M. See Martin, M.; Portais, J. C.
Merlevede, W. See Cayla, X.
Messmer, S. See Blatter, M-C.
Messori, L. See Bertini, I.
Metz-Boutigue, M. H.
——; Garcia-Sablone, P.; Hogue-Angeletti, R.; Aunis, D.
Intracellular and extracellular processing of chromogranin A. Determination of cleavage sites. 217: 247
Meunier, B. See Brown, S.
——; Lemarre, P.; Colson, A. M.
Genetic screening in Saccharomyces cerevisiae for large numbers of mitochondrial point mutations which affect structure and function of catalytic subunits of cytochrome-c oxidase. 213: 129
Mevarech, M. See Blecher, O.
Meyer, D. See Kochs, G.
Meyer, H. E. See Serwe, M.
Meyer, P. C. See Runser, S. M.
Michaelis, U. See Stoyan, T.
Michalon, P.
——; Couturier, R.; Bender, K.; Hecker, H.; Marion, C.
Structural analysis of Trypanosoma brucei brucei chromatin by limited proteolysis. An electrical-birefringence study. 216: 387
Michalski, J. C. See Haeuw-Fievre, S.
Michels, P. A. M. See Borchert, T. V.
Michelsen, O. See Jensen, P. R.
Mierke, D. F. See Moroder, L.
Mignogna, G.
——; Allocati, N.; Aceto, A.; Piccolomini, R.; Di Ilio, C.; Barra, D.; Martini, F.
The amino acid sequence of glutathione transferase from Proteus mirabilis, a prototype of a new class of enzymes. 211: 421
Mikus, P.
——; Urano, T.; Liljestroem, P.; Ny, T.
Plasminogen-activator inhibitor type 2 (PAI-2) is a spontaneously polymerizing SERPIN. Biochemical characterization of the recombinant intracellular and extracellular forms. 218: 1071
Milburn, M. V. See Graber, P.
Miles, J. S. See McKnight, J.
Milgrom, E. See Cohen-Solal, K.
Miller, S. See Danner, M.
Mimeault, M.
——; St-Pierre, S.; Fournier, A.
Conformational characterization by circular-dichroism spectroscopy of various fragments and analogs of calcitonin-gene-related peptide. 213: 927
Minami, M. See Sakamoto, A.
Minami, N. See Tsuchida, M.
Minana, M. D. See Felipo, V.
Minassian, C. See Ajzannay, A.; Mithieux, G.
Minchiotti, L.
——; Galliano, M.; Zapponi, M. C.; Tenni, R.
The structural characterization and bilirubin-binding properties of albumin Herborn, a [Lys240→Glu] albumin mutant. 214: 437
Minich, W. B.
——; Maidebura, I. P.; Ovchinnikov, L. P.
Purification and characterization of the major 50-kDa repressor protein from cytoplasmic mRNP of rabbit reticulocytes. 212: 633
Miotti, S. See Gesmundo, N.
Mir, A. M. See Cacan, R.
Mirkovitch, J. See Xanthopoulos, K. G.
Misaki, A. See Saito, K.
Mischiati, C. See Feriotto, G.
Misono, K. S. See Abe, T.
Misselwitz, R. See Welfle, H.
Mita, A. See Shibaruma, M.
Mithieux, G. See Ajzannay, A.
——; Bordeto, J. C.; Minassian, C.; Ajzannay, A.; Mercier, I.; Riou, J. P.
Characteristics and specificity of the inhibition of liver glucose-6-phosphatase by arachidonic acid. Lesser inhibitability of the enzyme of diabetic rats. 213: 461
Mitsunaga, T. See Miyata, A.
Miura, H. See Pueschel, G. P.
Miura, K. See Kumagai, I.
Miyachi, S. See Ishida, S.
Miyasaka, H.
——; Choudhury, B. K.; Hou, E. W.; Li, S. S. L.
Molecular cloning and expression of mouse and human cDNA encoding AES and ESG proteins with strong similarity to Drosophila enhancer of split groucho protein. 216: 343
Miyata, A.
——; Yoshida, T.; Yamaguchi, K.; Yokoyama, C.; Tanabe, T.; Toh, H.; Mitsunaga, T.; Izumi, Y.
Molecular cloning and expression of the gene for serine hydroxymethyltransferase from an obligate methylotroph Hyphomicrobium methylovorum GM2. 212: 745
Miyatake, N.
——; Kamo, M.; Satake, K.; Uchiyama, Y.; Tsugita, A.
Removal of N-terminal formyl groups and deblocking of pyrrolidone carboxylic acid of proteins with anhydrous hydrazine vapor. 212: 785
Miyazaki, Y.
——; Matsufuji, S.; Murakami, Y.; Hayashi, S.
Single amino acid replacement is responsible for the stabilization of ornithine decarboxylase in HMO_A cells. 214: 837
Miyazawa, K. See Okajima, A.
Miyazawa, T. See Sakamoto, K.
Modak, M. J. See Pandey, V. N.
Moerer, P. See Das, A. T.
Moerschel, E. See Bonacker, L. G.
Moffat, J. G.
——; Donly, B. C.; McCaughan, K. K.; Tate, W. P.
Functional domains in the Escherichia coli release factors. Activities of hybrids between RF-1 and RF-2. 213: 749
Mohr, M. See Lutz, F.
Moir, J. W. B.
——; Baratta, D.; Richardson, D. J.; Ferguson, S. J.
The purification of a cd_1-type nitrite reductase from, and the absence of a copper-type nitrite reductase from, the aerobic denitrifier Thiosphaera pantotropha; the role of pseudoazurin as an electron donor. 212: 377
Moiseyev, G. P. See Yakovlev, G. I.
Molina, F. See van de Werken, R.
Moll, H. See Helander, I. M.
Mollat, P. See Yang, C.
Mollenhauer, J. See van Hilten, J. A.
Moller, W. See Osterop, A. P. R. M.
Molloy, D. P. See Eccleston, J. F.
Molloy, P. L. See Bendall, A. J.
Moncada, S. See Riveros-Moreno, V.
Moniakis, J. See Su, H.
Monk, B. C. See Serrano, R.
Monsalve, R. I. See Villalba, M.
Monsan, P. See Yoshpe-Besancon, I.
Monsees, T.
——; Meijer, L.; Jastorff, B.
8-Dimethylamino-1-methyladenine, a novel potent antagonist of the 1-methyladenine receptor in starfish oocytes. 213: 155
Montenegro, E. See Alvarez, E.
Montesinos, C. See Serrano, R.
Montreuil, J. See Haeuw-Fievre, S.; Leveugle, B.; Mas, E.
Moore, D. D. See Guerin, S. L.
Moorman, A. F. M. See Das, A. T.; Fahrner, J.
Moraczewska, J. See Khaitlina, S. Y.; Strzelecka-Golaszewska, H.
Moran, A. P. See Aspinall, G. O.
Moreau, C. See Erneux, C.
Moreno, C.
——; Costa, C.; Moura, I.; Le Gall, J.; Liu, M. Y.; Payne, W. J.; van Dijk, C.; Moura, J. J. G.
Electrochemical studies of the hexaheme nitrite reductase from Desulfovibrio desulfuricans ATCC 27774. 212: 79

——; Franco, R.; Moura, I.; Le Gall, J.; Moura, J. J. G.
Voltammetric studies of the catalytic electron–transfer process between the Desulfovibrio gigas hydrogenase and small proteins isolated from the same genus. 217: 981
Morgado, E. See Mazon, M. J.
Morgenstern, R. See Piemonte, F.
Mori, K. See Kida, N.
Morisaki, N. See Yokote, K.
——; Funabashi, H.; Shimazawa, R.; Furukawa, J.; Kawaguchi, A.; Okuda, S.; Iwasaki, S.
Effect of side–chain structure on inhibition of yeast fatty–acid synthase by cerulenin analogs. 211: 111
Morita, T. See Inoue, K.
Moritz, R. L. See Zhang, J. G.
Moriyama, S.
——; Duguay, S. J.; Conlon, J. M.; Duan, C.; Dickhoff, W. W.; Plisetskaya, E. M.
Recombinant coho salmon insulin–like growth factor. I. Expression in Escherichia coli, purification and characterization. 218: 205
Morley, S. J.
——; Rau, M.; Kay, J. E.; Pain, V. M.
Increased phosphorylation of eukaryotic initiation factor 4α during early activation of T lymphocytes correlates with increased initiation factor 4F complex formation. 218: 39
Moroder, L.
——; Musiol, H. J.; Koecher, K.; Bali, J. P.; Schneider, C. H.; Guba, W.; Mueller, G.; Mierke, D. F.; Kessler, H.
Synthetic immunogens. The effect of the conformational space on biological and immunological responses to dimeric hormone constructs. 212: 325
Morozova, L.
——; Desmet, J.; Joniau, M.
Complexes of the polyamines spermine, spermidine and putrescine with α–lactalbumins. 218: 303
Mortensen, V. See Liao, J.
Moschettini, D. See Bonci, A.
Mosel, B. D. See Suerbaum, H.
Moslemi, S.
——; Dintinger, T.; Dehennin, L.; Silberzahn, P.; Gaillard, J. L.
Different in vitro metabolism of 7α–methyl–19–nortestosterone by human and equine aromatases. 214: 569
Mosler, S. See Yang, C. L.
Mossakowska, M. See Strzelecka–Golaszewska, H.
Motokawa, Y. See Okamura–Ikeda, K.
Mottes, M. See Valli, M.
Mougel, M.
——; Allmang, C.; Eyermann, F.; Cachia, C.; Ehresmann, B.; Ehresmann, C.
Minimal 16S rRNA binding site and role of conserved nucleotides in Escherichia coli ribosomal protein S8 recognition. 215: 787
Moule, S. K. See Henderson, L. M.
Moult, J. See da Silva, A. C. R.
Mounier, C.
——; Faili, A.; Vargaftig, B. B.; Bon, C.; Hatmi, M.
Secretory phospholipase A_2 is not required for arachidonic acid liberation during platelet activation. 216: 169
Moura, I. See Moreno, C.; Romao, M. J.
Moura, J. J. G. See Moreno, C.; Romao, M. J.
Moustacas, A. M. See Ferte, N.
Moyer, D. L. See Zaror, I.
M'Rabet–Touil, H. See Blachier, F.
Mueller, A. See Gollan, U.
Mueller, B. See Jendrossek, D.
Mueller, D. See Dautzenberg, F. M.
Mueller, F. See Knauf, M. A.
Mueller, G. See Moroder, L.
Mueller, P. K. See Neu–Yilik, G.; Yang, C. L.
Mueller, W. H. See Keidel, S.
Mueller–Lantzsch, N. See Kienzle, N.
Mueller–Loennies, S. See Holst, O.
Mueller–Warmuth, W. See Suerbaum, H.
Muentener, M. See Foehr, U. G.
Muga, A. See Banuelos, S.
Mukherjea, M. See Das, T.
Mulder, H. S.
——; van Grondelle, R.; Westerhoff, H. V.; Lankelma, J.
A plasma membrane 'vacuum cleaner' for daunorubicin in non–P–glycoprotein multidrug–resistant SW–1573 human non–small cell lung carcinoma cells. A study using fluorescence–resonance–energy transfer. 218: 871
Muller, A. See Hughes, V.
Muller, O. See Mayeux, P.
Mulliert, G. See Gontero, B.
Mundkowski, R. See Hoehl, W.
Munier, H. See Gilles, A. M.
——; Bouhss, A.; Gilles, A. M.; Krin, E.; Glaser, P.; Danchin, A.; Barzu, O.
Structural flexibility of the calmodulin–binding locus in Bordetella pertussis adenylate cyclase. Reconstitution of catalytically active species from fragments or inactive forms of the enzyme. 217: 581
Munro, A. W. See McKnight, J.
Murakami, M. See Suga, H.
Murakami, Y. See Miyazaki, Y.
Muramatsu, M.
——; Fukazawa, C.
A high–order structure of plant storage proprotein allows its second conversion by an asparagine–specific cysteine protease, a novel proteolytic enzyme. 215: 123
Murphy, C. T.
——; Kellie, S.; Westwick, J.
Tyrosine–kinase activity in rabbit platelets stimulated with platelet–activating factor. The effect of inhibiting tyrosine kinase with genistein on platelet–signal–molecule elevation and functional responses. 216: 639
Murphy, G. See Mayer, U.
Muscholl, A.
——; Galli, D.; Wanner, G.; Wirth, R.
Sex pheromone plasmid pAD1–encoded aggregation substance of Enterococcus faecalis is positively regulated in trans by traE1. 214: 333
Musiol, H. J. See Moroder, L.
Muto, S. See Ishida, S.
Mutt, V. See Agerberth, B.; Sillard, R.

Naber, J. D. See Happe, T.
Nagano, K. See Ikeda, K.
Nagao, S. See Kida, N.
Nagasaki, K. See Adachi, H.
Nagasawa, T. See Kobayashi, M.
Nagel, G.
——; Grunert, F.; Kuijpers, T. W.; Watt, S. M.; Thompson, J.; Zimmermann, W.
Genomic organization, splice variants and expression of CGM1, a CD66–related member of the carcinoembryonic antigen gene family. 214: 27
Nahmias, C. See Van Spronsen, A.
Nahon, E.
——; Best–Belpomme, M.; Saucier, J. M.
Analysis of the DNA topoisomerase–II–mediated cleavage of the long terminal repeat of Drosophila 1731 retrotransposon. 218: 95
Nair, P. M. See Janave, M. T.
Nair, S. K.
——; Christianson, D. W.
Crystallographic studies of azide binding to human carbonic anhydrase II. 213: 507
Naito, A. See Tuzi, S.
Nakae, H.
——; Sugano, M.; Ishimori, Y.; Endo, T.; Obinata, T.
Ascidian entactin/nidogen. Implication of evolution by shuffling two kinds of cysteine–rich motifs. 213: 11
Nakajima, H. See Kurata, S.
Nakajima, Y. See Iwai, H.
Nakajo, S.
——; Tsukada, K.; Omata, K.; Nakamura, Y.; Nakaya, K.
A new brain–specific 14–kDa protein is a phosphoprotein. Its complete amino acid sequence and evidence for phosphorylation. 217: 1057
Nakamura, M. See Ito, Y.
Nakamura, Y. See Nakajo, S.
——; Takeda, M.; Aimoto, S.; Harigu chi, S.; Kitajima, S.; Nishimura, T.
Acceleration of bovine neurofilament L assembly by deprivation of acidic tail domain. 212: 565
Nakanishi, S. See Ishibashi, M.
Nakaoka, T. See Lee, Y. C.
Nakashima, S. See Kimura, A.
Nakaya, K. See Liu, X.; Nakajo, S.
Namba, T. See Irie, A.
Nari, J. See Ferte, N.
Narumi, H.
——; Hishida, T.; Sasaki, T.; Feng, D. F.; Doolittle, R. F.
Molecular cloning of silkworm (Bombyx mori) antichymotrypsin. A new member of the serpin superfamily of proteins from insects. 214: 181
Narumiya, S. See Irie, A.
Naryzhny, S. N. See Belyakova, N. V.
Nassau, P. M. See Weston, A.
Nath, A. See Christ, B.
Natori, S. See Iwai, H.
Nault, C. See Brakch, N.
Naumann, D. See Goerne–Tschelnokow, U.
Naumova, I. B. See Potekhina, N. V.
Navarro, J. A. See Campos, A. P.; Medina, M.
Nawroth, T. See Deisinger, B.
Neau, P.
——; Degeilh, F.; Lamotte, H.; Rousseau, B.; Ripoche, P.
Photoaffinity labeling of the human red–blood–cell urea–transporter polypeptide components. Possible homology with the Kidd blood group antigen. 218: 447
Nedelec, B. See Levy–Favatier, F.
Negishi, M. See Irie, A.
Neidle, S. See Jenkins, T. C.
Nepomuceno, M. d. F. See Vaz de Macedo, D.

Neri, P. See Bonci, A.
Neuburger, M. See Bourguignon, J.
Neumann, S.
——; Ziv, E.; Lantner, F.; Schechter, I.
Regulation of HSP70 gene expression during the life cycle of the parasitic helminth Schistosoma mansoni. 212: 589
Neuschaefer-Rube, F. See Pueschel, G. P.
——; Pueschel, G. P.; Jungermann, K.
Characterization of prostaglandin-$F_{2\alpha}$-binding sites on rat hepatocyte plasma membranes. 211: 163
Neu-Yilik, G.
——; Zorbas, H.; Gloe, T. R.; Raabe, H. M.; Hopp-Christensen, T. A.; Mueller, P. K.
Vigilin is a cytoplasmic protein. A study on its expression in primary cells and in established cell lines of different species. 213: 727
Newman, E. B. See Shao, Z. Q.; Su, H.
Newsom-Davis, J. See Beeson, D.
Nguyen Van Thanh See Tricot, C.
Niccolai, N. See Bonci, A.
Nice, E. See Gruen, L. C.
Nicholls, D. G.
The glutamatergic nerve terminal. 212: 613
Nicholls, D. J.
——; Wood, I. S.; Nobbs, T. J.; Clarke, A. R.; Holbrook, J. J.; Atkinson, T.; Scawen, M. D.
Dissecting the contributions of a specific side-chain interaction to folding and catalysis of Bacillus stearothermophilus lactate dehydrogenase. 212: 447
Nichols, M. See DeVack, C.
Nicolaes, G. A. F. See Lugtigheid, R. B.
Nicoloso, M. See Hadjiolova, K. V.
Nielsen, F. S.
——; Foltmann, B.
Activation of porcine pepsinogen A. The stability of two non-covalent activation intermediates at pH 8.5. 217: 137
Nielsen, P. S.
——; Gausing, K.
In vitro binding of nuclear proteins to the barley plastocyanin gene promoter region. 217: 97
Nierhaus, K. H. See Gross, M.; Vanatalu, K.
Nieto, J. L. See Jimenez, M. A.
Nieuwenhuizen, W. See Fleury, V.
Niggli, V.
——; Gimona, M.
Evidence for a ternary interaction between α-actinin, (meta)vinculin and acidic-phospholipid bilayers. 213: 1009
Niimi, T. See Sakamoto, K.
——; Yamashita, O.; Yaginuma, T.
A cold-inducible Bombyx gene encoding a protein similar to mammalian sorbital dehydrogenase. Yolk nuclei-dependent gene expression in diapause eggs. 213: 1125
Nikonova, L. V.
——; Beletsky, I. P.; Umansky, S. R.
Properties of some nuclear nucleases of rat thymocytes and their changes in radiation-induced apoptosis. 215: 893
Nilsson, L. See Vogel, H.
Nimtz, M. See Grabenhorst, E.
——; Martin, W.; Wray, V.; Kloeppel, K. D.; Augustin, J.; Conradt, H. S.
Structures of sialylated oligosaccharides of human erythropoietin expressed in recombinant BHK-21 cells. 213: 39
Ninio, E. See Colard, O.
Nishikawa, F. See Kawakami, J.
Nishikawa, S. See Kawakami, J.; Winkfein, R. J.
Nishikawa, Y. See Iwasaki, Y.; Suzuki, K.
Nishimura, S. See Sakamoto, K.
Nishimura, T. See Nakamura, Y.
Nishioka, T. See Oshima-Hirayama, N.
Nishiyama, C. See Ogata, K.
Nishiyama, K. See Abe, T.
Nishiyama, M. See Kobayashi, M.
Nitta, Y. See Toda, H.
Nitti, G. See Scacheri, E.
Nixon, P. F. See Booth, C. K.
Noat, G. See Ferte, N.
Nobbs, T. J. See Nicholls, D. J.
Noble, M. E. M. See Borchert, T. V.
Noergaard-Pedersen, B. See Liao, J.
Nolting, H. F. See Sayers, Z.
Nomenclature Committee of the International Union of Biochemistry and Molecular Biology (NC-IUBMB)
Symbolism and terminology in enzyme kinetics. Correction to Recommendations 1981. 213: 1
Nomenclature of electron-transfer proteins. Corrections to Recommendations 1989. 213: 2
Nonaka, Y. See Ying, Z.
Nooren, I. M. A. See van Duynhoven, J. P. M.
Norberg, T. See De Vries, T.
Norden, B. See Takahashi, M.
Nordheim, A. See Janknecht, R.
Nordhoff, E. See Schlueter, H.
Nordin, I. See Ruetschi, U.
Nordling, M. See Pascher, T.
Norgauer, J.
——; Dobos, G.; Kownatzki, E.; Dahinden, C.; Burger, R.; Kupper, R.; Gierschik, P.
Complement fragment C3a stimulates calcium influx in neutrophils via a pertussis-toxin-sensitive G protein. 217: 289
Northemann, W. See Mauch, L.
Norton, E. J. See Ho, J. X.
Nose, K. See Shibanuma, M.
Notbohm, H. See Yang, C. L.
Noy, N. See Manor, D.
Nozais, M.
——; Bechet, J. J.
Unfolding/refolding studies of the myosin rod. 218: 1049
Nozawa, Y. See Kida, N.
Nuck, R.
——; Paul, C.; Wieland, B.; Heidrich, C.; Geilen, C. C.; Reutter, W.
Comparative study of high-mannose-type oligosaccharides in membrane glycoproteins of rat hepatocytes and different rat hepatoma cell lines. 216: 215
Nuesing, R.
——; Goerig, M.; Habenicht, A. J. R.; Ullrich, V.
Selective eicosanoid formation during HL-60 macrophage differentiation. Regulation of thromboxane synthase. 212: 371
Nunez, R. See Campos, A.
Ny, T. See Mikus, P.; Peng, X. R.
Nys, G. See Masure, S.

Obata, H. See Kaneda, T.
Oberbaeumer, I. See Gottschling, C.
Obinata, T. See Nakae, H.
Obmolova, G. See Teplyakov, A.
Obregon, M. J. See Hernandez, A.
O'Brien, J. S. See Ito, K.
Obuchova, M. A. See Pshezhetsky, A. V.
Ochiai, H. See Saito, T.
O'Connell, J. F.
——; Bougis, P. E.; Wuethrich, K.
Determination of the nuclear magnetic resonance solution structure of cardiotoxin CTX IIb from Naja mossambica mossambica. 213: 891
Oda, J. See Oshima-Hirayama, N.
Oddou, P.
——; Hartmann, H.; Radecke, F.; Geiser, M.
Immunologically unrelated Heliothis sp. and Spodoptera sp. midgut membrane-proteins bind Bacillus thuringiensis CryIA(b) δ-endotoxin. 212: 145
Odelhoeg, B. See Ruetschi, U.
Oebrink, B. See Edlund, M.
Oelmueller, R. See Palomares, R.
O'Farrell, P. See Knauf, M. A.
Ogata, K.
——; Kurahashi, A.; Nishiyama, C.; Terao, K.
Metabolic characteristics of rat liver cytosolic 5SRNA. 213: 1277
Ogawa, H. See Yoneda, A.
Ogawa, J.
——; Shimizu, S.; Yamada, H.
N-Carbamoyl-D-amino acid amidohydrolase from Comamonas sp. E222c. Purification and characterization. 212: 685
Oguchi, S. See Adachi, H.
O'Hare, M. J. See Warburton, M. J.
Ohishi, H. See Ohno, Y.
Ohlrogge, J. B. See Jaworski, J. G.
Ohmura, Y. See Okamura-Ikeda, K.
Ohno, Y.
——; Segawa, M.; Ohishi, H.; Doi, M.; Kitamura, K.; Ishida, T.; Inoue, M.; Iwashita, T.
Conformation of deltorphin-II in membrane environment studied by two-dimensional NMR spectroscopy and molecular dynamics calculations. 212: 185
Ohshima, H. See Adachi, H.
Ohshima, T.
——; Tanaka, S.
Dye-linked L-malate dehydrogenase from thermophilic Bacillus species DSM 465. Purification and characterization. 214: 37
Ohta, M. See Suzuki, K.
Ohta, T. See Sakai, H.
Ohtsuka, E. See Kawakami, J.
Okada, K.
——; Arai, Y.; Hata, M.; Matsuyama, K.; Yano, M.
Big endothelin-1 structure is important for specific processing by endothelin-converting enzyme of bovine endothelial cells. 218: 493
Okajima, A.
——; Miyazawa, K.; Kitamura, N.
Characterization of the promoter region of the rat hepatocyte-growth-factor/scatter-factor gene. 213: 113
Okamoto, K. See Liu, G.
Okamoto, M. See Suzuki, K.; Tojo, H.; Ying, Z.
Okamura-Ikeda, K.
——; Ohmura, Y.; Fujiwara, K.; Motokawa, Y.
Cloning and nucleotide sequence of the gcv operon encoding the Escherichia coli glycine-cleavage system. 216: 539
Okinaga, S.
——; Shibahara, S.
Identification of a nuclear protein that constitutively recognizes the

sequence containing a heat-shock element. Its binding properties and possible function modulating heat-shock induction of the rat heme oxygenase gene. 212: 167
Okorokov, L. A.
——; Tanner, W.; Lehle, L.
A novel primary calcium transport system from Saccharomyces cerevisiae. 216: 573
Okuda, S. See Morisaki, N.
Olafsdottir, S. See Martinez, A.
Oldenburg, A. M. See Meijerink, P. H. S.
Oldfield, S. See Mellor, H.
Oliva, D. See Giallongo, A.
Olive, J. See Vallon, O.
Oliver, P. See Haedener, A.
Olsen, K.
——; Svensson, B.; Christensen, U.
Stopped-flow fluorescence and steady-state kinetic studies of ligand-binding reactions of glucoamylase from Aspergillus niger (correction). 212: 840
Olsen, O. See Politz, O.
Olstad, O. K. See Rian, E.
Omata, K. See Nakajo, S.
Onnekink, C. See Dirks, R. P. H.
Opdenakker, G. See Masure, S.; Vandenbroeck, K.
Opekarova, M.
——; Caspari, T.; Tanner, W.
Unidirectional arginine transport in reconstituted plasma-membrane vesicles from yeast overexpressing CAN1. 211: 683
Opperdoes, F. R. See Borchert, T. V.
Orellana, A.
——; Holuigue, L.; Hidalgo, P. C.; Faundez, V.; Gonzalez, A.; Bronfman, M.
Ciprofibrate, a carcinogenic peroxisome proliferator, increases the phosphorylation of epidermal-growth-factor receptor in isolated rat hepatocytes. 215: 903
Oreste, P. See Coltrini, D.
Orsini, G. See Scacheri, E.
Ortega, J. M. See Campos, A. P.
Ortiz, B.
——; Sillero, A.; Gunther Sillero, M. A.
Specific synthesis of adenosine(5')tetraphospho(5')nucleoside and adenosine(5')oligophospho(5')adenosine (n > 4) catalyzed by firefly luciferase. 212: 263
Specific synthesis of adenosine(5')tetraphospho(5')nucleoside and adenosine(5')oligophospho(5')adenosine (n > 4) catalyzed by firefly luciferase (correction). 215: 907
Ortwerth, B. J. See Sharma, K. K.
Osborne, S. See Pollack, S. J.
O'Shea, M. See Rayne, R. C.
Oshima-Hirayama, N.
——; Yoshikawa, K.; Nishioka, T.; Oda, J.
Lipase from Pseudomonas aeruginosa. Production in Escherichia coli and activation in vitro with a protein from the downstream gene. 215: 239
Oskarsson, S. See Gudmundsdottir, A.
Ostendorp, R.
——; Liebl, W.; Schurig, H.; Jaenicke, R.
The L-lactate dehydrogenase gene of the hyperthermophilic bacterium Thermotoga maritima cloned by complementation in Escherichia coli. 216: 709
Osterop, A. P. R. M.
——; Medema, R. H.; Van der Zon, G. C. M.; Bos, J. L.; Moller, W.; Maassen, J. A.
Epidermal-growth-factor receptors generate Ras-GTP more efficiently than insulin receptors. 212: 477
Osterwalder, T. See Rader, C.
Otten-Kuipers, M. A. See Lugtigheid, R. B.
Otto, A. See Hartmann, E.
Otto, S. See Scherzinger, E.
Otvos, L. Jr.
——; Szendrei, G. I.; Lee, V. M. Y.; Mantsch, H. H.
Human and rodent Alzheimer β-amyloid peptides acquire distinct conformations in membrane-mimicking solvents. 211: 249
Ouwehand, A. See Balvers, W. G.
Ovchinnikov, L. P. See Davydova, E. K.; Minich, W. B.
Overath, P. See Ilg, T.
Overnell, J. See Mackay, E. A.
Owen, A. J. See Sumner, I. G.

Paalme, T. See Vanatalu, K.
Pachter, J. S. See Sharpless, K.
Paci, M. See Ciriolo, M. R.; Sette, M.
Padron, G. See Gallay, J.
Page, M. D.
——; Ferguson, S. J.
Mutants of Methylobacterium extorquens and Paracoccus denitrificans deficient in c-type cytochrome biogenesis synthesise the methylamine-dehydrogenase polypeptides but cannot assemble the tryptophan-tryptophylquinone group. 218: 711
Pages, J. M. See El Kouhen, R.
Pain, V. M. See Morley, S. J.
Palau, J. See Verdaguer, N.
Pali, T. See Holzenburg, A.
Palm, D. See Pan, P.
Palmer, T.
——; Williams, R.; Cotton, N. P. J.; Thomas, C. M.; Jackson, J. B.
Inhibition of proton-translocating transhydrogenase from photosynthetic bacteria by N,N'-dicyclohexylcarbodiimide. 211: 663
Palomares, R.
——; Herrmann, R. G.; Oelmueller, R.
Post-transcriptional and post-translational regulatory steps are crucial in controlling the appearance and stability of thylakoid polypeptides during the transition of etiolated tobacco seedlings to white light. 217: 345
Pals, G. See Meijerink, P. H. S.
Pan, P.
——; Schinzel, R.; Palm, D.; Christen, P.
Reaction of imidazole-citrate-deformed glycogen phosphorylase with amino acids. 215: 761
Pan, T. C.
——; Kluge, M.; Zhang, R. Z.; Mayer, U.; Timpl, R.; Chu, M. L.
Sequence of extracellular mouse protein BM-90/fibulin and its calcium-dependent binding to other basement-membrane ligands. 215: 733
Panayotou, G. See White, H.
Pancino, G. See Ellerbrok, H.
Pandey, V. N.
——; Kaushik, N.; Sanzgiri, R. P.; Patil, M. S.; Modak, M. J.; Barik, S.
Site directed mutagenesis of DNA polymerase I (Klenow) from Escherichia coli. The significance of Arg682 in catalysis. 214: 59
Pang, H. See Aspinall, G. O.
Paoletti, S. See Cescutti, P.
Papadouli, I.
——; Sakarellos, C.; Tzartos, S. J.
High-resolution epitope mapping and fine antigenic characterization of the main immunogenic region of the acetylcholine receptor. Improving the binding activity of synthetic analogs of the region. 211: 227
Pappa, H. S.
——; Cass, A. E. G.
A step towards understanding the folding mechanism of horseradish peroxidase. Tryptophan fluorescence and circular dichroism equilibrium studies. 212: 227
Pardo, J. P. See Uribe, S.
Parello, J. See Reisman, J. M.
Park, H. J.
——; Kreutzer, R.; Reiser, C. O. A.; Sprinzl, M.
Molecular cloning and nucleotide sequence of the gene encoding a hydrogen peroxide-forming NADH oxidase from the extreme thermophilic Thermus thermophilus HB8 and its expression in Escherichia coli (correction). 211: 909
Park, J. H.
——; Kim, J. S.; Kwon, S. T.; Lee, D. S.
Purification and characterization of Thermus caldophilus GK24 DNA polymerase. 214: 135
Parker, D. B.
——; Coe, I. R.; Dixon, G. H.; Sherwood, N. M.
Two salmon neuropeptides encoded by one brain cDNA are structurally related to members of the glucagon superfamily. 215: 439
Parker, P. J. See Schnabel, P.
Parodi, A. J. See Ferrero-Garcia, M. A.
Parrington, J.
——; Rogers, N. C.; Gewert, D. R.; Pine, R.; Veals, S. A.; Levy, D. E.; Stark, G. R.; Kerr, I. M.
The interferon-stimulable response elements of two human genes detect overlapping sets of transcription factors. 214: 617
Parsa, R. See Bossard, P.
Pasche, I. See Aebischer, C. P.
Pascher, T.
——; Karlsson, B. G.; Nordling, M.; Malmstroem, B. G.; Vaenngaard, T.
Reduction potentials and their pH dependence in site-directed-mutant forms of azurin from Pseudomonas aeruginosa. 212: 289
Pascual, J. See Bruix, M.
Paterson, B. J. See Dutta-Roy, A. K.
Patil, M. S. See Pandey, V. N.
Patton, A. J.
——; Hough, D. W.; Towner, P.; Danson, M. J.
Does Escherichia coli possess a second citrate synthase gene?. 214: 75
Pattus, F. See El Kouhen, R.; Gonzalez-Manas, J. M.; van der Goot, F. G.
Paul, C. See Nuck, R.
Paul, F. See Yoshpe-Besancon, I.
Pauli, D. See Mehlen, P.
Paulsen, H.
——; Finkenzeller, B.; Kuehlein, N.
Pigments induce folding of light-harvesting chlorophyll a/b-binding protein. 215: 809
Paulsen, R. See Bentrop, J.
Pawelczyk, T. See Gascard, P.
Payen, E. See McElreavey, K.
Payne, W. J. See Moreno, C.

Pearson, C. K.
——; Wilson, S. B.; Schaffer, R.; Ross, A. W.
NAD turnover and utilization of metabolites for RNA synthesis in a reaction sensing the redox state of the cytochrome b_6f complex in isolated chloroplasts. 218: 397
Pech, J. C. See Balague, C.
Peelen, S.
——; Rietjens, I. M. C. M.; van Berkel, W. J. H.; van Workum, W. A. T.; Vervoort, J.
Fluorine-19 NMR study on the pH-dependent regioselectivity and rate of the ortho-hydroxylation of 3-fluorophenol by phenol hydroxylase from Trichosporon cutaneum. Implications for the reaction mechanism. 218: 345
Peisach, J. See Van de Kamp, M.
Peng, X. R.
——; Hsueh, A. J. W.; Ny, T.
Transient and cell-specific expression of tissue-type plasminogen activator and plasminogen-activator-inhibitor type 1 results in controlled and directed proteolysis during gonadotropin-induced ovulation. 214: 147
Penner, J. L. See Aspinall, G. O.
Pepys, M. B. See Amatayakul-Chantler, S.; Tennent, G. A.
Peraldi, P.
——; Van Obberghen, E.
Insulin and tumor-promoting agent regulate an inhibitor of the 44-kDa mitogen-activated protein kinase/extracellular signal-regulated protein kinase 1 in fibroblasts. 218: 815
Peralta, D.
——; Lithgow, T.; Hoogenraad, N. J.; Hoj, P. B.
Prechaperonin 60 and preornithine transcarbamylase share components of the import apparatus but have distinct maturation pathways in rat liver mitochondria. 211: 881
Pereira-da-Silva, L. See Uribe, S.; Vaz de Macedo, D.
Perello, M. See Verdaguer, N.
Perich, J. W. See Ruzzene, M.
Perin, J. P. See Alliel, P. M.
Perochon, E. See Piknova, B.
Perrino, F. W. See Belyakova, N. V.
Perry, M. B. See Beynon, L. M.; Hermansson, K.
Persson, B. See Jeffery, J.
——; Bergman, T.; Keung, W. M.; Walldenstroem, U.; Holmquist, B.; Vallee, B. L.; Joernvall, H.
Basic features of class-I alcohol dehydrogenase: Variable and constant segments coordinated by inter-class and intra-class variability. Conclusions from characterization of the alligator enzyme. 216: 49
Persson, H. See Estonius, M.
Persson, L. See Loevkvist, E.; Stjernborg, L.
Pervushina, S. V. See Pshezhetsky, A. V.
Pessi, A. See Esposito, G.
Peter-Katalinic, J. See Fischer, W.
Petersen, L. C.
——; Birktoft, J. J.; Flodgaard, H.
Binding of bovine pancreatic trypsin inhibitor to heparin binding protein/CAP37/azurocidin. Interaction between a Kunitz-type inhibitor and a proteolytically inactive serine proteinase homolog. 214: 271
Petit, A. See Lenfant, F.
Petro, K. R. See Walmsley, A. R.
Pette, D. See Aigner, S.; Leeuw, T.; Wada, M.
Peumans, W. J. See Saito, K.; Van Damme, E. J. M.
Peyronneau, M. A.
——; Renaud, J. P.; Jaouen, M.; Urban, P.; Cullin, C.; Pompon, D.; Mansuy, D.
Expression in yeast of three allelic cDNAs coding for human liver P-450 3A4. Different stabilities, binding properties and catalytic activities of the yeast-produced enzymes. 218: 355
Pfeifer, M. See Hinzmann, B.
Pfeilschifter, J. See Huwiler, A.
Pfuetzner, R. A. See Chan, W. W. C.
——; Chan, W. W. C.
Synergistic binding of hydrophobic probes and zinc ligands to thermolysin. 218: 523
Phelan, P. See Huber, J.
Phillips, S. A.
——; Thornalley, P. J.
The formation of methylglyoxal from triose phosphates. Investigation using a specific assay for methylglyoxal. 212: 101
Piccioli, M. See Bertini, I.
Piccolomini, R. See Mignogna, G.
Pick, E.
——; Gorzalczany, Y.; Engel, S.
Role of the rac1 p21-GDP-dissociation inhibitor for the rho heterodimer in the activation of the superoxide-forming NADPH oxidase of macrophages. 217: 441
Pickersgill, R. W. See Sumner, I. G.
Picton, S. See Balague, C.
Piemonte, F.
——; Caccuri, A. M.; Morgenstern, R.; Rosato, N.; Federici, G.
Aggregation of pyrene-labeled microsomal glutathione S-transferase. Effect of concentration. 217: 661
Piepkorn, M. See Hovingh, P
Pierattelli, R. See Banci, L.
Pierce, A. See Vandamme, V.
Pierik, A. J.
——; Wassink, H.; Haaker, H.; Hagen, W. R.
Redox properties and EPR spectroscopy of the P clusters of Azotobacter vinelandii molybdenum-iron protein. 212: 51
——; Wolbert, R. B. G.; Portier, G. L.; Verhagen, M. F. J. M.; Hagen, W. R.
Nigerythrin and rubrerythrin from Desulfovibrio vulgaris each contain two mononuclear iron centers and two dinuclear iron clusters. 212: 237
Pierre, M. See Saunier, B.
Piersma, S. R. See Floris, R.
Pieters, M. See van Dijk, M. C. M.
Pietrucha, T. See Watala, C.
Pietruszko, R. See Kurys, G.
Pignatti, P. See Valli, M.
Pignatti, P. F. See Valli, M.
Piknova, B.
——; Perochon, E.; Tocanne, J. F.
Hydrophobic mismatch and long-range protein/lipid interactions in bacteriorhodopsin/phosphatidylcholine vesicles. 218: 385
Pine, R. See Parrington, J.
Pineau, B. See Bassi, R.
Pineda, T.
——; Kwon, O. S.; Serpersu, E. H.; Churchich, J. E.
Interaction of ATP analogs with yeast 3-phosphoglycerate kinase. Affinity labeling of the hinge region 212: 719
Pinna, L. A. See Brunati, A. M.; Ruzzene, M.
Pirskanen, A.
——; Jaaskelainen, T.; Maenpaa, P. H.
Insulin-like growth factor-1 modulates steroid hormone effects on osteocalcin synthesis in human MG-63 osteosarcoma cells. 218: 883
Pitt, A. R. See Haedener, A.
Piulachs, M. D. See Martinez-Gonzalez, J.
Pizon, V. See Ligeti, E.
Plancke, Y. See Haeuw-Fievre, S.
Plangger, A. See Bentrop, J.
Planta, R. J. See Meijerink, P. H. S.
Plapp, R. See Klein, J. R.
Plattner, H. J. See Macheroux, P.
Pleckaityte, M. See Siksnys, V.
Plisetskaya, E. M. See Moriyama, S.
Ploegh, H. L. See Agterberg, M.
Pochon, F. See Martini, J. L.
Podder, S. K. See Hegde, R.
Poetter, E.
——; Kloppstech, K.
Effects of light stress on the expression of early light-inducible proteins in barley. 214: 779
Poirier, G. G. See Potvin, F.
Politz, O.
——; Simon, O.; Olsen, O.; Borriss, R.
Determinants for the enhanced thermostability of hybrid (1-3,1-4)-β-glucanases. 216: 829
Pollack, S. J.
——; Knowles, M. R.; Atack, J. R.; Broughton, H. B.; Ragan, C. I.; Osborne, S.; McAllister, G.
Probing the role of metal ions in the mechanism of inositol monophosphatase by site-directed mutagenesis. 217: 281
Pollakis, G. See Bienen, E. J.
Pollitt, C. E. See Finnis, C.
Pollock, B. See Blanchard, L.
Pometta, D. See Blatter, M-C.
Pompejus, M.
——; Friedrich, K.; Teufel, M.; Fritz, H. J.
High-yield production of bacteriorhodopsin via expression of a synthetic gene in Escherichia coli. 211: 27
Pompon, D. See Gautier, J. C.; Peyronneau, M. A.
Pongs, O. See Reinhardt-Maelicke, S.
Porta, R. See Mariniello, L.
Portais, J. C. See Martin, M.
——; Schuster, R.; Merle, M.; Canioni, P.
Metabolic flux determination in C6 glioma cells using carbon-13 distribution upon [1-^{13}C]glucose incubation. 217: 457
Porter, A. C. G.
——; Itzhaki, J. E.
Gene targeting in human somatic cells. Complete inactivation of an interferon-inducible gene. 218: 273
Portier, G. L. See Pierik, A. J.
Portillo, F. See Mazon, M. J.
Posho, L. See Blachier, F.
Pospisil, M. See Bezouska, K.
Possekel, S. See Bonne, G.
Post-Beittenmiller, D. See Jaworski, J. G.
Potekhina, N. V.
——; Tul'skaya, E. M.; Naumova, I. B.; Shashkov, A. S.; Evtushenko, L. I.
Erythritolteichoic acid in the cell wall of Glycomyces tenuis VKM Ac-1250. 218: 371
Potier, N. See Jaquinod, M.
Potin, P.
——; Richard, C.; Rochas, C.; Kloareg, B.
Purification and characterization of the α-agarase from Alteromonas

agarlyticus (Cataldi) comb. nov., strain GJ1B. 214: 599
Potvin, F.
——; Roy, R. J.; Poirier, G. G.; Guerin, S. L.
The US–1 element from the gene encoding rat poly(ADP–ribose) polymerase binds the transcription factor Sp1. 215: 73
Poujeoi, P. See Vita, C.
Poulsen, C.
——; Bongaerts, R. J. M.; Verpoorte, R.
Purification and characterization of anthranilate synthase from Catharanthus roseus. 212: 431
Poulsom, R. See Chinery, R.
Pourquier, P. See Benchekroun, M. N.
Povey, S. See Beeson, D.
Pozzi, L. See Feriotto, G.
Pratt, K. See Borchert, T. V.
Precigoux, G. See Langlois d'Estaintot, B.
Prehn, S. See Hartmann, E.
Prehu, M. O. See Garel, M. C.
Presta, M. See Coltrini, D.
Price, N. T. See Mellor, H.; Redpath, N. T.
Prieto, J. See Bruix, M.
Principato, G. B. See Talesa, V.
Proemper, C.
——; Schneider, R.; Weiss, H.
The role of the proton–pumping and alternative respiratory chain NADH:ubiquinone oxidoreductases in overflow catabolism of Aspergillus niger. 216: 223
Proietti, N. See Aducci, P.
Prome, D. See Lopez Marin, L. M.
Proud, C. G. See Mellor, H.; Redpath, N. T.
Proudfoot, A. E. I. See Graber, P.
Pshezhetsky, A. V.
——; Danilova, R. A.; Fedorova, I. M.; Sagimbaeva, S. K.; Pervushina, S. V.; Obuchova, M. A.; Svedas, V. K.; Ashmarin, I. P.
Influence of the immunization against heterologous alcohol dehydrogenase on liver alcohol dehydrogenase isozymes and alcohol abuse of rats. 212: 757
Pucci, P. See Arcone, R.; Mariniello, L.
Pueschel, G. P. See Neuschaefer–Rube, F.
——; Kirchner, C.; Schroeder, A.; Jungermann, K.
Glycogenolytic and antiglycogenolytic prostaglandin E_2 actions in rat hepatocytes are mediated via different signalling pathways. 218: 1083
——; Miura, H.; Neuschaefer–Rube, F.; Jungermann, K.
Inhibition by the protein kinase C activator 4β–phorbol 12–myristate 13–acetate of the prostaglandin $F_{2\alpha}$–mediated and noradrenaline–mediated but not glucagon–mediated activation of glycogenolysis in rat liver. 217: 305
Puppe, W. See Voelkner, P.
Puri, K. D. See Sengupta, S.
Puri, R. N.
——; Matsueda, R.; Umeyama, H.; Bradford, H. N.; Colman, R. W.
Modulation of thrombin–induced platelet aggregation by inhibition of calpain by a synthetic peptide derived from the thiol–protease inhibitory sequence of kininogens and S–(3–nitro–2–pyridinesulfenyl)–cysteine. 214: 233
Puzo, G. See Riviere, M.
Quadrifoglio, F. See Xodo, L. E.
Quagliuolo, L. See Servillo, L.
Quesne, M. See Cohen–Solal, K.
Quick, S. See Gray, N. K.
Quinn, C. P. See Shone, C. C.
Quintana, J. See Fanjul, L. F.

Raabe, H. M. See Neu–Yilik, G.
Raadmark, O. See Watanabe, T.
Raats, J. M. H. See van de Klundert, F. A. J. M.
Radecke, F. See Oddou, P.
Rademacher, T. W. See Amatayakul–Chantler, S.; Tennent, G. A.
Rader, C. See Hasler, T. H.
——; Stoeckli, E. T.; Ziegler, U.; Osterwalder, T.; Kunz, B.; Sonderegger, P.
Cell–cell adhesion by homophilic interaction of the neuronal recognition molecule axonin–1. 215: 133
Radomski, N. See Eggert, M.
Radvanyi, F. See Faure, G.
Radzio, R. See Bartling, D.
Raffard, G. See Beauvoit, B.
Ragan, C. I. See Pollack, S. J.
Raida, M. See Sillard, R.
Raju, T. S. See Aspinall, G. O.
Rak, K. H. See Schwedler, G.
Ramaswamy, N. K. See Janave, M. T.
Ramirez, M. I. See de Lederkremer, R. M.
Ramji, D. P. See Tadros, M. H.
Ramos, J. See Luyten, K.
Ramponi, G. See Cirri, P.
Rangel, P. See Uribe, S.
Rao, M. N. See Slobin, L. I.
Rapoport, T. A. See Hartmann, E.
Rasmussen, E. M. See Baunsgaard, L.
Rasmussen, G. See Schou, C.
Rathman, J. See Belkner, J.
Rau, M. See Morley, S. J.
Rauch, C. See Cohen–Solal, K.
Raugei, G. See Cirri, P.
Rault, M. See Gontero, B.
——; Giudici–Orticoni, M. T.; Gontero, B.; Ricard, J.
Structural and functional properties of a multi–enzyme complex from spinach chloroplasts. 1. Stoichiometry of the polypeptide chains. 217: 1065
Rautenstrauss, K. See Berninger, G.
Ravindranath, M. H. See Mercy, S. P. D.
Ray, A. See Ray, B. K.
Ray, B. K.
——; Gao, X.; Ray, A.
Regulation of rabbit α_1–acid glycoprotein gene expression in acute–phase liver. Identification of inducible and constitutive proteins like CCAAT–enhancer binding protein that interact with the 5'–proximal promoter elements. 216: 127
Ray, F. R.
——; Barden, J. A.; Kemp, B. E.
NMR solution structure of the [Ala^{26}]parathyroid–hormone–related protein(1–34) expressed in humoral hypercalcemia of malignancy. 211: 205
Raymond, J. See Inquello, V.
Rayne, R. C.
——; O'Shea, M.
Structural requirements for processing of pro–adipokinetic hormone I. 217: 905
Rea, P. A. See Baykov, A. A.
Redfield, C. See Bartik, K.
Redmond, J. W. See Haynes, P. A.
Redpath, N. T.
——; Price, N. T.; Severinov, K. V.; Proud, C. G.
Regulation of elongation factor–2 by multisite phosphorylation. 213: 689
——; Proud, C. G.
Purification and phosphorylation of elongation factor–2 kinase from rabbit reticulocytes. 212: 511
Reed, D. See Kurys, G.
Reeves, P. R. See Lindquist, L.
Regalia, M. See Campos, A. P.
Reglero, A. See Ferrero–Garcia, M. A.
Rehfeld, J. F. See Johnsen, A. H.
Reid, G. E. See Zhang, J. G.
Reid, K. B. M. See Lu, J.
Reiersen, H.
——; Sletten, K.; McKinley–McKee, J. S.
Affinity labeling of sorbitol dehydrogenase from sheep liver with α–bromo–β–(5–imidazolyl)propionic acid. 211: 861
Reilaender, H. See Kleymann, G.
Reinach, F. C. See da Silva, A. C. R.; Weber, F. E.
Reinauer, H. See Floerke, R. R.
Reinemer, P. See Karshikoff, A.
Reinhardt–Maelicke, S.
——; Kurz, S.; Sewing, S.; Stocker, M.; Pongs, O.
Application of an ectopic expression system for the selection of protein–isoform–specific antibodies. The monoclonal antibody K1C3 is specific for the RCK1 potassium channel. 216: 871
Reiser, C. O. A. See Park, H. J.
Reisher, S. R.
——; Fisher, E. A.; Feinstein, S. I.
Rabbit and rat liver nuclei both contain proteins which bind to the regions controlling apolipoprotein A–I gene expression. 216: 247
Reisman, J. M.
——; Hsu, V. L.; Jariel–Encontre, I.; Lecou, C.; Sayre, M. H.; Kearns, D. R.; Parello, J.
A proton study of the transcription factor 1 from Bacillus subtilis phage SPO1 by selective deuterium labeling. Complete assignment and structural analysis of the aromatic resonances for a 22–kDa homodimer. 213: 865
Remond, G. See Boutin, J. A.
Renard, S. See Lingueglia, E.
Renaud, J. P. See Peyronneau, M. A.
Reng, W.
——; Riessland, R.; Scheibe, R.; Jaenicke, R.
Cloning, site–specific mutagenesis, expression and characterization of full–length chloroplast NADP–malate dehydrogenase from Pisum sativum. 217: 189
Renz, P.
——; Endres, B.; Kurz, B.; Marquart, J.
Biosynthesis of vitamin B12 in anaerobic bacteria. Transformation of 5–hydroxybenzimidazole and 5–hydroxy–6–methylbenzimidazole into 5,6–dimethylbenzimidazole in Eubacterium limosum. 217: 1117
Retey, J. See Lenz, M.
Retief, J. D.
——; Dixon, G. H.
Evolution of pro–protamine P2 genes in primates. 214: 609
Evolution of pro–protamine P2 genes in primates. (correction) 218: 1095
——; Winkfein, R. J.; Dixon, G. H.
Evolution of the monotremes. The sequences of the protamine P1 genes of platypus and echidna. 218: 457

Reutter, W. See Becker, A.; Nuck, R.
Reymann, J. M. See Jaquinod, M.
Rhode, H. See Bublitz, R.
Rholam, M. See Brakch, N.
Rian, E.
——; Jemtland, R.; Olstad, O. K.; Gordeladze, J. O.; Gautvik, K. M.
Synthesis of human parathyroid-hormone-related protein(1–141) in Saccharomyces cerevisiae. A correct amino-terminal processing vital for the hormone's biological activity is obtained by an ubiquitin fusion protein approach. 213: 641
Ribadeau-Dumas, B. See Yoshpe-Besancon, I.
Ricard, J. See Gontero, B.; Rault, M.
Rich, P. R. See Brown, S.
Richard, C. See Potin, P.
Richards, D. E. See Cheung, W. T.
Richards, J. C. See Beynon, L. M.
Richardson, C. D. See Abramovitz, M.
Richardson, D. J. See Berks, B. C.; Moir, J. W. B.
Richter, D. See Dautzenberg, F. M.
Rico, M. See Bruix, M.; Jimenez, M. A.
Ricquier, D.
——; Cassard-Doulcier, A. M.
The biochemistry of white and brown adipocytes analyzed from a selection of proteins. 218: 785
Ridder, G. M. See Isfort, R. J.
Riddiford, L. M. See Horodyski, F. M.
Riessland, R. See Reng, W.
Rietjens, I. M. C. M. See Balvers, W. G.; Peelen, S.
Rietschel, E. T. See Brandenburg, K.
Rigler, R. See Vogel, H.
Rigoulet, M. See Beauvoit, B.
Rinaldi, M. See Bouaboula, M.
Riou, J. P. See Ajzannay, A.; Mithieux, G.
Ripoche, P. See Neau, P.
Ritter, M. See Hallbrucker, C.
Riveros-Moreno, V.
——; Beddell, C.; Moncada, S.
Nitric oxide synthase. Structural studies using anti-peptide antibodies. 215: 801
Riviere, M.
——; Auge, S.; Vercauteren, J.; Wisingerova, E.; Puzo, G.
Structure of a novel glycopeptidolipid antigen containing a O-methylated serine isolated from Mycobacterium xenopi. Complete proton NMR and carbon-13 NMR assignment. 214: 395
Rizzuto, R.
——; Sandon, D.; Brini, M.; Marschalek, R.; Dingermann, T.; Bisson, R.
Structure of the promoter region of the gene encoding cytochrome c oxidase subunit V in Dictyostelium. 211: 411
Robbins, K. C. See Brunati, A. M.
Robert, J. See Benchekroun, M. N.
Roberts, G. A.
——; Staunton, J.; Leadlay, P. F.
Heterologous expression in Escherichia coli of an intact multienzyme component of the erythromycin-producing polyketide synthase. 214: 305
Robinson, A. See Tallett, A.
Robinson, B. G. See Jacoby, A. S.
Rochas, C. See Potin, P.
Rodakiewicz-Nowak, J. See Haber, J.
Rodriguez, R. See Villalba, M.
Rodriguez-Tebar, A.
——; de la Rosa, E. J.; Arribas, A.
Neurotrophin-3 receptors in the developing chicken retina. 211: 789
Roepstorff, P. See Andreasen, L.
Roesch, P. See Sticht, H.
Roessner, E. See Danneel, H. J.
Rogers, H. J. See Thurman, P. F.
Rogers, J. H. See Cheung, W. T.
Rogers, N. C. See Parrington, J.
Rohwer, J. M. See Hofmeyr, J. H. S.
Rolfs, A. See Bause, E.
Romaguera, A. See Macheroux, P.
Romakhina, E. R. See Yakovlev, G. I.
Romano, M. See Fago, A.
Romanowska, E. See Gamian, A.
Romao, M. J.
——; Barata, B. A. S.; Archer, M.; Lobeck, K.; Moura, I.; Carrondo, M. A.; LeGall, J.; Lottspeich, F.; Huber, R.; Moura, J. J. G.
Subunit composition, crystallization and preliminary crystallographic studies of the Desulfovibrio gigas aldehyde oxidoreductase containing molybdenum and iron-sulfur [2Fe-2S] centers. 215: 729
Romeo, P. H. See Eleouet, J. F.
Ronchi, S. See Fusi, P.
Roos, D. See van den Berg, A. A.
Roper, D. I.
——; Cooper, R. A.
Purification, nucleotide sequence and some properties of a bifunctional isomerase/decarboxylase from the homoprotocatechuate degradative pathway of Escherichia coli C. 217: 575
Rosa, J. See Garel, M. C.
Rosa, R. See Garel, M. C.
Rosankiewicz, J. R. See Hanisch, F. G.; Thurman, P. F.
Rosato, N. See Piemonte, F.
Rose-John, S. See Stoyan, T.
Rosi, G. See Talesa, V.
Rosin-Arbesfeld, R. See Sticht, H.
Roskoski, L. M. See Roskoski, R. Jr.
Roskoski, R. Jr.
——; Gahn, L. G.; Roskoski, L. M.
Inactivation of phosphorylated rat tyrosine hydroxylase by ascorbate in vitro. 218: 363
Ross, A. W. See Pearson, C. K.
Rossano, F. See Tufano, M. A.
Rossi, A. See Valli, M.
Roth, H. See Argaud, D.
Rotilio, G. See Ciriolo, M. R.; Sette, M.
Roudani, S. See Mas, E.
Rouge, P. See Balague, C.
Rouimi, P.
——; Loomes, K.; Joernvall, H.
Comparative proteolysis of sorbitol and alcohol dehydrogenases. 213: 487
Roulet, A.
——; Burgat, J. M.; Cardinaud, R.
The proteolytic susceptibility of specific sites in myosin light chains is modulated by the filament conformation. 216: 89
Rousseau, B. See Neau, P.
Roussel, P. See Klein, A.
Roustan, C. See Labbe, J. P.
Roy, K. L. See Wang, G. F.
Roy, R. J. See Guerin, S. L.; Potvin, F.
Roy, S. See Bhattacharyya, A.; Sengupta, S.
Rozenman, Y. See Lichtstein, D.
Rubino, P. See Giallongo, A.
Rudolph, R. See Stoyan, T.
Ruediger, M.
——; Weber, K.
Characterization of the post-translational modifications in tubulin from the marginal band of avian erythrocytes. 218: 107
Ruehl, M. See Vanatalu, K.
Rueterjans, H. See Knauf, M. A.
Ruetschi, U.
——; Dellsen, A.; Sahlin, P.; Stenman, G.; Rymo, L.; Lindstedt, S.
Human 4-hydroxyphenylpyruvate dioxygenase. Primary structure and chromosomal localization of the gene. 213: 1081
——; Nordin, I.; Odelhoeg, B.; Joernvall, H.; Lindstedt, S.
γ-Butyrobetaine hydroxylase. Structural characterization of the Pseudomonas enzyme. 213: 1075
Rui, H. See Yang, C. L.
Ruiz, M. C. See Luyten, K.
Ruiz de Galarreta, C. M. See Fanjul, L. F.
Rumpold, H. See Breiteneder, H.
Runser, S. M.
——; Meyer, P. C.
Purification and biochemical characterization of the hydantoin hydrolyzing enzyme from Agrobacterium species. A hydantoinase with no 5,6-dihydropyrimidine amidohydrolase activity. 213: 1315
Ruoppolo, M. See Arcone, R.
Rupp, K. See Van, P. N.
Rusnati, M. See Coltrini, D.
Russev, G. See Lallev, A.
Ruthner, M. See Berczi, A.
Ruzza, P. See Ruzzene, M.
Ruzzene, M.
——; Donella-Deana, A.; Marin, O.; Perich, J. W.; Ruzza, P.; Borin, G.; Calderan, A.; Pinna, L. A.
Specificity of T-cell protein tyrosine phosphatase toward phosphorylated synthetic peptides. 211: 289
Rymo, L. See Ruetschi, U.

Sa, G. See Das, T.
Saad, B.
——; Scholl, F. A.; Thomas, H.; Schawalder, H.; Streit, V.; Waechter, F.; Maier, P.
Crude liver membrane fractions and extracellular matrix components as substrata regulate differentially the preservation and inducibility of cytochrome P-450 isoenzymes in cultured rat hepatocytes. 213: 805
Sabbah, M. See Mayeux, P.
Sabesan, S. See Gupta, D.
Sabova, L.
——; Zeman, I.; Supek, F.; Kolarov, J.
Transcriptional control of AAC3 gene encoding mitochondrial ADP/ATP translocator in Saccharomyces cerevisiae by oxygen, heme and ROX1 factor. 213: 547
Sacchetta, P. See Martini, F.
——; Aceto, A.; Bucciarelli, T.; Dragani, B.; Santarone, S.; Allocati, N.; Di Ilio, C.
Multiphasic denaturation of glutathione transferase B1-1 by guanidinium chloride. Role of the dimeric structure on the flexibility of the active site. 215: 741
Sadakata, Y. See Suzuki, T.
Sadler, P. J.
——; Tucker, A.
pH-Induced structural transitions of bovine serum albumin. Histidine pK_a values and unfolding of the N-terminus during the N to F transition. 212: 811
Saedler, H. See Britsch, L.
Saenger, W. See Heydenreich, A.; Lenz, A.
Sage, E. H. See Bassuk, J. A.

Sagimbaeva, S. K. See Pshezhetsky, A. V.
Sahlin, P. See Ruetschi, U.
Sahm, H. See Sonntag, K.
Saiki, H. See Iwasaki, Y.
Saito, H. See Tuzi, S.; Yamada, T.
Saito, K.
——; Komae, A.; Kakuta, M.; van Dam=me, E. J. M.; Peumans, W. J.; Gold=stein, I. J.; Misaki, A.
The α-mannosyl-binding lectin from leaves of the orchid twayblade (List=era ovata). Application to separa=tion of α-D-mannans from α-D-glu=cans. 217: 677
Saito, T.
——; Kumazaki, T.; Ochiai, H.
A purification method and N-glyco=sylation sites of a 36-cysteine-con=taining, putative cell/cell adhesion glycoprotein gp64 of the cellular slime mold, Polysphondylium palli=dum. 211: 147
——; Ochiai, H.
Evidence for a glycolipid anchor of gp64, a putative cell-cell adhesion protein of Polysphondylium palli=dum. 218: 623
Saito, Y. See Yokote, K.
Sakai, H.
——; Ohta, T.
Molecular cloning and nucleotide sequence of the gene for pyruvate kinase of Bacillus stearothermophi=lus and the production of the en=zyme in Escherichia coli. Evidence that the genes for phosphofructoki=nase and pyruvate kinase constitute an operon. 211: 851
Sakamoto, A.
——; Minami, M.; Huh, G. H.; Iwabu=chi, M.
The putative zinc-finger protein WZF1 interacts with a cis-acting element of wheat histone genes. 217: 1049
Sakamoto, K.
——; Kawai, G.; Niimi, T.; Satoh, T.; Sekine, M.; Yamaizumi, Z.; Nishi=mura, S.; Miyazawa, T.; Yokoyama, S.
A modified uridine in the first posi=tion of the anticodon of a minor species of arginine tRNA, the argU gene product, from Escherichia coli. 216: 369
Sakarellos, C. See Papadouli, I.
Sakiyama, F. See Toda, H.
Salerno, J. C. See Ingledew, W. J.
Saliou, B. See Choumet, V.; Faure, G.
Salles, B. See Calsou, P.
Salvatore, G. See Gentile, F.
Salzet, M.
——; Bulet, P.; Van Dorsselaer, A.; Malecha, J.
Isolation, structural characterization and biological function of a lysine-=conopressin in the central nervous system of the Pharyngobdellid leech Erpobdella octoculata. 217: 897
Samama, J. P. See Lenfant, F.
Samper, B. See Sanchez-Arias, J. A.
Samuelov, S. See Lichtstein, D.
Samuelsson, B. See Watanabe, T.
Sanceau, J. See Laouar, A.
Sanchez, D. O. See Ferrero-Garcia, M. A.
Sanchez, L. M. See Villalba, M.
Sanchez-Arias, J. A.
——; Sanchez-Gutierrez, J. C.; Guada=no, A.; Alvarez, J. F.; Samper, B.; Mato, J. M.; Feliu, J. E.
Changes in the insulin-sensitive glycosyl-phosphatidyl-inositol sig=naling system with aging in rat hepatocytes. 211: 431
Sanchez-Gutierrez, J. C. See San=chez-Arias, J. A.
Sanders-Loehr, J. See Van de Kamp, M.
Sandig, V. See Lieber, A.
Sandon, D. See Rizzuto, R.
Sands, R. H. See Dunham, W. R.
Sangalli, A. See Valli, M.
Sanglard, D.
——; Sengstag, C.; Seghezzi, W.
Probing the membrane topology of Candida tropicalis cytochrome P450. 216: 477
Santa-Cecilia, A. See Alonso, J. M.
Santana, P. See Fanjul, L. F.
Santarone, S. See Sacchetta, P.
Santisteban, P. See Hernandez, A.
Santoro, D. See Giancotti, V.
Santoro, J. See Bruix, M.
Santos, H. See Chen, L.; Costa, H. S.
Sanz, L. See Calvete, J. J.
Sanzgiri, R. P. See Pandey, V. N.
Sarda, L. See Aoubala, M.
Sarmientos, P. See Scacheri, E.
Sarre, T. F. See Kochs, G.; Mellor, H.
Sartor, G. See Gesmundo, N.
Sasai, Y. See Ishibashi, M.
Sasaki, T. See Narumi, H.
Satake, K. See Miyatake, N.
Satake, M. See Araki, S.
Satoh, R. See Shibata, N.
Satoh, T. See Sakamoto, K.
Satoh, Y. See Fuse, N.; Shibata, N.
Saucier, J. M. See Nahon, E.
Saunders, R. D. C. See Dombradi, V.
Saunier, B.
——; Pierre, M.; Jacquemin, C.; Cour=tin, F.
Evidence for cAMP-independent thyrotropin effects on astroglial cells. 218: 1091
Sautiere, P. See Alimi, E.
Sauve, P. See Fierobe, H. P.
Savino, R. See Fontaine, V.
Sawada, H. See Matsuura, K.
Saward, L. See Zahradka, P.
Sawaryn, A. See Yang, C. L.
Sawyer, R. T. See Scacheri, E.
Sayers, Z.
——; Brouillon, P.; Vorgias, C. E.; Nolt=ing, H. F.; Hermes, C.; Koch, M. H. J.
Cloning and expression of Saccharo=myces cerevisiae copper-metallo=thionein gene in Escherichia coli and characterization of the recombi=nant protein. 212: 521
Sayre, M. H. See Reisman, J. M.
Scacheri, E.
——; Nitti, G.; Valsasina, B.; Orsini, G.; Visco, C.; Ferrera, M.; Sawyer, R. T.; Sarmientos, P.
Novel hirudin variants from the leech Hirudinaria manillensis. Ami=no acid sequence, cDNA cloning and genomic organization. 214: 295
Scarselli, M. See Bonci, A.
Scawen, M. D. See Nicholls, D. J.
Schaaff-Gerstenschlaeger, I.
——; Mannhaupt, G.; Vetter, I.; Zim=mermann, F. K.; Feldmann, H.
TKL2, a second transketolase gene of Saccharomyces cerevisiae. Clon=ing, sequence and deletion analysis of the gene. 217: 487
Schad, M. See Klein, J. R.
Schaefer, B. W. See Foehr, U. G.
Schaefer, E. See Kunkel, T.
Schaefer, H.
——; Schmidt, W. E.
Characterization and purification of the solubilized pituitary adenylate-=cyclase-activating polypeptide-1 receptor from porcine brain using a biotinylated pituitary adenylate-=cyclase-activating polypeptide ana=log. 217: 823
Schaefer, H. J. See Schrattenholz, A.
Schaefer, W. See Calvete, J. J.
Schaffer, R. See Pearson, C. K.
Schaffner, A. See Schoedon, G.
Schanck, K. See Lesuisse, E.
Schawalder, H. See Saad, B.
Schechter, I. See Neumann, S.
Scheibe, R. See Reng, W.
Scheiner, O. See Breiteneder, H.
Scherbaum, W. A. See Mauch, L.
Scherf, U.
——; Buckel, W.
Purification and properties of an iron-sulfur and FAD-containing 4-hydroxybutyryl-CoA dehydra=tase/vinylacetyl-CoA Δ^3-Δ^2-isomer=ase from Clostridium aminobutyri=cum. 215: 421
Scherzinger, E.
——; Kruft, V.; Otto, S.
Purification of the large mobilization protein of plasmid RSF1010 and characterization of its site-specific DNA-cleaving/DNA-joining activi=ty. 217: 929
Schieber, A.
——; Edmondson, D. E.
Studies on the induction and phos=phorylation of xanthine dehydroge=nase in cultured chick embryo hepa=tocytes. 215: 307
Schiltz, E. See Zschocke, P. D.
Schindelin, H. See Heydenreich, A.; Welfle, H.
Schinina, M. E.
——; Bossa, F.; Lania, A.; Capo, C. R.; Carlini, P.; Calabrese, L.
The primary structure of turtle cop=per-zinc superoxide dismutase. Structural and functional irrelevance of an insert conferring proteolytic susceptibiiity. 211: 843
Schink, B. See Friedrich, M.
Schinzel, R. See Pan, P.
Schittny, C. M. See Schittny, J. C.
Schittny, J. C.
——; Schittny, C. M.
Role of the B1 short arm in laminin self-assembly. 216: 437
Schlame, M.
——; Brody, S.; Hostetler, K. Y.
Mitochondrial cardiolipin in diverse eukaryotes. Comparison of biosyn=thetic reactions and molecular acyl species. 212: 727
Schlegel, H. G. See Jendrossek, D.
Schlegel, W. See Hoehl, W.
Schleicher, M. See Czisch, M.
Schlott, B. See Collen, D.
Schlueter, H.
——; Kluth, B.; Boerjesson-Stoll, R.; Nordhoff, E.; Zidek, W.
Partial purification and characteriza=tion of a circulating hypertensive factor in spontaneously hypertensive rats. 218: 67
Schmid, R. D. See Hendle, J.
Schmid, W. See DeVack, C.
Schmidt, B. See Bause, E.
Schmidt, U. S. See Ben-Av, P.
Schmidt, W. E. See Mentlein, R.; Schaefer, H.
Schmidtchen, R. See Berninger, G.
Schnabel, P.
——; Camps, M.; Carozzi, A.; Parker, P. J.; Gierschik, P.
Mutational analysis of phospholipase C-β_2. Identification of regions re=quired for membrane association and stimulation by guanine-nucleo=tide-binding protein $\beta\gamma$ subunits. 217: 1109

Schneemann, M. See Schoedon, G.
Schneider, C. H. See Moroder, L.
Schneider, K. See Gollan, U.
Schneider, R. See Proemper, C.
Schnellmann, J. See Blaak, H.
Schoedon, G.
——; Schneemann, M.; Hofer, S.; Guerrero, L.; Blau, N.; Schaffner, A.
Regulation of the L-arginine-dependent and tetrahydrobiopterin-dependent biosynthesis of nitric oxide in murine macrophages. 213: 833
Schoellmann, C. See Fiebich, B. L.
Schoemaker, H. See Lundell, T.
Scholl, F. A. See Saad, B.
Scholts, M. J. C. See Bakels, R. H. A.
Scholtz, A. S. See Welfle, H.
Schomburg, D. See Hendle, J.
Schoner, W. See Hamer, E.
Schonfeld, G. See Srivastava, R. A. K.
Schooltink, H. See Stoyan, T.
Schoonjans, K.
——; Staels, B.; Grimaldi, P.; Auwerx, J.
Acyl-CoA synthetase mRNA expression is controlled by fibric-acid derivatives, feeding and liver proliferation. 216: 615
Schott, B. See Benchekroun, M. N.
Schott, M. A. See Buetikofer, P.
Schou, C.
——; Rasmussen, G.; Kaltoft, M. B.; Henrissat, B.; Schulein, M.
Stereochemistry, specificity and kinetics of the hydrolysis of reduced cellodextrins by nine cellulases. 217: 947
Schraeder, T.
——; Andreesen, J. R.
Evidence for the functional importance of Cys298 in D-amino acid oxidase from Trigonopsis variabilis. 218: 735
Schrattenholz, A.
——; Godovac-Zimmermann, J.; Schaefer, H. J.; Albuquerque, E. X.; Maelicke, A.
Photoaffinity labeling of Torpedo acetylcholine receptor by physostigmine. 216: 671
Schrempf, H. See Blaak, H.
Schroeder, A. See Pueschel, G. P.
Schueddekopf, K. See Gollan, U.
Schuermann, A. See Huppertz, C.
Schuetz, G. See DeVack, C.
Schulein, M. See Schou, C.
Schulz, G. E. See Stehle, T.; Zschocke, P. D.
Schulze, E.
——; Westphal, A. H.; Hanemaaijer, R.; de Kok, A.
Structure/function relationships in the pyruvate dehydrogenase complex from Azotobacter vinelandii. Role of the linker region between the binding and catalytic domain of the dihydrolipoyl transacetylase component. 211: 591
Schulze, M. See Bublitz, R.
Schulz-Knappe, P. See Sillard, R.
Schumann, G. See Marschalek, R.
Schumann, J.
——; Jaenicke, R.
Creatinase in its collapsed A state shows properties of a molten globule with dimeric quaternary structure. 213: 1225
Schurig, H. See Ostendorp, R.
Schuster, R. See Portais, J. C.
Schwartz, I. See Ganoza, M. C.
Schwarz, R. T. See Dieckmann-Schuppert, A.
Schweda, E. K. H. See Faelt, I. C.
Schwedler, G.
——; Albrecht-Ehrlich, R.; Rak, K. H.
Immunoelectron microscopic localization of ribosomal proteins BS8, BS9, BS20, BL3 and BL21 on the surface of 30S and 50S subunits from Bacillus stearothermophilus. 217: 361
Schweinzer, E. See Berczi, A.
——; Goldenberg, H.
Monodehydroascorbate reductase activity in the surface membrane of leukemic cells. Characterization by a ferricyanide-driven redox cycle. 218: 1057
Schweizer, E. See Berninger, G.
Schwoerer, B. See Kunow, J.
——; Fernandez, V. M.; Zirngibl, C.; Thauer, R. K.
Hydrogen-forming N^5,N^{10}-methylenetetrahydromethanopterin dehydrogenase from Methanobacterium thermoautotrophicum. Studies of the catalytic mechanism of hydrogen formation using hydrogen isotopes. 212: 255
Scianimanico, S. See El Kouhen, R.
Scofano, H. M. See Barrabin, H.
Seabrook, R. N. See Tallett, A.
Searcey, M. See Gallacher, G.
Searle, M. S. See Embrey, K. J.
Seckler, R. See Danner, M.
Seelig, A. See Frentzel, S.
Segawa, M. See Ohno, Y.
Seghezzi, W. See Sanglard, D.
Seglen, P. O. See Holen, I.
Seibel, P. See Bonne, G.
Sekine, M. See Sakamoto, K.
Selle, H.
——; Chapman, B. E.; Kuchel, P. W.
Glycerophosphocholine release in human erythrocytes. Proton spin-echo and phosphorus-31-NMR evidence for lysophospholipase. 212: 411
Sengstag, C. See Sanglard, D.
Sengupta, S.
——; Puri, K. D.; Surolia, A.; Roy, S.; Bhattacharyya, B.
N-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl)colcemid, a probe for different classes of colchicine-binding site on tubulin. 212: 387
N-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl) colcemid, a probe for different classes of colchicine-binding site on tubulin (correction). 216: 879
Seno, N. See Yoneda, A.
Serkkola, E.
——; Hurme, M.
Synergism between protein-kinase C and cAMP-dependent pathways in the expression of the interleukin-1β gene is mediated via the activator-protein-1 (AP-1) enhancer activity. 213: 243
Serpente, N. See Ellerbrok, H.
Serpersu, E. H. See Pineda, T.
Serrano, L. See Bruix, M.
Serrano, R.
——; Monk, B. C.; Villalba, J. M.; Montesinos, C.; Weiler, E. W.
Epitope mapping and accessibility of immunodominant regions of yeast plasma membrane hydrogen ion-ATPase. 212: 737
Servillo, L.
——; Balestrieri, C.; Quagliuolo, L.; Iorio, E. L.; Giovane, A.
tRNA fluorescent labeling at 3' end inducing an aminoacyl-tRNA-like behavior. 213: 583
Serwe, M.
——; Meyer, H. E.; Craig, A. G.; Carlhoff, D.; D'Haese, J.
Complete amino acid sequence of the regulatory light chain of obliquely striated muscle myosin from earthworm, Lumbricus terrestris. 211: 341
Sesboue, R. See Bost, F.; Bourguignon, J.
Sette, M. See Ciriolo, M. R.
——; Paci, M.; Desideri, A.; Rotilio, G.
Two-dimensional NMR assignment of hyperfine-shifted resonances of very fast relaxing metal binding sites of proteins by NOE spectroscopy. The case of copper, cobalt superoxide dismutase. 213: 391
Setzke, E. See Heiden, S.; Kunow, J.
Sevcik, J.
——; Zegers, I.; Wyns, L.; Dauter, Z.; Wilson, K. S.
Complex of ribonuclease Sa with a cyclic nucleotide and a proposed model for the reaction intermediate 216: 301
Severinov, K. V. See Redpath, N. T.
Sewing, S. See Reinhardt-Maelicke, S.
Seydel, U. See Brandenburg, K.; Helander, I. M.
Seyfang, A.
——; Duszenko, M.
Functional reconstitution of the Trypanosoma brucei plasma-membrane D-glucose transporter. 214: 593
Shah, P. C. See Kurys, G.
Shanbhag, V. P. See Arbelaez, L. F.
Shao, Z. Q.
——; Newman, E. B.
Sequencing and characterization of the sdaB gene from Escherichia coli K-12. 212: 777
Sharma, K. K.
——; Ortwerth, B. J.
Bovine lens acylpeptide hydrolase. Purification and characterization of a tetrameric enzyme resistant to urea denaturation and proteolytic inactivation. 216: 631
Sharma, R. See Brown, N. G.
Sharon, N. See Lis, H.
Sharp, S.
——; Barker, E. V.; Coughtrie, M. W. H.; Lowenstein, P. R.; Hume, R.
Immunochemical characterization of a dehydroepiandrosterone sulfotransferase in rats and humans. 211: 539
Sharp, T. V.
——; Xiao, Q.; Jeffrey, I.; Gewert, D. R.; Clemens, M. J.
Reversal of the double-stranded-RNA-induced inhibition of protein synthesis by a catalytically inactive mutant of the protein kinase PKR. 214: 945
Sharpless, K.
——; Biegel, D.; Yang, T.; Pachter, J. S.
β-Actin mRNA-binding proteins associated with the cytoskeletal framework. 212: 217
Shashkov, A. S. See Kogan, G.; Potekhina, N. V.
Sheffer-Dee-Noor, S. See Baasov, T.
Sherwood, N. M. See Parker, D. B.
Shevelev, I. V. See Belyakova, N. V.
Shibahara, S. See Okinaga, S.
Shibanaka, Y.
——; Hayashi, H.; Takai, M.; Fujita, N.
Eclosion hormone activates phosphatidylinositol hydrolysis in silkworm abdominal ganglia during adult metamorphosis. 211: 427
Shibanuma, M.
——; Mashimo, J.; Mita, A.; Kuroki, T.; Nose, K.

Cloning from a mouse osteoblastic cell line of a set of transforming growth factor-β1-regulated genes, one of which seems to encode a follistatin-related polypeptide. 217: 13

Shibata, N.
——; Kojima, C.; Satoh, Y.; Satoh, R.; Suzuki, A.; Kobayashi, H.; Suzuki, S.
Structural study of a cell-wall mannan of Saccharomyces kluyveri IFO 1685 strain. Presence of a branched side chain and β-1,2-linkage. 217: 1

Shields, D. See Danoff, A.

Shilton, B. H.
——; Campbell, R. L.; Walton, D. J.
Site specificity of glycation of horse liver alcohol dehydrogenase in vitro 215: 567

Shimada, I. See Ito, K.; Iwai, H.

Shimazawa, R. See Morisaki, N.

Shimizu, S. See Kobayashi, M.; Ogawa, J.

Shimoi, H. See Iwasaki, Y.

Shin, K. S.
——; Youn, H. D.; Han, Y. H.; Kang, S. O.; Hah, Y. C.
Purification and characterization of D-glucose oxidase from white-rot fungus Pleurotus ostreatus. 215: 747

Shirahata, A. See He, Y.; Suzuki, T.

Shire, D. See Bouaboula, M.

Shizuta, Y. See Toda, K.

Shone, C. C.
——; Quinn, C. P.; Wait, R.; Hallis, B.; Fooks, S. G.; Hambleton, P.
Proteolytic cleavage of synthetic fragments of vesicle-associated membrane protein, isoform-2 by botulinum type B neurotoxin. 217: 965

Shoshan-Barmatz, V. See Zarka, A.

Shuster, J. R. See Zaror, I.

Shute, J. K. See Leech, A. P.

Sierkstra, L. N.
——; Sillje, H. H. W.; Verbakel, J. M. A.; Verrips, C. T.
The glucose-6-phosphate-isomerase reaction is essential for normal glucose repression in Saccharomyces cerevisiae. 214: 121

Sies, H.
Strategies of antioxidant defense. 215: 213

Siess, W. See Wilhelm, B.

Siezen, R. J. See Kuipers, O. P.

Sigal, E. See Belkner, J.

Signaes, C. See Lindgren, P. E.

Signorini, M. See Tanfani, F.

Siksnys, V.
——; Pleckaityte, M.
Catalytic and binding properties of restriction endonuclease Cfr9I. 217: 411

Silberzahn, P. See Moslemi, S.

Sillard, R.
——; Joernvall, H.; Carlquist, M.; Mutt, V.
Chemical assay for cyst(e)ine-rich peptides detects a novel intestinal peptide ZF-1, homologous to a single zinc-finger motif. 211: 377
——; Schulz-Knappe, P.; Vogel, P.; Raida, M.; Bensch, K. W.; Forssmann, W. G.; Mutt, V.
A novel 77-residue peptide from porcine brain contains a leucine-zipper motif and is recognized by an antiserum to delta-sleep-inducing peptide. 216: 429

Sillero, A. See Ortiz, B.

Sillje, H. H. W. See Sierkstra, L. N.

Silvente-Poirot, S.
——; Dufresne, M.; Vaysse, N.; Fourmy, D.
The peripheral cholecystokinin receptors. 215: 513
——; Hadjiivanova, C.; Escrieut, C.; Dufresne, M.; Martinez, J.; Vaysse, N.; Fourmy, D.
Study of the states and populations of the rat pancreatic cholecystokinin receptor using the full peptide antagonist JMV 179. 212: 529

Silvestro, L. See Tufano, M. A.

Simchen, G. See Goldberg, D.

Simon, F. See Mapoles, J.

Simon, O. See Politz, O.

Simonetti, M. See Brakch, N.

Simonneaux, G. See Brunel, C.

Simpson, R. J. See Bendiak, B.; Zhang, J. G.

Sipos, L.
——; Von Heijne, G.
Predicting the topology of eukaryotic membrane proteins. 213: 1333

Sirangelo, I. See Bismuto, E.

Sisseiro, O. See Gilles, A. M.

Sitbon, M. See Ellerbrok, H.

Skala, H. See Thomas, M.

Sleep, D. See Finnis, C.

Sletten, K. See Reiersen, H.

Slobin, L. I.
——; Rao, M. N.
Translational repression of EF-1α mRNA in vitro. 213: 919

Sloboda, R. D. See Kronidou, N. G.

Slotboom, A. J. See Lugtigheid, R. B.

Small, J. R.
——; Kacser, H.
Responses of metabolic systems to large changes in enzyme activities and effectors. 1. The linear treatment of unbranched chains. 213: 613
Responses of metabolic systems to large changes in enzyme activities and effectors. 2. The linear treatment of branched pathways and metabolite concentrations. Assessment of the general non-linear case. 213: 625

Smeets, K. See Van Damme, E. J. M.

Smeland, E. B. See Aasheim, H. C.

Smit, A. B.
——; Thijsen, S. F. T.; Geraerts, W. P. M.
cDNA cloning of the sodium-influx-stimulating peptide in the mollusk, Lymnaea stagnalis. 215: 397

Smith, C. Z. See Gallacher, G.

Smith, J. M. A. See Andrews, S. C.

Smith, K. See Bailey, S.; Kelly, J. M.

Smith, K. J. See Jaseja, M.

Smith, L. See Mehlen, P.

Smyth, D. G. See Khan, Z.

Snajdar, R. See Abe, T.

Soederhaell, K. See Kopacek, P.

Soederlind, E. See Macheroux, P.

Soehling, B.
——; Gottschalk, G.
Purification and characterization of a coenzyme-A-dependent succinate-semialdehyde dehydrogenase from Clostridium kluyveri. 212: 121

Soeling, H. D. See Van, P. N.

Soell, D. See Weygand-Durasevic, I.

Soh, C. See Soyombo, O.

Solaini, G.
——; Baracca, A.; Castelli, G. P.; Strambini, G. B.
Tryptophan phosphorescence as a structural probe of mitochondrial F_1-ATPase ε-subunit. 214: 729

Solano, F. See Jimenez-Cervantes, C.; Valverde, P.

Solis, D. See Calvete, J. J.
——; Fernandez, P.; Diaz-Maurino, T.; Jimenez-Barbero, J.; Martin-Lomas, M.
Hydrogen-bonding pattern of methyl β-lactoside binding to the Ricinus communis lectins. 214: 677

Soll, D. See Zimmerly, S.

Sommerhoff, C. P. See Teschauer, W. F.

Sonderegger, P. See Hasler, T. H.; Rader, C.

Song, M. S. See Cho, S. W.

Sonntag, K.
——; Eggeling, L.; De Graaf, A. A.; Sahm, H.
Flux partitioning in the split pathway of lysine synthesis in Corynebacterium glutamicum. Quantification by carbon-13 and proton NMR spectroscopy. 213: 1325

Sorenson, M. See da Silva, A. C. R.

Sorgenfrei, O.
——; Linder, D.; Karas, M.; Klein, A.
A novel very small subunit of a selenium containing [nickel-iron] hydrogenase of Methanococcus voltae is postranslationally processed by cleavage at a defined position. 213: 1355

Sorokine, O. See Jaquinod, M.; Martin, G.

Soulimane, T. See Steffens, G. C. M.

Soyombo, O.
——; Spur, B. W.; Soh, C.; Lee, T. H.
Structure-activity relationship of leukotriene B_4 and its structural analogs in chemotactic, lysosomal-enzyme release and receptor-binding assays. 218: 59

Spener, F. See Bartetzko, N.

Sperker, B.
——; Mark, M.; Budzinski, R-M.
The expression of human plasma cholesteryl-ester-transfer protein in HepG2 cells is induced by sodium butyrate. Quantification of low mRNA levels by polymerase chain reaction. 218: 945

Sperling, P.
——; Heinz, E.
Isomeric sn-1-octadecenyl and sn-2-octadecenyl analogs of lysophosphatidylcholine as substrates for acylation and desaturation by plant microsomal membranes. 213: 965

Spik, G. See Leveugle, B.

Sprinzl, M. See Loew, A.; Park, H. J.

Spronk, C. See Meijer, A. J.

Spungin, A. See Ben-Meir, D.

Spur, B. W. See Soyombo, O.

Srivastava, K. K.
——; Cable, E. E.; Donohue, S. E.; Bonkovsky, H. L.
Molecular basis for heme-dependent induction of heme oxygenase in primary cultures of chick embryo hepatocytes. Demonstration of acquired refractoriness to heme. 213: 909

Srivastava, R. A. K.
——; Baumann, D.; Schonfeld, G.
In vivo regulation of low-density lipoprotein receptors by estrogen differs at the post-transcriptional level in rat and mouse. 216: 527

Staedel, C. See Leray, V.

Staels, B. See Schoonjans, K.

Stahl, B. See Hoehl, W.

Stajner, K. See Bezouska, K.

Stalmans, W. See Baquet, A.

Stalon, V. See Tricot, C.

Stams, A. J. M. See Kengen, S. W. M.

Stanzial, F. See Valli, M.
Stark, G. R. See Parrington, J.
Stark, M. J. R. See Hughes, V.
Staron, R. S. See Aigner, S.
Staudacher, E. See Kubelka, V.
Staudenmann, W. See Boldyreit, B.; Foehr, U. G.
Staunton, J. See Roberts, G. A.
Steensma, H. Y. See Wenzel, T. J.
Steffens, G. C. M.
——; Soulimane, T.; Wolff, G.; Buse, G.
Stoichiometry and redox behavior of metals in cytochrome-*c* oxidase. 213: 1149
Stehle, T.
——; Claiborne, A.; Schulz, G. E.
NADH binding site and catalysis of NADH peroxidase. 211: 221
Steiert, M. See El Kouhen, R.
Steiner, H. See Gunne, H.
Steiner, U. See Bartling, D.
Stellwagen, E. See Kopperschlaeger, G.
Stenberg, K. See Macheroux, P.
Stenman, G. See Ruetschi, U.
Stepanov, V. M. See Gololobov, M. Y.
Stevens, V. L.
——; Xu, T.; Lambeth, J. D.
Cholesterol trafficking in steroidogenic cells. Reversible cycloheximide-dependent accumulation of cholesterol in a pre-steroidogenic pool. 216: 557
Steverding, D.
——; Koehnke, D.; Ludwig, B.; Kadenbach, B.
Proton slippage in cytochrome c oxidase of Paracoccus denitrificans. Membrane-potential measurements with the two-subunit and three-subunit enzyme. 212: 827
Sticht, H.
——; Willbold, D.; Bayer, P.; Ejchart, A.; Herrmann, F.; Rosin-Arbesfeld, R.; Gazit, A.; Yaniv, A.; Frank, R.; Roesch, P.
Equine infectious anemia virus Tat is a predominantly helical protein. 218: 973
Stickle, D. F. See Fried, M. G.
Stigbrand, T. See Arbelaez, L. F.
Stjernborg, L. See Loevkvist, E.
——; Heby, O.; Mamont, P.; Persson, L.
Polyamine-mediated regulation of S-adenosylmethionine decarboxylase expression in mammalian cells. Studies using 5'-[[(Z)-4-amino-2-butenyl]methylamino]-5'-deoxyadenosine, a suicide inhibitor of the enzyme. 214: 671
Stocker, M. See Reinhardt-Maelicke, S.
Stoecker, W.
——; Gomis-Rueth, F. X.; Bode, W.; Zwilling, R.
Implications of the three-dimensional structure of astacin for the structure and function of the astacin family of zinc-endopeptidases. 214: 215
Stoeckli, E. T. See Hasler, T. H.; Rader, C.
Stoll, M. S. See Hanisch, F. G.
Stoyan, T.
——; Michaelis, U.; Schooltink, H.; Van Dam, M.; Rudolph, R.; Heinrich, P. C.; Rose-John, S.
Recombinant soluble human interleukin-6 receptor. Expression in Escherichia coli, renaturation and purification. 216: 239
St-Pierre, S. See Mimeault, M.
Strambini, G. B. See Solaini, G.
Strauss, G. See Eisenreich, W.
——; Fuchs, G.
Enzymes of a novel autotrophic carbon dioxide fixation pathway in the phototrophic bacterium Chloroflexus aurantiacus, the 3-hydroxypropionate cycle. 215: 633
Strauss, M. See Lieber, A.
Strecker, G. See Haeuw-Fievre, S.
Street, A. J. See Alessi, D. R.
Streit, V. See Saad, B.
Strosberg, A. D. See Van Spronsen, A.
Struman, I. See Goffin, V.
Struminskaya, N. K. See Yakovlev, G. I.
Strydom, D. J. See Zhou, H. M.
Strzelecka-Golaszewska, H. See Khaitlina, S. Y.
——; Moraczewska, J.; Khaitlina, S. Y.; Mossakowska, M.
Localization of the tightly bound divalent-cation-dependent and nucleotide-dependent conformation changes in G-actin using limited proteolytic digestion. 211: 731
Stuard, S. B. See Isfort, R. J.
Stuike-Prill, R. See Vinogradov, E. V.
Stupperich, E.
——; Juza, A.; Hoppert, M.; Mayer, F.
Cloning, sequencing and immunological characterization of the corrinoid-containing subunit of the N^5-methyltetrahydromethanopterin: coenzyme-M methyltransferase from Methanobacterium thermoautotrophicum. 217: 115
Sturgill, T. W. See Haystead, C. M. M.
Sturm, R. A. See Bendall, A. J.
Sturm, S. See Faelt, I. C.
Su, H.
——; Moniakis, J.; Newman, E. B.
Use of gene fusions of the structural gene sdaA to purify L-serine deaminase 1 from Escherichia coli K-12. 211: 521
Su, Q.
——; Boschetti, A.
Partial purification and properties of enzymes involved in the processing of a chloroplast import protein from Chlamydomonas reinhardii. 217: 1039
Subbaiah, C. C.
——; Tewari, K. K.
Purification and characterization of ribonucleoproteins from pea chloroplasts. 211: 171
Subirana, J. A. See Verdaguer, N.
Sudfeldt, C. See Bogumil, R.
Sudjana-Sugiaman, E. See Breuer, O.
Suerbaum, H.
——; Koerner, M.; Witzel, H.; Althaus, E.; Mosel, B. D.; Mueller-Warmuth, W.
Zinc-exchange and Moessbauer studies on the [Fe-Fe] (iron-iron) derivatives of the purple acid iron(III)-zinc(II) phosphatase from kidney beans. 214: 313
Suga, H.
——; Murakami, M.; Kudo, I.; Inoue, K.
Participation in cellular prostaglandin synthesis of type-II phospholipase A_2 secreted and anchored on cell-surface heparan sulfate proteoglycan. 218: 807
Sugano, M. See Nakae, H.
Sugawara, K. See Tsuchida, M.
Sugimoto, Y. See Irie, A.
Sugimura, T. See Adachi, H.
Sugiyama, K. See Voss, T.
——; Ahorn, H.; Maurer-Fogy, I.; Voss, T.
Expression of human interferon-α2 in Sf9 cells. Characterization of O-linked glycosylation and protein heterogeneities. 217: 921
Sugo, T. See Kodama, S.
——; Mas, E.; Abouakil, N.; Endo, T.; Escribano, M. J.; Kobata, A.; Lombardo, D.
The structure of N-linked oligosaccharides of human pancreatic bile-salt-dependent lipase. 216: 799
Suh, Y. A. See Kawakami, J.
Sumner, I. G.
——; Harris, G. W.; Taylor, M. A. J.; Pickersgill, R. W.; Owen, A. J.; Goodenough, P. W.
Factors effecting the thermostability of cysteine proteinases from Carica papaya. 214: 129
Sunada, F. See Kumagai, I.
Sundler, R. See Svensson, U.
Supek, F. See Sabova, L.
Surewicz, W. K. See Gilles, A. M.
Surolia, A. See Sengupta, S.
Sutherland, C.
——; Alterio, J.; Campbell, D. G.; Le Bourdelles, B.; Mallet, J.; Haavik, J.; Cohen, P.
Phosphorylation and activation of human tyrosine hydroxylase in vitro by mitogen-activated protein kinase (MAP) kinase and MAP-kinase-activated kinases 1 and 2. 217: 715
——; Campbell, D. G.; Cohen, P.
Identification of insulin-stimulated protein kinase-1 as the rabbit equivalent of rsk^{40}-2. Identification of two threonines phosphorylated during activation by mitogen-activated protein kinase. 212: 581
Suzuki, A. See Shibata, N.
Suzuki, H. See Adachi, H.; Takahashi, Y.
Suzuki, K.
——; Ohta, M.; Okamoto, M.; Nishikawa, Y.
Functional expression and characterization of a Xenopus laevis peptidylglycine α-amidating monooxygenase, AE-II, in insect-cell culture. 213: 93
Suzuki, S. See Shibata, N.
Suzuki, T. See Watanabe, K.
——; Sadakata, Y.; Kashiwagi, K.; Hoshino, K.; Kakinuma, Y.; Shirahata, A.; Igarashi, K.
Overproduction of S-adenosylmethionine decarboxylase in ethylglyoxal-bis(guanylhydrazone)-resistant mouse FM3A cells. 215: 247
Svedas, V. K. See Pshezhetsky, A. V.
Svensson, B. See Olsen, K.
Svensson, U.
——; Houweling, M.; Holst, E.; Sundler, R.
Phosphorylation and activation of the arachidonate-mobilizing phospholipase A_2 in macrophages in response to bacteria. 213: 81
Swinkels, D. W. See van Duynhoven, J. P. M.
Sylvers, L. A. See Zimmerly, S.
Sytkowski, A. J. See Grodberg, J.
Szardenings, M. See Keidel, S.
Szendrei, G. I. See Otvos, L. Jr.
Szilak, L.
——; Der, A.; Deak, F.; Venetianer, P.
Kinetic characterization of the EcaI methyltransferase. 218: 727
Szpirer, C. See Burfeind, P.

Szuts, V. See Berczi, A.

Tabak, H. F. See Einerhand, A. W. C.
Tadros, M. H. See Forkl, H.
——; Katsiou, E.; Hoon, M. A.; Yurkova, N.; Ramji, D. P.
Cloning of a new antenna gene cluster and expression analysis of the antenna gene family of Rhodopseudomonas palustris. 217: 867
Tagawa, S. See Hashimoto, H.
Tai, T. See Ito, M.
Taira, K. See Kawakami, J.
Takahara, H. See Tsuchida, M.
Takahashi, A. See Ito, K.
Takahashi, H. See Kida, N.
Takahashi, M.
——; Norden, B.
Accessibility to modification of histidine residues of RecA protein upon DNA and cofactor binding. 217: 665
Takahashi, N. See Ito, K.
Takahashi, Y.
——; Glasgow, W. C.; Suzuki, H.; Taketani, Y.; Yamamoto, S.; Anton, M.; Kuehn, H.; Brash, A. R.
Investigation of the oxygenation of phospholipids by the porcine leukocyte and human platelet arachidonate 12-lipoxygenases. 218: 165
Takai, M. See Shibanaka, Y.
Takaishi, K. See Watanabe, K.
Takasaki, S. See Hirano, T.
Takase, K.
Effect of mutation of an amino acid residue near the catalytic site on the activity of Bacillus stearothermophilus α-amylase. 211: 899
Takazawa, K. See Erneux, C.
Takeda, M. See Nakamura, Y.
Takeda, S. See Kumagai, I.
Taketani, Y. See Takahashi, Y.
Talesa, V.
——; Principato, G. B.; Giovannini, E.; Di Giovanni, M. V.; Rosi, G.
Dimeric forms of cholinesterase in Sipunculus nudus. 215: 267
Tallett, A.
——; Seabrook, R. N.; Irons, L. I.; Robinson, A.; Van Heyningen, S.; Atkinson, T.
Localization of a receptor-recognition domain on the S3 subunit of pertussis toxin by peptide mapping. 211: 743
Tam, M. F. See Chang, L. H.
Tamburrini, M. See Fago, A.
Tamura, M.
——; Harris, T. M.; Konishi, F.; Inagami, T.
Isolation and characterization of an endogenous sodium-potassium-ATPase-specific inhibitor from pig urine. 211: 317
Tanabe, T. See Miyata, A.; Toh, H.
Tanaka, S. See Ohshima, T.
Tanaka, T. See Machida, M.
Tanfani, F.
——; Bertoli, E.; Signorini, M.; Bergamini, C. M.
Structural investigation of transglutaminase by Fourier transform infrared spectroscopy. 218: 499
Taniguchi, T. See Yamada, T.
Tanner, W. See Okorokov, L. A.; Opekarova, M.
Tata, J. R. See Xu, Q.
Tate, W. P. See Frolova, L. Yu.; Moffat, J. G.
Tauc, M. See Vita, C.
Tavella, S. See van de Werken, R.
Taylor, M. A. J. See Sumner, I. G.
Taylor, M. C. See Kelly, J. M.
Tedeschi, G. See Fusi, P.
Teissere, M. See Ferte, N.
Teixeira, M. See Campos, A. P.
Tennent, G. A. See Amatayakul-Chantler, S.
——; Butler, P. J. G.; Hutton, T.; Woolfitt, A. R.; Harvey, D. J.; Rademacher, T. W.; Pepys, M. B.
Molecular characterization of Limulus polyphemus C-reactive protein. I. Subunit composition. 214: 91
Tenni, R. See Minchiotti, L.; Valli, M.
Teplyakov, A.
——; Obmolova, G.; Wilson, K.; Kuromizu, K.
Crystal structure of apo-neocarzinostatin at 0.15-nm resolution. 213: 737
Terao, K. See He, Y.; Ogata, K.
Ter Beest, M. B. A.
——; Hoekstra, D.
Interaction of myelin basic protein with artificial membranes. Parameters governing binding, aggregation and dissociation. 211: 689
Tercero, J. A.
——; Lacalle, R. A.; Jimenez, A.
The pur8 gene from the pur cluster of Streptomyces alboniger encodes a highly hydrophobic polypeptide which confers resistance to puromycin. 218: 963
Teruel, J. A. See Corbalan-Garcia, S.
Teschauer, W. F.
——; Mentele, R.; Sommerhoff, C. P.
Primary structure of a porcine leukocyte serpin. 217: 519
Tesser, G. I. See van Duynhoven, J. P. M.
Tesseur, I. See Luyten, K.
Tetreau, C. See Martini, J. L.
Teufel, M. See Pompejus, M.
Tewari, K. K. See Subbaiah, C. C.
Thauer, R. K. See Bonacker, L. G.; Gaertner, P.; Heiden, S.; Kunow, J.; Schwoerer, B.
Theis, F. See Dross, F.
Theuvenet, A. P. R. See Van De Put, F. H. M. M.
Thevelein, J. M. See Luyten, K.
Thiberville, L. See Bost, F.; Bourguignon, J.
Thiebart, I. See Ferte, N.
Thiel, S. See Lu, J.
Thijsen, S. F. T. See Smit, A. B.
Thomas, C. M. See Palmer, T.
Thomas, H. See Saad, B.
Thomas, J. T. See Kong, R. Y. C.
Thomas, M.
——; Makeh, I.; Briand, P.; Kahn, A.; Skala, H.
Determinants of the brain-specific expression of the rat aldolase C gene: ex vivo and in vivo analysis. 218: 143
Thomas-Oates, J. E. See Holst, O.
Thompson, J. See Nagel, G.
Thomson, A. J. See McKnight, J.
Thomson, E. See Faure, G.
Thornalley, P. J. See Allen, R. E.; Phillips, S. A.
Thuong, N. T. See Jacob, A.
Thurman, P. F.
——; Chai, W.; Rosankiewicz, J. R.; Rogers, H. J.; Lawson, A. M.; Draper, P.
Possible intermediates in the biosynthesis of mycoside B by Mycobacterium microti. 212: 705
Tichonicky, L. See Levy-Favatier, F.
Tiffoche, C.
——; Chesnel, A.; Jego, P.; Le Pennec, J. P.
Isolation and characterization of a cDNA clone encoding a Pleurodeles lectin. 213: 901
Tijburg, L. B. M. See Houweling, M.
Timmis, K. N. See Eltis, L. D.; Faelt, I. C.
Timms, K. M. See Frolova, L. Yu.
Timpl, R. See Lu, J.; Mayer, U.; Pan, T. C.
Tobias, K. E. See Ben-Av, P.
——; Mamroud-Kidron, E.; Kahana, C.
Gly387 of murine ornithine decarboxylase is essential for the formation of stable homodimers. 218: 245
Tocanne, J. F. See Piknova, B.
Toda, H.
——; Nitta, Y.; Asanami, S.; Kim, J. P.; Sakiyama, F.
Sweet potato β-amylase. Primary structure and identification of the active-site glutamyl residue. 216: 25
Toda, K.
——; Shizuta, Y.
Molecular cloning of a cDNA showing alternative splicing of the 5'-untranslated sequence of mRNA for human aromatase P-450. 213: 383
Toepfer-Petersen, E. See Calvete, J. J.
Toffanin, R. See Cescutti, P.
Toh, H. See Miyata, A.
——; Kondo, H.; Tanabe, T.
Molecular evolution of biotin-dependent carboxylases. 215: 687
Toide, K. See Hashimoto, H.
Tojo, H. See Ying, Z.
——; Ying, Z.; Okamoto, M.
Purification and characterization of guinea pig gastric phospholipase A_2 of the pancreatic type. 215: 81
Toku, S. See Machida, M.
Tokumoto, M. See Kaneda, T.
Tollin, G. See Medina, M.
Toma, F. See Jamin, N.; Vita, C.
Tominaga, T. See Fuse, N.
Tomizawa, K. See Kunkel, T.
Tomschy, A.
——; Glockshuber, R.; Jaenicke, R.
Functional expression of D-glyceraldehyde 3-phosphate dehydrogenase from the hyperthermophilic eubacterium Thermotoga maritima in Escherichia coli. Authenticity and kinetic properties of the recombinant enzyme. 214: 43
Torrekens, S. See Van Damme, E. J. M.
Tortora, P. See Fusi, P.
Totsuka, A.
——; Fukazawa, C.
Expression and mutation of soybean β-amylase in Escherichia coli. 214: 787
Totty, N. See White, H.
Touchet, N. See Guinet, F.
Tourbez, H. See Martini, J. L.
Towner, P. See Bright, J. R.; Patton, A. J.
Tran Dinh, S. See Herve, M.
Tran Thi, T. A. See Kawada, N.
Traub, P. See Eggert, M.
Trayer, H. See Jaseja, M.
Trayer, I. P. See Jaseja, M.
Trebilcock, R. See Elliott, A. C.
Tretter, V. See Kubelka, V.
Triantaphyllopoulos, K. A.
——; Argyroudi-Akoyunoglou, J. H.
Action spectrum of light-harvesting-II precursor apoprotein transcript accumulation and coordinated translation. 211: 127
Tricot, C.
——; Nguyen Van Thanh; Stalon, V.
Steady-state kinetics and analysis of pH dependence on wild-type and a

modified allosteric Pseudomonas aeruginosa ornithine carbamoyltransferase containing the replacement of glutamate 105 by alanine. 215: 833
Triebe, S. M. See Bouterfa, H. L.
Tripier, D. See Dross, F.; Eggert, M.
Trombetta, S. E. See Ferrero-Garcia, M. A.
Trueb, B. See Waelchli, C.
Trueb, J. See Waelchli, C.
Truman, J. w. See Horodyski, F. M.
Truscott, R. J. W. See Carver, J. A.; Cooper, P. G.
Tsetlin, V. I. See Golovanov, A. P.
Tsuchida, M.
——; Takahara, H.; Minami, N.; Arai, T.; Kobayashi, Y.; Tsujimoto, H.; Fukazawa, C.; Sugawara, K.
cDNA nucleotide sequence and primary structure of mouse uterine peptidylarginine deiminase. Detection of a 3'-untranslated nucleotide sequence common to the mRNA of transiently expressed genes and rapid turnover of this enzyme's mRNA in the estrous cycle. 215: 677
Tsugita, A. See Miyatake, N.
Tsuji, S. See Lee, Y. C.
Tsuji, T. See Kimura, A.
Tsujimoto, H. See Tsuchida, M.
Tsujimoto, M. See Kodama, S.
Tsukada, K. See Nakajo, S.
Tsurufuji, S. See Watanabe, K.
Tsuruoka, N. See Kodama, S.
Tucker, A. See Sadler, P. J.
Tuckey, R. C.
——; Cameron, K. J.
Side-chain specificities of human and bovine cytochromes P-450$_{scc}$. 217: 209
Tufano, M. A.
——; Biancone, L.; Rossano, F.; Capasso, C.; Baroni, A.; De Martino, A.; Iorio, E. L.; Silvestro, L.; Camussi, G.
Outer-membrane porins from Gram-negative bacteria stimulate platelet activating factor biosynthesis by cultured human endothelial cells. 214: 685
Tul'skaya, E. M. See Potekhina, N. V.
Tung, J. See Zaror, I.
Turner, A. J. See Balague, C.
Turner, D. L. See Costa, H. S.
Evaluation of carbon-13 and proton Fermi contact shifts in horse cytochrome c. The origin of the anti-Curie effect. 211: 563
——; Williams, R. J. P.
Proton and carbon-13 NMR investigation of redox-state-dependent and temperature-dependent conformation changes in horse cytochrome c. 211: 555
Tuzi, S.
——; Naito, A.; Saito, H.
A high-resolution solid-state ^{13}C NMR study on[1-^{13}C]Ala and [3-^{13}C]Ala and [1-^{13}C]Leu and Val-labelled bacteriorhodopsin. Conformation and dynamics of transmembrane helices, loops and termini, and hydration-induced conformational change. 218: 837
Twigg, P. D. See Ho, J. X.
Tzartos, S. J. See Papadouli, I.

Uber, A. See Aigner, S.
Ubieta, R. See Gallay, J.
Uchiyama, Y. See Miyatake, N.
Uda, T. See Kimura, A.
Ueda, S. See Yokote, K.
Ueda, T. See Ito, Y.
Ueki, T. See Hirai, M.
Ullrich, V. See Nuesing, R.
Umansky, S. R. See Nikonova, L. V.
Umeyama, H. See Puri, R. N.
Uno, I. See Fuse, N.
Urano, T. See Mikus, P.
Urban, P. See Gautier, J. C.; Peyronneau, M. A.
Uribe, S.
——; Rangel, P.; Pardo, J. P.; Pereira-da-Silva, L.
Interactions of calcium and magnesium with the mitochondrial inorganic pyrophosphatase from Saccharomyces cerevisiae. 217: 657
Utkin, Y. N. See Golovanov, A. P.

Vaara, M. See Helander, I. M.
Vaartjes, W. J. See Houweling, M.
Vaenngaard, T. See Pascher, T.
Vagelopoulos, N. See Hoeoeg, J. O.
Vainchenker, W. See Mayeux, P.
Valadon, P. See Lopez Garcia, M. P.
Valdameri, G. See Finocchiaro, G.
Valensin, P. E. See Bonci, A.
Valerio, M.
——; Diolez, P.; Haraux, F.
The electrochemical-proton-gradient-activated states of F_0F_1 ATPase in plant mitochondria as revealed by detergents. 216: 565
Vallee, B. L. See Persson, B.
Valli, M.
——; Sangalli, A.; Rossi, A.; Mottes, M.; Forlino, A.; Tenni, R.; Pignatti, P. F.; Cetta, G.
Osteogenesis imperfecta and type-I collagen mutations. A lethal variant caused by a Gly910→Ala substitution in the α1(I) chain. 211: 415
——; Zolezzi, F.; Mottes, M.; Antoniazzi, F.; Stanzial, F.; Tenni, R.; Pignatti, P.; Cetta, G.
Gly85 to Val substitution in proα1(I) chain causes mild osteogenesis imperfecta and introduces a susceptibility to protease digestion. 217: 77
Vallon, O.
——; Bogorad, L.
Topological study of PSI-A and PSI-B, the large subunits of the photosystem-I reaction center. 214: 907
——; Bulte, L.; Kuras, R.; Olive, J.; Wollman, F. A.
Extensive accumulation of an extracellular L-amino acid oxidase during gametogenesis of Chlamydomonas reinhardtii. 215: 351
Valsasina, B. See Scacheri, E.
Valverde, P. See Jimenez-Cervantes, C.
——; Garcia-Borron, J. C.; Jimenez-Cervantes, C.; Solano, F.; Lozano, J. A.
Tyrosinase isoenzymes in mammalian melanocytes. 2. Differential activation by α-melanocyte-stimulating hormone. 217: 541
Van, P. N.
——; Rupp, K.; Lampen, A.; Soeling, H. D.
CaBP2 is a rat homolog of ERp72 with protein disulfide isomerase activity. 213: 789
Vanatalu, K.
——; Paalme, T.; Vilu, R.; Burkhardt, N.; Juenemann, R.; May, R.; Ruehl, M.; Wadzack, J.; Nierhaus, K. H.
Large-scale preparation of fully deuterated cell components. Ribosomes from Escherichia coli with high biological activity. 216: 315
Van Beeumen, J. See Van Ophem, P. W.
Van Berkel, T. J. C. See Kamps, J. A. A. M.; van Dijk, M. C. M.
van Berkel, W. J. H. See Eschrich, K.; Peelen, S.
van Dam, K.
——; van der Vlag, J.; Kholodenko, B. N.; Westerhoff, H. V.
The sum of the control coefficients of all enzymes on the flux through a group-transfer pathway can be as high as two. 212: 791
Van Dam, M. See Stoyan, T.
van Damme, E. J. M. See Saito, K.
——; Smeets, K.; Torrekens, S.; Van Leuven, F.; Peumans, W. J.
The mannose-specific lectins from ramsons (Allium ursinum L.) are encoded by three sets of genes. 217: 123
Van Damme, J. See Masure, S.; Vandenbroeck, K.
Vandamme, V.
——; Pierce, A.; Verbert, A.; Delannoy, P.
Transcriptional induction of β-galactoside α-2,6-sialyltransferase in rat fibroblast by dexamethasone. 211: 135
Van de Kamp, M.
——; Canters, G. W.; Andrew, C. R.; Sanders-Loehr, J.; Bender, C. J.; Peisach, J.
Effect of lysine ionization on the structure and electrochemical behavior of the Met44→Lys mutant of the blue-copper-protein azurin from Pseudomonas aeruginosa. 218: 229
Vandekerckhove, J. See Forkl, H.; Gettemans, J.
van de Klundert, F. A. J. M.
——; Raats, J. M. H.; Bloemendal, H.
Intermediate filaments: Regulation of gene expression and assembly. 214: 351
van den Berg, A. A.
——; van Lenthe, H.; Busch, S.; de Korte, D.; Roos, D.; van Kuilenburg, A. B. P.; van Gennip, A. H.
Evidence for transformation-related increase in CTP synthetase activity in situ in human lymphoblastic leukemia. 216: 161
van den Berg, J. A. See Wenzel, T. J.
van den Bogaerde, M. R. See van Haeringen, B.
Vandenbroeck, K.
——; Fiten, P.; Beuken, E.; Martens, E.; Janssen, A.; Van Damme, J.; Opdenakker, G.; Billiau, A.
Gene sequence, cDNA construction, expression in Escherichia coli and genetically approached purification of porcine interleukin-1β. 217: 45
——; Martens, E.; d'Andrea, S.; Billiau, A.
Refolding and single-step purification of porcine interferon-γ from Escherichia coli inclusion bodies. Conditions for reconstitution of dimeric IFN-γ. 215: 481
van den Eijnden, D. H. See Agterberg, M.; De Vries, T.
van den Tweel, W. J. J. See van der Werf, M. J.
Van De Put, F. H. M. M.
——; Visser, G. J.; Donkers, E. A. M.; Theuvenet, A. P. R.; Willems, P. H. G. M.
Basal magnesium-dependent ATPase activity of rat liver microsomes is

not influenced by ambient free calcium. 218: 959
van der Bolt, F. J. T. See Eschrich, K.
van der Goot, F. G.
——; Didat, N.; Pattus, F.; Dowhan, W.; Letellier, L.
Role of acidic lipids in the translocation and channel activity of colicins A and N in Escherichia coli cells. 213: 217
Vandermeers, A. See Erneux, C.
Van der Schors, R. See Demuynck, S.
van der Vlag, J. See van Dam, K.
van der Werf, M. J.
——; van den Tweel, W. J. J.; Hartmans, S.
Thermodynamics of the maleate and citraconate hydration reactions catalyzed by malease from Pseudomonas pseudoalcaligenes. 217: 1011
Van der Zon, G. C. M. See Osterop, A. P. R. M.
van de Werken, R.
——; Gennari, M.; Tavella, S.; Bet, P.; Molina, F.; Lin, S.; Cancedda, R.; Castagnola, P.
Modulation of tensin and vimentin expression in chick embryo developing cartilage and cultured differentiating chondrocytes. 217: 781
van Die, I. See Agterberg, M.
van Dijk, C. See Moreno, C.
van Dijk, M. C. M.
——; Pieters, M.; van Berkel, T. J. C.
Kinetics of biliary secretion of chylomicron remnant cholesterol (esters) in the rat. 211: 781
Van Dorsselaer, A. See Jaquinod, M.; Martin, G.; Salzet, M.
van Driel, I. R. See Belli, S. I.
van Duynhoven, J. P. M.
——; Nooren, I. M. A.; Swinkels, D. W.; Folkers, P. J. M.; Harmsen, B. J. M.; Konings, R. N. H.; Tesser, G. I.; Hilbers, C. W.
Exploration of the single-stranded DNA-binding domains of the gene V proteins encoded by the filamentous bacteriophages IKe and M13 by means of spin-labeled oligonucleotide and lanthanide-chelate complexes. 216: 507
van Gennip, A. H. See van den Berg, A. A.
Van Golde, L. M. G. See Houweling, M.
van Grondelle, R. See Mulder, H. S.; van Haeringen, B.
van Haeringen, B.
——; van den Bogaerde, M. R.; Eden, D.; van Grondelle, R.; Bloemendal, M.
Further characterization of structural and electric properties of non-spherical α-crystallin. 217: 143
Vanhee, C. See Ellerbrok, H.
Van Heyningen, S. See Tallett, A.
van Hilten, J. A.
——; Brune, K.; Bickel, D.; Mollenhauer, J.
Characterization of macrophage proteins bearing the functional leukotriene D_4-binding site of an anti-cysteinylleukotriene monoclonal antibody. 214: 83
Van Hoef, B. See Collen, D.; Lijnen, H. R.
van Hoek, A. See Khmelnitsky, Y. L.; Leenders, R.
Van Iersel, M. See Leenders, R.
van Kuik, J. A. See Klein, A.
van Kuilenburg, A. B. P. See van den Berg, A. A.
van Lenthe, H. See van den Berg, A. A.
Van Leuven, F. See Van Damme, E. J. M.
van Lier, J. E. See Gantchev, T. G.
Van Obberghen, E. See Peraldi, P.
van Oostrum, J. See Bergwerff, A. A.
Van Ophem, P. W.
——; Van Beeumen, J.; Duine, J. A.
Nicotinoprotein [NAD(P)-containing] alcohol/aldehyde oxidoreductases. Purification and characterization of a novel type from Amycolatopsis methanolica. 212: 819
Van Riel, M. C. H. M. See Martens, G. J. M.
Van Roy, F. See De Valck, D.
Van Schaftingen, E. See Bismut, H.
——; De Hoffmann, E.
Effect of proglycosyn and other phenolic compounds on glycogenmetabolism in isolated hepatocytes. Potential role of glucuronidated metabolites. 218: 745
Van Spronsen, A.
——; Nahmias, C.; Krief, S.; Briend-Sutren, M. M.; Strosberg, A. D.; Emorine, L. J.
The promoter and intron/exon structure of the human and mouse β3-adrenergic-receptor genes. 213: 1117
van Tetering, A. See Agterberg, M.
Van Walraven, H. S. See Bakels, R. H. A.
van Woerkom, G. M. See Meijer, A. J.
van Workum, W. A. T. See Peelen, S.
Vaquero, C. See Ellerbrok, H.
Vargaftig, B. B. See Mounier, C.
Vasak, M. See Bertini, I.
Vasudevan, S. See Kleymann, G.
Vatanpour, H. See Vita, C.
Vauclare, P. See Bourguignon, J.
Vaughan, K. T. See Weber, F. E.
Vaysse, N. See Silvente Poirot, S.
Vaz de Macedo, D.
——; Nepomuceno, M. d. F.; Pereira-da-Silva, L.
Involvement of the ADP/ATP carrier in permeabilization processes of the inner mitochondrial membrane. 215: 595
Veals, S. A. See Parrington, J.
Veeger, C. See Balvers, W. G.; Dorovska-Taran, V.; Dorovska-Taran, V. N.; Khmelnitsky, Yu. L.; Leenders, R.
Veldhuizen, E. J. A. See Lugtigheid, R. B.
Vendrell, J. See Aviles, F. X.
Venetianer, P. See Szilak, L.
Venturella, S. See Giallongo, A.
Verbakel, J. M. A. See Sierkstra, L. N.
Verbert, A. See Cacan, R.; Vandamme, V.
Vercauteren, J. See Lacoste, A. M.; Riviere, M.
Verdaguer, N.
——; Perello, M.; Palau, J.; Subirana, J. A.
Helical structure of basic proteins from spermatozoa. Comparison with model peptides. 214: 879
Verger, R. See Aoubala, M.
Verhagen, M. F. J. M. See Pierik, A. J.
Verheij, H. M. See Lugtigheid, R. B.; Vincent, M.
Verleur, N.
——; Wanders, R. J. A.
Permeability properties of peroxisomes in digitonin-permeabilized rat hepatocytes. Evidence for free permeability towards a variety of substrates. 218: 75
Verpoorte, R. See Poulsen, C.
Verrips, C. T. See Sierkstra, L. N.
Vervoort, J. See Balvers, W. G.; Peelen, S.
Vetter, I. See Schaaff-Gerstenschlager, I.
Vial, P. A. See Weintraub, A.
Vickers, J. D.
ADP-stimulated fibrinogen binding is necessary for some of the inositol phospholipid changes found in ADP-stimulated platelets. 216: 231
Vickers, P. J. See Abramovitz, M.
Viglino, P. See Esposito, G.
Vigny, H. See Lopez-Mediavilla, C.
Vilain, E. See McElreavey, K.
Villalba, J. M. See Serrano, R.
Villalba, M.
——; Batanero, E.; Lopez-Otin, C.; Sanchez, L. M.; Monsalve, R. I.; Gonzalez de la Pena, M. A.; Lahoz, C.; Rodriguez, R.
The amino acid sequence of Ole e I, the major allergen from olive tree (Olea europaea) pollen. 216: 863
Villiers, C. See Laouar, A.
Vilu, R. See Vanatalu, K.
Vincent, A. See Beeson, D.
Vincent, J. P. See Barelli, H.
Vincent, M. See Boutin, J. A.; Gallay, J.
——; Deveer, A. M.; De Haas, G. H.; Verheij, H. M.; Gallay, J.
Stereospecificity of the interaction of porcine pancreatic phospholipase A_2 with micellar and monomeric inhibitors. A time-resolved fluorescence study of the tryptophan residue. 215: 531
Vinogradov, E. V.
——; Stuike-Prill, R.; Bock, K.; Holst, O.; Brade, H.
The structure of the carbohydrate backbone of the core-lipid-A region of the lipopolysaccharide from Vibrio cholerae strain H11 (non-O1). 218: 543
Visco, C. See Scacheri, E.
Visser, A. J. W. G. See Dorovska-Taran, V.; Dorovska-Taran, V. N.; Khmelnitsky, Yu. L.; Leenders, R.
Visser, G. J. See Van De Put, F. H. M. M.
Vita, C.
——; Bontems, F.; Bouet, F.; Tauc, M.; Poujeol, P.; Vatanpour, H.; Harvey, A. L.; Menez, A.; Toma, F.
Synthesis of charybdotoxin and of two N-terminal truncated analogs. Structural and functional characterization. 217: 157
Vliegenthart, J. F. G. See Bergwerff, A. A.; Klein, A.; Kubelka, V.
Voelker, C. See Bause, E.
Voelkner, P.
——; Puppe, W.; Altendorf, K.
Characterization of the KdpD protein, the sensor kinase of the potassium-translocating Kdp system of Escherichia coli. 217: 1019
Voelter, W. See Czisch, M.
Vogel, H.
——; Nilsson, L.; Rigler, R.; Meder, S.; Boheim, G.; Beck, W.; Kurth, H. H.; Jung, G.
Structural fluctuations between two conformational states of a transmembrane helical peptide are related to its channel-forming properties in planar lipid membranes. 212: 305
Vogel, P. See Sillard, R.

Voilley, N. See Lingueglia, E.
Volpe, F.
——; Ballantine, S. P.; Delves, C. J.
The multifunctional folic acid synthesis fas gene of Pneumocystis carinii encodes dihydroneopterin aldolase, hydroxymethyldihydropterin pyrophosphokinase and dihydropteroate synthase. 216: 449
Von Heijne, G. See Sipos, L.
Von Wachenfeldt, C.
——; Hederstedt, L.
Physicochemical characterization of membrane-bound and water-soluble forms of Bacillus subtilis cytochrome c-550. 212: 499
Voordouw, G. See Blanchard, L.; Karkhoff-Schweizer, R. R.
Voorter, C. E. M.
——; Wintjes, L. T. M.; Heinstra, P. W. H.; Bloemendal, H.; De Jong, W. W.
Comparison of stability properties of lactate dehydrogenase B4/ε-crystallin from different species. 211: 643
Vorgias, C. E. See Sayers, Z.
Voss, T. See Sugiyama, K.
——; Erguelen, E.; Ahorn, H.; Kubelka, V.; Sugiyama, K.; Maurer-Fogy, I.; Gloessl, J.
Expression of human interferon ω1 in Sf9 cells. No evidence for complex-type N-linked glycosylation or sialylation. 217: 913
Voyushina, T. L. See Gololobov, M. Y.
Vuorio, O. E. See Londesborough, J.
——; Kalkkinen, N.; Londesborough, J.
Cloning of two related genes encoding the 56-kDa and 123-kDa subunits of trehalose synthase from the yeast Saccharomyces cerevisiae. 216: 849

Wach, A.
——; Dencher, N. A.; Graeber, P.
Co-reconstitution of plasma membrane hydrogen ion-ATPase from yeast and bacteriorhodopsin into liposomes. ATP hydrolysis as a function of external and internal pH. 214: 563
Wada, M.
——; Pette, D.
Relationships between alkali light-chain complement and myosin heavy-chain isoforms in single fast-twitch fibers of rat and rabbit. 214: 157
Wadzack, J. See Vanatalu, K.
Waechter, F. See Saad, B.
Waelchli, C.
——; Trueb, J.; Kessler, B.; Winterhalter, K. H.; Trueb, B.
Complete primary structure of chicken collagen XIV. 212: 483
Waelkens, E. See Gettemans, J.
Wagner, P.
——; Grimaldi, M.; Jenkins, J. R.
Putative dehydrogenase tms1 suppresses growth arrest induced by a p53 tumor mutant in fission yeast. 217: 731
Wait, R. See Shone, C. C.
Walde, P. See Haber, J.
Waldenstroem, U. See Persson, B.
Waldmann, R. See Lingueglia, E.
Wall, J. See Blanchard, L.
Walmsley, A. R. See Basso, L. A.
——; Petro, K. R.; Henderson, P. J. F.
Equilibrium and transient kinetic studies of the binding of cytochalasin B to the L-arabinose-hydrogen ion symport protein of Escherichia coli. Determination of the sugar binding specificity of the L-arabinose-hydrogen ion symporter. 215: 43
Walsh, M. P. See Braun, A. P.
Walter, S. See Blaak, H.
Walton, D. J. See Shilton, B. H.
Wanders, R. J. A. See Verleur, N.
Wang, G. F.
——; Kuriki, T.; Roy, K. L.; Kaneda, T.
The primary structure of branched-chain α-oxo acid dehydrogenase from Bacillus subtilis and its similarity to other α-oxo acid dehydrogenase. 213: 1091
Wang, X. See Howl, J.
Wang, Y. See Waugh, D.
Wanke, C.
——; Amrhein, N.
Evidence that the reaction of the UDP-N-acetylglucosamine 1-carboxyvinyltransferase proceeds through the O-phosphothioketal of pyruvic acid bound to Cys115 of the enzyme. 218: 861
Wanner, G. See Hirt, H.; Muscholl, A.
Warburton, M. J.
——; Coles, B.; Dundas, S. R.; Gusterson, B. A.; O'Hare, M. J.
Hydrocortisone induces the synthesis of α_2-macroglobulin by rat mammary myoepithelial cells. 214: 803
Ward, L. D. See Bendiak, B.; Zhang, J. G.
Wardrip, N. J. See Hirano, T.
Wareing, C. J.
——; Black, S. M.; Hayes, J. D.; Wolf, C. R.
Increased levels of alpha-class and pi-class glutathione S-transferases in cell lines resistant to 1-chloro-2,4-dinitrobenzene. 217: 671
Wassink, H. See Pierik, A. J.
Wasylyk, B.
——; Hahn, S. L.; Giovane, A.
The Ets family of transcription factors. 211: 7
The Ets family of transcription factors (correction). 215: 907
Watabe, A. See Irie, A.
Watala, C.
——; Pietrucha, T.; Gwozdzinski, K.; Kralisz, U.; Cierniewski, C. S.
Microenvironment changes in human blood platelet membranes associated with binding of tissue-type plasminogen activator. 215: 867
Watanabe, K.
——; Iida, M.; Takaishi, K.; Suzuki, T.; Hamada, Y.; Iizuka, Y.; Tsurufuji, S.
Chemoattractants for neutrophils in lipopolysaccharide-induced inflammatory exudate from rats are not interleukin-8 counterparts but gro gene product/melanoma growth-stimulating activity-related factors. 214: 267
Watanabe, N.
——; Kitazume, M.; Fujisawa, J.; Yoshida, M.; Fujii-Kuriyama, Y.
A novel cAMP-dependent regulatory region including a sequence like the cAMP-responsive element, far upstream of the human CYP21A2 gene. 214: 521
Watanabe, T.
——; Medina, J. F.; Haeggstroem, J. Z.; Raadmark, O.; Samuelsson, B.
Molecular cloning of a 12-lipoxygenase cDNA from rat brain. 212: 605
Watson, C. F. See Balague, C.
Watt, S. M. See Nagel, G.
Watzele, G. See Krezdorn, C. H.

Waugh, D.
——; Wang, Y.; Hazon, N.; Balment, R. J.; Conlon, J. M.
Primary structures and biological activities of substance-P-related peptides from the brain of the dogfish, Scyliorhinus canicula. 214: 469
Weber, B. R. See Foehr, U. G.
Weber, F. E.
——; Vaughan, K. T.; Reinach, F. C.; Fischman, D. A.
Complete sequence of human fast-type and slow-type muscle myosin-binding-protein C (MyBP-C). Differential expression, conserved domain structure and chromosome assignment. 216: 661
Weber, K. See Ruediger, M.
Weckesser, J. See Brandenburg, K.
Weeds, A. G. See Hesterkamp, T.
Wehrle, U. See Aigner, S.
Weich, H. A. See Fiebich, B. L.
Weiler, E. W. See Bartling, D.; Serrano, R.
Weindel, K. See Fiebich, B. L.
Weiner, J. H. See Bishop, R. E.
Weintraub, A. See Faelt, I. C.
——; Leontein, K.; Widmalm, G.; Vial, P. A.; Levine, M. M.; Lindberg, A. A.
Structural studies of the O-antigenic polysaccharide of an enteroaggregative Escherichia coli strain. 213: 859
Weisbeek, P. See Kumar, P. A.
Weise, C. See Goerne-Tschelnokow, U.
Weiss, A. S. See Junius, F. K.
Weiss, H. See Proemper, C.
Welfle, H.
——; Misselwitz, R.; Welfle, K.; Schindelin, H.; Scholtz, A. S.; Heinemann, U.
Conformations and conformational changes of four Phe → Trp variants of the DNA-binding histone-like protein, HBsu, from Bacillus subtilis studied by circular dichroism and fluorescence spectroscopy. 217: 849
Welfle, K. See Welfle, H.
Welinder, K. G. See Baunsgaard, L.
Wells, T. N. C. See Graber, P.
Wen, Y.
——; Bekhor, I.
Sorbitol dehydrogenase. Full-length cDNA sequencing reveals a mRNA coding for a protein containing an additional 42 amino acids at the N-terminal end. 217: 83
Wenzel, T. J.
——; Luttik, M. A. H.; van den Berg, J. A.; Steensma, H. Y.
Regulation of the PDA1 gene encoding the E1α subunit of the pyruvate dehydrogenase complex from Saccharomyces cerevisiae. 218: 405
Wernicke, D. See Hinzmann, B.
Wernstedt, C. See Alexson, S. E. H.
Werz, U. See Eisenreich, W.
Westerhoff, H. V. See Jensen, P. R.; Mulder, H. S.; van Dam, K.
Westlund, P.
Purification and some properties of 11-hydroxythromboxane B_2 dehydrogenase from porcine kidney. 212: 403
Weston, A.
——; Nassau, P. M.; Henly, C.; Marriott, M. S.
Protein O-mannosylation in Candida albicans. Determination of the amino acid sequences of peptide acceptors for protein O-mannosyltransferase. 215: 845

Westphal, A. H. See Schulze, E.
Westwick, J. See Murphy, C. T.
Wever, R. See Floris, R.; Lundell, T.
Weygand-Durasevic, I.
——; Ban, N.; Jahn, D.; Soell, D.
Yeast seryl-tRNA synthetase expressed in Escherichia coli recognizes bacterial serine-specific tRNAs in vivo. 214: 869
Wheatley, M. See Howl, J.
White, H.
——; Totty, N.; Panayotou, G.
Hemonectin, a granulocytic-cell-binding protein, is related to the plasma glycoprotein fetuin. 213: 523
Widmalm, G. See Weintraub, A.
Wiedemann, H. See Lu, J.
Wieland, B. See Nuck, R.
Wiemken, A. See De Virgilio, C.
Wierenga, R. K. See Borchert, T. V.
Wiernsperger, N. See Argaud, D.
Wieruszeski, J. M. See Haeuw-Fievre, S.
Wiese, M. See Ilg, T.
Wiesner, R. See Belkner, J.
Wietzerbin, J. See Herve, M.; Laouar, A.
Wilhelm, B.
——; Siess, W.
Activation of the cloned platelet thrombin receptor decreases the pertussis-toxin-dependent ADP-ribosylation of the membrane and soluble inhibitory guanine-nucleotide-binding-α proteins. Inhibition by the prostacyclin analog, iloprost. 216: 81
Wilkins, P. C. See Atta, M.
Will, H. See Hinzmann, B.
Willbold, D. See Sticht, H.
Willems, P. H. G. M. See Van De Put, F. H. M. M.
Williams, J. A. See Jaseja, M.
Williams, J. F. See Flanigan, I.
Williams, J. M. See Andrews, S. C.; Hudson, A. J.
Williams, K. L. See Haynes, P. A.
Williams, R. See Palmer, T.
Williams, R. J. P. See Joao, H. C.; Turner, D. L.
Williamson, G. See Belshaw, N. J.
Willis, I. M.
RNA polymerase III. Genes, factors and transcriptional specificity. 212: 1
Wilson, K. See Teplyakov, A.
Wilson, K. S. See Sevcik, J.
Wilson, S. B. See Pearson, C. K.
Wilting, J. See Fiebich, B. L.
Winkfein, R. J. See Retief, J. D.
——; Nishikawa, S.; Connor, W.; Dixon, G. H.
Characterization of a marsupial sperm protamine gene and its transcripts from the North American opossum (Didelphis marsupialis). 215: 63
Winterhalter, K. H. See Waelchli, C.
Wintjes, L. T. M. See Voorter, C. E. M.
Wirth, R. See Hirt, H.; Muscholl, A.
Wisingerova, E. See Riviere, M.
Wisniewski, J.
——; Malezewski, M.; Krawczyk, Z.; Gedamu, L.
An upstream region of the rat spermatogenesis-specific heat-shock-like Hst70 gene confers testis-specific expression in transgenic mice. 212: 137
Wittinghofer, A. See Ligeti, E.
Witzel, H. See Bogumil, R.; Suerbaum, H.
Witzemann, V. See Berberich, C.
Wolbert, R. B. G. See Pierik, A. J.
Wolf, C. R. See Wareing, C. J.
Wolf, D. H. See Finger, A.
Wolff, G. See Steffens, G. C. M.
Wollman, F. A. See Vallon, O.
Wong, E. See Abramovitz, M.
Wood, I. See Jeffery, J.
Wood, I. S. See Nicholls, D. J.
Wood, S. P. See Haedener, A.
Woodland, H. R. See Lakin, N. D.
Woolfitt, A. R. See Tennent, G. A.
Wrange, O. See Eriksson, P.
Wray, V. See Nimtz, M.
Wright, N. A. See Chinery, R.
Wuerfel, M.
——; Haeberlein, I.; Follmann, H.
Facile sulfitolysis of the disulfide bonds in oxidized thioredoxin and glutaredoxin. 211: 609
Wuethrich, K. See Antuch, W.; Bushweller, J. H.; O'Connell, J. F.
Wyns, L. See Sevcik, J.

Xanthopoulos, K. G.
——; Mirkovitch, J.
Gene regulation in rodent hepatocytes during development, differentiation and disease. 216: 353
Xavier, A. V. See Campos, A. P.; Chen, L.
Xia, T. See Zhao, G.
Xiao, Q. See Sharp, T. V.
Xodo, L. E.
——; Alunni-Fabbroni, M.; Manzini, G.; Quadrifoglio, F.
Sequence-specific DNA-triplex formation at imperfect homopurine-homopyrimidine sequences within a DNA plasmid. 212: 395
Xu, Q.
——; Baker, B. S.; Tata, J. R.
Developmental and hormonal regulation of the Xenopus liver-type arginase gene. 211: 891
Xu, T. See Stevens, V. L.
Xue, Y. See Liang, Z.

Yaginuma, T. See Niimi, T.
Yakovlev, G. I.
——; Moiseyev, G. P.; Struminskaya, N. K.; Romakhina, E. R.; Leshchinskaya, I. B.; Hartley, R. W.
Increase of specificity of RNase from Bacillus amyloliquefaciens (barnase) by substitution of Glu for Ser57 using site-directed mutagenesis. 215: 167
Yamada, H. See Itc, Y.; Kobayashi, M.; Ogawa, J.
Yamada, T.
——; Taniguchi, T.; Yang, C.; Yasue, S.; Saito, H.; Yamamura, H.
Association of B-cell-antigen receptor with protein-tyrosine kinase $p72^{syk}$ and activation by engagement of membrane IgM. 213: 455
Yamagata, T. See Ito, M.
Yamaguchi, K. See Miyata, A.
Yamaguchi, M. See Matsuoka, S.
Yamaizumi, Z. See Sakamoto, K.
Yamamoto, S. See Takahashi, Y.
Yamamura, H. See Yamada, T.
Yamashita, O. See Niimi, T.
Yang, C. See Yamada, T.
——; Mollat, P.; Chaffotte, A.; McCaffrey, M.; Cabanie, L.; Goud, B.
Comparison of the biochemical properties of unprocessed and processed forms of the small GTP-binding protein, rab6p. 217: 1027
Yang, C. L.
——; Rui, H.; Mosler, S.; Notbohm, H.; Sawaryn, A.; Mueller, P. K.
Collagen II from articular cartilage and annulus fibrosus. Structural and functional implication of tissue specific posttranslational modifications of collagen molecules. 213: 1297
Yang, G. See Floris, R.
Yang, H. See Agterberg, M.
Yang, T. See Sharpless, K.
Yaniv, A. See Sticht, H.
Yano, M. See Okada, K.
Yasuda, S. See Kimura, A.
Yasue, S. See Yamada, T.
Yates, A. P. See Elliott, A. C.
Yee, M. C. See Buetikofer, P.
Ying, Z. See Tojo, H.
——; Tojo, H.; Nonaka, Y.; Okamoto, M.
Cloning and expression of phospholipase A_2 from guinea pig gastric mucosa, its induction by carbachol and secretion in vivo. 215: 91
Yip, P. K. See Hoeoeg, J. O.
Yokosawa, H. See Matsuura, K.
Yokote, K.
——; Morisaki, N.; Zenibayashi, M.; Ueda, S.; Kanzaki, T.; Saito, Y.; Yoshida, S.
The phospholipase-A_2 reaction leads to increased monocyte adhesion of endothelial cells via the expression of adhesion molecules. 217: 723
Yokoyama, C. See Miyata, A.
Yokoyama, S. See Sakamoto, K.
Yoneda, A.
——; Ogawa, H.; Matsumoto, I.; Ishizuka, I.; Hase, S.; Seno, N.
Structures of the N-linked oligosaccharides on porcine plasma vitronectin. 218: 797
Yoshida, M. See Watanabe, N.
Yoshida, S. See Yokote, K.
Yoshida, T. See Miyata, A.
Yoshikawa, A. See Ito, Y.
Yoshikawa, K. See Oshima-Hirayama, N.
Yoshimura, T. See Kida, N.
Yoshpe-Besancon, I.
——; Auriol, D.; Paul, F.; Monsan, P.; Gripon, J. C.; Ribadeau-Dumas, B.
Purification and characterization of an aminopeptidase A from Staphylococcus chromogenes and its use for the synthesis of amino acid derivatives and dipeptides. 211: 105
Youn, H. D. See Shin, K. S.
Yurkova, N. See Tadros, M. H.

Zacharias, U. See Hinzmann, B.
Zaehringer, U. See Helander, I. M.
Zahradka, P.
——; Elliot, T.; Hovland, K.; Larson, D. E.; Saward, L.
Repression of histone gene transcription in quiescent 3T6 fibroblasts. 217: 683
Zapponi, M. C. See Minchiotti, L.
Zarka, A.
——; Shoshan-Barmatz, V.
Characterization and photoaffinity labeling of the ATP binding site of the ryanodine receptor from skeletal muscle. 213: 147
Zaror, I.
——; Marcus, F.; Moyer, D. L.; Tung, J.; Shuster, J. R.
Fructose 1,6-bisphosphatase of the yeast Kluyveromyces lactis. 212: 193
Fructose 1,6-bisphosphatase of the yeast Kluyveromyces lactis (correction). 214: 949

Zeeck, A. See Danneel, H. J.
Zeelen, J. P. See Borchert, T. V.
Zegers, I. See Sevcik, J.
Zehnder, A. J. B. See Kengen, S. W. M.
Zeman, I. See Sabova, L.
Zenibayashi, M. See Yokote, K.
Zhang, J. G.
——; Reid, G. E.; Moritz, R. L.; Ward, L. D.; Simpson, R. J.
Specific covalent modification of the tryptophan residues in murine interleukin-6. Effect on biological activity and conformational stability. 217: 53
Zhang, R. Z. See Pan, T. C.
Zhao, G.
——; Xia, T.; Ingram, L. O.; Jensen, R. A.
An allosterically insensitive class of cyclohexadienyl dehydrogenase from Zymomonas mobilis. 212: 157
Zheng, J.
——; Chen, Y. Q.; Callender, R.
A study of the binding of NADP coenzymes to dihydrofolate reductase by Raman difference spectroscopy. 215: 9
Zhou, H. M.
——; Strydom, D. J.
The amino acid sequence of human ribonuclease 4, a highly conserved ribonuclease that cleaves specifically on the 3' side of uridine. 217: 401
Ziak, M.
——; Jaeger, J.; Malashkevich, V. N.; Gehring, H.; Jaussi, R.; Jansonius, J. N.; Christen, P.
Mutant aspartate aminotransferase (K258H) without pyridoxal-5'-phosphate-binding lysine residue. Structural and catalytic properties. 211: 475
Zidek, W. See Schlueter, H.
Ziegler, U. See Rader, C.
Zimmer, G. See Deisinger, B.
Zimmerly, S.
——; Drainas, D.; Sylvers, L. A.; Soll, D.
Identification of a 100-kDa protein associated with nuclear ribonuclease-P activity in Schizosaccharomyces pombe. 217: 501
Zimmermann, F. K. See Boles, E.; Schaaff-Gerstenschlaeger, I.
Zimmermann, N.
——; Freund, S.; Fredenhagen, A.; Jung, G.
Solution structures of the lantibiotics duramycin B and C. 216: 419
Zimmermann, W. See Nagel, G.
Zirngibl, C. See Schwoerer, B.
Ziv, E. See Neumann, S.
Zolezzi, F. See Valli, M.
Zoppetti, G. See Coltrini, D.
Zorbas, H. See Neu-Yilik, G.
Zschocke, P. D.
——; Schiltz, E.; Schulz, G. E.
Purification and sequence determination of guanylate kinase from pig brain. 213: 263
Zuber, H. See Kotik, M.
Zuellig, R. A. See Hasler, T. H.
Zwicker, K. See Deisinger, B.
Zwilling, R. See Stoecker, W.

Abrin
ricin variant thymocyte toxicity transport 215: 411
Acetaminophen
toxicity cell human cytochrome P450 214: 735
Acetyl
ACP intermediate fatty acid spinach 213: 981
CoA carboxylase liver cell swelling 217: 1083
Acetylcholine
receptor epsilon subunit sequence 215: 229
receptor gene E MCAT box 216: 395
Acetylcholinesterase
hydrophobic anchor subunit evolution brain 215: 333
secondary conformation denaturation FTIR spectroscopy 213: 1235
Acetylglucosamine
protein galactosyltransferase membrane Golgi liver 216: 405
Acetylglucosaminidase
beta Halocynthia egg 218: 535
AChR
gene rat E MCAT box 216: 395
Acid
compact state apomyoglobin comformation dynamics 218: 213
glycoprotein gene promoter transcription factor 216: 127
phosphatase lipophosphoglycan Leishmania monoclonal antibody 217: 603
phosphatase purple Moessbauer kidney bean 214: 313
Acidaminococcus
glutaconyl CoA decarboxylase carboxytransferase subunit 211: 697
Acidovorax
porin Omp34 membrane voltage gating 212: 129
Acknowledgement
referee 211: a21
Aconitase
iron regulatory factor mRNA translation 218: 657
Actin
beta mRNA binding protein cytoskeleton 212: 217
binding myosin site 215: 17
dimer orientation gelsolin ternary complex 218: 507
F photochem crosslinking myosin 213: 1243
filament assembly stability C terminus 212: 247
fragmin kinase Physarum purifn sequence 214: 111
G conformation cation nucleotide dependent 211: 731
gelsolin conformation calcium 212: 713
gene promoter expression sequence Xenopus 214: 425
stabilization DNase I binding 218: 911
Actinin
alpha metavinculin interaction phosphatidylserine membrane 213: 1009
Actinobacillus
capsule antigen structure teichoate 214: 209
Action
spectrum Cab gene expression bean 211: 127
Active
immunization catalytic antibody 214: 197
site astacin family zinc coordination 214: 215
site beta lactamase TEM1 Pseudomonas 217: 939
site binding cytochrome bo oxidase 212: 657
site bisphosphoglycerate mutase arginine histidine 213: 493
site dynamics chymotrypsin reverse micelle 211: 47
site glutathione transferase electrostatic potential 215: 663
site glycolate oxidase tyrosine role 213: 1047
site iron water phenylalanine monooxygenase 211: 259
site mutation alpha amylase Bacillus 211: 899
site phosphatidylinositol specific phospholipase C 213: 339
site phospholipase A2 arginine role 213: 517
site residue function carbonic anhydrase 211: 821
site sorbitol dehydrogenase cysteine modification 211: 861
Acyl
CoA synthetase liver fibrate deriv 216: 615
CoA thioesterase carboxylesterase family microsome 214: 719
Acylation
lysophosphatidylcholine octadecenyl analog plant 213: 965
Acylpeptide
hydrolase lens 216: 631
Acyltransfer
kinetics chymotrypsin nucleophile binding 217: 955
Acyltransferase
aminopenicillanic acid gene penDE Penicillium 215: 323
Adaptation
receptor neurosecretion habituation cAMP 217: 259
Adenine
modified NAD deriv lactate dehydrogenase 213: 947
RNA chloroplast cytochrome h6f 218: 397
specific DNA methyltransferase kinetics 218: 727
thymine rich DNA Hoechst 33258 211: 437
Adenosine
methylenetriphosphate chromium complex ATPase mechanism 213: 743
polyphosphate luciferase promoted synthesis 212: 263
receptor binding adenosinealkane cytotoxicity metab 214: 935
toxicity lymphocyte bisadenosinylalkane structure activity 215: 465
Adenosinealkane
adenosine receptor binding cytotoxicity metab 214: 935
Adenosineoligophosphoadenosine 212: 263
Adenosinetetraphosphonucleoside 212: 263
correction 215: 907
Adenosylmethionine
decarboxylase regulation cell polyamine 214: 671
decarboxylase SAM1 cell 215: 247
Adenylate
cyclase activation calmodulin domain flexibility 217: 581
cyclase prostaglandin EP3 receptor subtype 217: 313
kinase gene sequence Bordetella 218: 921
Adenylyl
acceptor complex 212: 263
Adhesion
cell axonin homophilic interaction 215: 133
cell protein glycolipid anchor Polysphondylium 218: 623
Adipocyte
malic enzyme cAMP retinoate 215: 285
white brown protein review 218: 785
Adipose
tissue adrenergic receptor mRNA splicing 213: 1117
ADP
ATP carrier permeability mitochondria liver 215: 595
ATP translocator gene regulation Saccharomyces 213: 547
fibrinogen platelet inositol phospholipid 216: 231
Adrenal
gland cholesterol metab endotoxemia shock 211: 829
medulla chromogranin A processing 217: 247
Adrenergic
receptor gene promoter sequence 213: 1117
receptor heart G protein interaction 213: 57
Adrenoceptor
beta2 G protein cell transformation 213: 797
AES
protein cDNA sequence mouse human 216: 343
Affinity
chromatog MAP kinase kinase muscle 214: 459
labeling G protein GTP crosslinking 215: 473
labeling phosphoglycerate kinase yeast 212: 719
labeling sorbitol dehydrogenase bromoimidazolylpropionate 211: 861
Agarase
Alteromonas 214: 599
Age
insulin glycosylphosphatidylinositol signaling system 211: 431
Agglutinin
twayblade orchid carbohydrate binding 217: 677
Aggregation
beta crystallin B2 subunit 213: 321
substance sex pheromone induced Enterococcus 211: 711
Agkistrodotoxin
ammodytoxin chaperon subunit neurotoxin 211: 57
Agonist
partial interleukin 1beta mutation 211: 583
Agrobacterium
hydantoinase 213: 1315
Albolabrin
conformation 218: 853
Albumin
cDNA sequence conformation horse 215: 205
conformation unfolding histidine pH

212: 811
Herborn lysine glutamate replacement human 214: 437
Alc
dehydrogenase assocn subtilisin Drosophila 211: 357
dehydrogenase I alligator structure evolution 216: 49
dehydrogenase isoenzyme immunization liver ethanol 212: 757
dehydrogenase isoenzyme rabbit sequence characterization 213: 31
dehydrogenase lysine glycation liver 215: 567
dehydrogenase mRNA tissue 215: 497
dehydrogenase nitrosodimethylaniline Amycolatopsis 212: 819
esterification nucleotide phosphodiesterase mechanism venom 213: 1139
sorbitol dehydrogenase proteolysis structure 213: 487
Aldehyde
dehydrogenase isoenzyme E3 sequence human 218: 311
oxidoreductase Desulfovibrio crystal structure 215: 729
Aldolase
dihydroneopterin gene fas Pneumocystis 216: 449
gene brain specific regulation 218: 143
paracatalytic self inactivation intermediate structure 214: 515
pentose pathway flux 213: 477
Aldose
reductase sequence pig 218: 893
Alk
phosphatase differentiation retinoid prepn structure 212: 13
phosphatase glycosylphosphatidylinositol anchored heterogeneity intestine 217: 199
Alkanoate
depolymerase gene phaZ1 Pseudomonas 218: 701
Alkenyl
ether phospholipid acylation desatn microsome 213: 965
Alkyl
ester AMP nucleotide phosphodiesterase mechanism 213: 1139
Allergen
Ole e I Olea sequence 216: 863
pollen isoform hazel 212: 355
Alligator
liver alc dehydrogenase 216: 49
Allium
mannose specific lectin gene 217: 123
Allosteric
kinetics ornithine carbamoyltransferase glutamate mutation 215: 833
Alpha1
antichymotrypsin lymphoblast Alzheimer disease 217: 21
antitrypsin PiZ mutant metab 213: 271
Alternative
promoter collagen X gene mouse 213: 99
Alteromonas
agarase 214: 599
Aluminum
chloro tetramethyltetrapyridino porphyrazine interaction DNA 217: 371
Alzheimer
beta amyloid peptide conformation membrane 211: 249
disease amyloid precursor protein processing 217: 21
Amidase
gene sequence specificity Rhodococcus 217: 327
penicillin gene penDE Penicillium 215: 323
Amidating
enzyme mol diversity Xenopus tissue 214: 811
Amidohydrolase
isopenicillin gene penDE Penicillium 215: 323
Amiloride
binding protein cDNA sequence rat 216: 679
Amino
acceptor glycoprotein gp41 HIV transglutaminase 215: 99
acid deriv synthesis aminopeptidase A 211: 105
acid glycogen phosphorylase imidazole citrate 215: 761
acid hepatocyte swelling autophagy 215: 449
acid mitochondria gene PDA1 Saccharomyces 218: 405
acid oxidase protein Malpha Chlamydomonas 215: 351
acid oxidase Trigonopsis cysteine 218: 735
acid peptide nomenclature correction 213: 2
acid sequence aldose reductase 218: 893
domain tailspike endorhamnosidase folding assembly 215: 653
Aminoacyl
property tRNA fluorescent labeling 213: 583
Aminobutyraldehyde
aldehyde dehydrogenase isoenzyme E3 human 218: 311
Aminoethylphosphonate
aminotransferase reaction stereochemistry Pseudomonas 215: 841
Aminoketopimelate
split metab lysine formation Corynebacterium 213: 1325
Aminopenicillanic
acid acyltransferase gene penDE Penicillium 215: 323
Aminopeptidase
A Staphylococcus 211: 105
lysyl gene pepN Lactobacillus sequence 217: 105
Streptomyces specificity modulation divalent cation 212: 107
Aminotransferase
aminoethylphosphonate reaction stereochemistry Pseudomonas 215: 841
aspartate coenzyme site lysine histidine 211: 475
aspartate conformation probe ligand transition 216: 763
aspartate inactivation arsonoalanine 215: 161
gene cobC nifS pabC malY 211: 373
sequence homol classification evolution 214: 549
tyrosine gene transcription glucocorticoid enhancer 211: 459
Ammodytoxin
agkistrodotoxin chaperon subunit neurotoxin 211: 57
Ammonia
lyase aspartate inhibition arsonoalanine 215: 161
Ammonium
bacteria alkaliphile leucine glucose transport 217: 435
lysine formation split path Corynebacterium 213: 1325
AMP
alkyl ester nucleotide phosphodiesterase mechanism 213: 1139
AmpR
gene protein Citrobacter 213: 405
Amycolatopsis
nitrosodimethylaniline alc dehydrogenase 212: 819
Amylase
alpha active site mutation Bacillus 211: 899
beta cDNA sequence soybean 214: 787
sweet potato sequence 216: 25
Amyloid
beta peptide conformation membrane Alzheimer 211: 249
precursor protein processing Alzheimer disease 217: 21
Anabaena
plastocyanin cytochrome photooxidn photosystem I 213: 1133
Anaerobic
metab hydroxybenzoate CoA ligase Pseudomonas 213: 555
metab hydroxybenzoyl CoA reductase Pseudomonas 213: 563
Anchor
glycolipid glycoprotein gp64 Polyspondylium 218: 623
glycosylphosphatidylinositol oligosaccharide lipid Tc85 glycoprotein 217: 597
hydrophobic subunit acetylcholinesterase evolution brain 215: 333
membrane glycosylphosphatidylinositol PsA glycoprotein Dictyostelium 216: 729
Anemia
ankyrin gene review 211: 1
Anhydrase
carbonic active site residue function 211: 821
carbonic purifn kinetic characterization pea 218: 439
Anhydride
carbonic azide complex crystal structure 213: 507
Anilinonaphthalenesulfonate
probe pregnancy zone protein 218: 651
Animal
cell vigilin expression 213: 727
lactate dehydrogenase epsilon crystallin stability 211: 643
sex detn genetics review 218: 769
Anion
cAMP receptor protein DNA Escherichia 212: 539
cation protein DNA binding model 218: 469
transport channel porin Omp34 Acidovorax 212: 129
Ankyrin
gene anemia cerebellum dysfunction review 211: 1
Annulus
fibrosus hyaline cartilage collagen II 213: 1297
Antenna
LHII gene cloning Rhodopseudomonas 217: 867
Anthranilate
synthase Catharanthus 212: 431
Antiadrenocorticotropin
neutrophil peptide defensin 216: 653
Antibacterial
nisin protonmotive force membrane lipid 212: 417
peptide intestine gastric inhibitory polypeptide 216: 623
Antibiotic
interaction beta lactamase 217: 61
Antibody
binding influenza virus N9 sialidase 217: 319
catalytic esterase activity 214: 197
monoclonal gastric lipase 211: 99
monoclonal Leishmania acid phosphatase lipophosphoglycan 217: 603

monoclonal potassium channel 216: 871
nitric oxide synthase structure conformation 215: 801
tumor assocd antigen epitope membrane 217: 337
Antichymotrypsin
alpha1 lymphoblast Alzheimer disease 217: 21
Bombyx sequence 214: 181
Anticoagulant
protein S sequence rabbit cDNA 217: 857
Anticodon
glycine specific tRNA codon Bombyx 217: 131
methylaminomethyluridine arginine tRNA wobble Escherichia 216: 369
Antigen
capsule Actinobacillus structure teichoate 214: 209
CGM1 splice variant human sequence 214: 27
Chlamydia lipopolysaccharide Escherichia oligosaccharide bisphosphate 214: 703
glycopeptidolipid Mycobacterium 215: 859
Kidd erythrocyte urea transporter 218: 447
methylserine contg glycopeptidolipid structure Mycobacterium 214: 395
O polysaccharide Escherichia 213: 859
O polysaccharide Fusobacterium structure 212: 801
PCNA gene promoter element mouse 218: 173
receptor B cell kinase p72syk 213: 455
T interaction phosphoprotein phosphatase 2A 214: 281
tumor assocd epitope membrane antibody 217: 337
tumor assocd formation fucosyltransferase 216: 769
Antiidiotypic
IgG cysteinyl leukotriene receptor macrophage 214: 83
Antioxidant
oxidative stress review 215: 213
Antirepressor
glucocorticoid receptor transcription 215: 505
Antisense
oligodeoxyribonucleotide psoralen herpesvirus virucide radiosensitizer 216: 19
oligonucleotide prorenin gene expression transformation 212: 347
Antitrypsin
alpha1 PiZ mutant metab 213: 271
Antitumor
multidrug resistance plasma membrane pump 218: 871
platinum DNA cleavage restriction enzyme 216: 183
resistance doxorubicin lipid glutathione peroxidase 211: 141
Aorta
atriopeptin receptor guanylate cyclase 217: 295
AOT
isooctane reverse micelle catalase 217: 567
Aplysia
nervous system phosphonoglycosphingolipid correction 217: 1129
Apolipoprotein
A1 gene regulatory protein 216: 247
Apomyoglobin
acid compact state comformation dynamics 218: 213
Aponeocarzinostatin
crystal structure 213: 737
Apophytochrome
B phycocyanobilin adduct 215: 587
Apoptosis
thymocyte nuclease radiation DNA 215: 893
AP1
cAMP regulation interleukin gene 213: 243
Arabidopsis
glutathione S transferase cDNA sequence 216: 579
Arabinose
proton symport protein cytochalasin B 215: 43
Arachidonate
activation NADPH oxidase neutrophil 211: 157
baculovirus system leukotriene B4 prodn 218: 477
GAP rap GTPase rap1A protein 216: 813
glucose phosphatase liver microsome diabetes 213: 461
lipoxygenase activation protein activator mechanism 215: 105
lipoxygenase specificity product platelet leukocyte 218: 165
macrophage G protein formylmethionylleucylphenylalanine PAF 213: 295
metab macrophage activation 218: 753
neutrophil respiration G protein 218: 669
phospholipase A phosphorylation macrophage bacteria 213: 81
phospholipase A2 platelet activation 216: 169
15 lipoxygenase oxygenation lipoprotein mammal 213: 251
Archaeal
tetraether lipid proton transport protein 214: 917
Archaeoglobus
coenzyme F420 dependent enzyme stereospecificity 214: 641
Arginase
expression metamorphosis tadpole 211: 891
Arginine
bisphosphoglycerate mutase active site 213: 493
DNA polymerase Klenow catalytic function 214: 59
metab intestine newborn 216: 109
role phospholipase A2 active site 213: 517
tRNA anticodon methylaminomethyluridine wobble Escherichia 216: 369
uptake yeast plasma membrane 211: 683
179 interleukin 6 receptor interaction 211: 749
Armadillidium
hyperglycemic neuropeptide sequence 211: 601
Arogenate
prephenate dehydrogenase Zymomonas 212: 157
Arom
residue RNA formation factor TF1 213: 865
Aromatase
horse human methylnortestosterone metab 214: 569
mRNA alternative splicing human 213: 383
Arrestin
photoreceptor pigment phosphorylation blowfly 216: 67
Arsonoacrylate
inhibition fumarase 215: 161
Arsonoalanine
prepn enzyme interaction 215: 161
Arsonolactate
inhibition fumarase 215: 161
Ascidian
entactin nidogen sequence 213: 11
Ascorbate
inactivation tyrosine hydroxylase phosphorylated form 218: 363
Asparagine
specific protease soybean 215: 123
Aspartate
aminotransferase coenzyme site lysine histidine 211: 475
aminotransferase conformation probe ligand transition 216: 763
aminotransferase inactivation arsonoalanine 215: 161
Aspergillus
glucoamylase starch binding domain maltooligosaccharide 211: 717
overflow catabolism NADH ubiquinone oxidoreductase 216: 223
Assembly
self laminin domain basement membrane 216: 437
tailspike endorhamnosidase amino domain 215: 653
Astacin
zinc metalloproteinase family structure function 214: 215
Astrocyte
brain glucose metab 217: 617
TSH iodothyronine deiodinase cAMP 218: 1091
Atherosclerosis
arachidonate lipoxygenase oxygenation lipoprotein mammal 213: 251
monocyte adhesion endothelium phospholipase A2 217: 723
ATP
ADP carrier permeability mitochondria liver 215: 595
ADP translocator gene regulation Saccharomyces 213: 547
analog interaction phosphoglycerate kinase yeast 212: 719
binding site ryanodine receptor muscle 213: 147
cell proliferation inhibition polyamine 217: 89
E1 site modification ATPase conformation 213: 743
formation bloodstream Trypanosoma 216: 75
formation mechanism mitochondria review 218: 759
gene recA protein histidine DNA 217: 665
magnesium binding ATPase sarcoplasmic reticulum 211: 117
pyruvate kinase metformin gluconeogenesis liver 213: 1341
synthase activation thermodn Spirulina 213: 957
synthase conformation change chloroplast 214: 587
synthase heart mitochondria 218: 377
ATPase
activation protonmotive force plant mitochondria 216: 565
binding site proximity sarcoplasmic reticulum 217: 737
calcium sensitive insensitive form detn 218: 959
conformer activity hydration reverse micelle 213: 757
creatine kinase coupling calcium transport 213: 973
epitope mapping Saccharomyces membrane 212: 737
F1 epsilon subunit conformation mitochondria 214: 729
gene promoter Sp1 E box 218: 195

Golgi Saccharomyces calcium transport 216: 573
hybrid Propionigenium cloning Escherichia 218: 937
inhibitor protein IF1 receptor mitochondria 215: 487
kinetics mechanism sarcoplasmic reticulum 211: 117
magnesium site sarcoplasmic reticulum 217: 225
mechanism adenosine methylenetriphosphate chromium complex 213: 743
nucleotide binding site 218: 823
regulation Escherichia lac promoter 211: 181
sodium alkaliphile bacteria ammonium 217: 435
sodium potassium endogenous inhibitor urine 211: 317
yeast bacteriorhodopsin coreconstitution liposome 214: 563
Atriopeptin
dephosphorylation protein phosphatase 2A 211: 485
receptor aorta guanylate cyclase 217: 295
Attacin
processing insect fat body 214: 287
Autolysis
progelatinase A activation 218: 431
Autophagy
hepatocyte okadaic acid 215: 113
hepatocyte swelling amino acid 215: 449
Autophosphorylation
casein kinase rat 218: 515
Autotrophic
carbon fixation cyclic pathway Chloroflexus 215: 619
Axonin
homophilic interaction cell adhesion 215: 133
1 cDNA sequence human 211: 329
Azide
carbonic anhydride complex crystal structure 213: 507
Azotobacter
dihydrolipoyl transacetylase hinge region role 211: 591
molybdenum iron protein P cluster 212: 51
Azurin
lysine mutant ionization structure electrochem 218: 229
mutant copper site potential Pseudomonas 212: 289
Azurocidin
interaction trypsin inhibitor pancreas 214: 271
B
cell antigen receptor kinase p72syk 213: 455
Bacillus
alpha amylase active site mutation 211: 899
cytochrome c550 sol membrane form 212: 499
cytochrome P450BM3 charge transfer transition 213: 683
dye linked malate dehydrogenase 214: 37
endotoxin insect midgut membrane permeability 214: 771
extracellular lipase 216: 155
HBsu protein conformation phenylalanine tryptophan 217: 849
lactate dehydrogenase conserved threonine role 212: 447
oxo acid dehydrogenase gene sequence 213: 1091
pyruvate kinase phosphofructokinase gene sequence 211: 851
ribosomal protein ribosome subunit 217: 361
RNase mutant specificity 215: 167
Bacteria
alkaliphile leucine glucose transport ammonium 217: 435
arachidonate phospholipase A phosphorylation macrophage 213: 81
benzoate degrdn 211: 649
electron transport hydrogen formation glycolate 217: 233
endotoxin lipid A conformation 218: 555
lipopolysaccharide x ray diffraction conformation 217: 771
methylamine dehydrogenase activity cytochrome c 218: 711
photosynthetic nicotinamide nucleotide transhydrogenase inhibition 211: 663
plant thioredoxin glutaredoxin sulfitolysis 211: 609
porin endothelium platelet activating factor 214: 685
ribosome dissocn pressure 218: 463
seryl tRNA synthetase yeast activity 214: 869
Bacterioferritin
Escherichia 213: 329
Bacterioopsin
Halobacterium synthetic gene sequence 211: 27
Bacteriophage
gene V protein DNA domain 216: 507
SPO1 transcription factor 1 NMR 213: 865
Bacteriorhodopsin
ATPase yeast coreconstitution liposome 214: 563
phosphatidylcholine interaction structure 218: 385
protein conformation 218: 837
proton transport archaeal lipid membrane 214: 917
synthase reconstitution ATP formation light 218: 377
synthetic gene cloning Escherichia 211: 27
Baculovirus
Spodoptera recombinant interleukin 2 215: 189
system arachidonate leukotriene B4 prodn 218: 477
Bakers
yeast trehalose synthase component regulation 216: 841
Band
4 protein membrane inositol phospholipid 211: 671
Barley
leaf light stress inducible protein 214: 779
plastocyanin gene sequence 217: 97
Barnase
mutant specificity Bacillus 215: 167
Base
sequence DNA mithramycin binding 215: 561
Basement
membrane laminin domain self assembly 216: 437
Basic
FGF proteolysis glycosaminoglycan 214: 51
protein spermatozoa conformation 214: 879
Basidiomycete
pyranose oxidase 214: 795
Bean
Cab gene expression phytochrome 211: 127
kidney purple acid phosphatase Mossbauer 214: 313
Benzoate
degrdn bacteria 211: 649
Benzopyrene
activation yeast xenobiotic metab 211: 63
Benzoyl
CoA redn Pseudomonas Rhodopseudomonas 211: 649
Berenil
DNA binding 213: 1175
Beta
amyloid peptide conformation membrane Alzheimer 211: 249
lactamase antibiotic interaction 217: 61
Biantennary
oligosaccharide inhibition lectin 216: 789
Big
endothelin hydrolysis endothelin converting enzyme 218: 493
Bile
acid formation liver oxocholesterol 215: 705
chylomicron remnant cholesterol secretion 211: 781
salt lipase glycosylation variant pancreatitis 216: 807
salt lipase oligosaccharide pancreatic juice 216: 799
Binding
glucocorticoid receptor macromol translocation inhibitor 218: 679
Biotin
dependent carboxylase mol evolution 215: 687
formation intermediate lavender culture 217: 479
Bisadenosinylalkane
adenosine toxicity lymphocyte structure activity 215: 465
BisANS
probe pregnancy zone protein 218: 651
Bisphosphatase
fructose gene Kluyveromyces sequence 212: 193
Bisphosphoglycerate
mutase active site arginine histidine 213: 493
Blattella
sequence hydroxymethylglutaryl CoA reductase 213: 233
Blood
coagulation factor protein S sequence 217: 857
factor X activation carbohydrate 218: 153
factor X activation factor VII 217: 509
platelet activating factor porin Salmonella 214: 685
platelet aggregation lactotransferrin receptor 213: 1205
platelet protein kinase activating factor 216: 639
vasopressor factor hypertension 218: 67
Blowfly
arrestin photoreceptor pigment phosphorylation 216: 67
Boar
protein spermadhesin 218: 719
Bombyx
antichymotrypsin sequence 214: 181
glycine specific tRNA anticodon codon 217: 131
sorbitol dehydrogenase gene sequence diapause 213: 1125
Bond
hydrogen methyl lactoside Ricinus lectin 214: 677
Bone
marrow hemonectin 213: 523
metab calcitriol IGF 218: 883
Bordetella
adenylate cyclase calmodulin domain reconstitution 217: 581
adenylate kinase gene sequence 218: 921

Botulin
B proteolysis vesicle membrane pro= tein 217: 965
Bowman
Birk inhibitor trypsin complex crys= tallog 212: 549
Brain
acetylcholinesterase hydrophobic anchor subunit evolution 215: 333
delta sleep inducing peptide sequence 216: 429
G protein phospholipase D activation 215: 389
granule cell astrocyte glucose metab 217: 617
guanylate kinase sequence pig 213: 263
hippocampus epilepsy phosphoprotein MAP2 dephosphorylayion 215: 181
inositol phosphatase kinetics mecha= nism 212: 693
lipoxygenase cDNA sequence rat 212: 605
lymphoid tissue cannabinoid receptor expression 214: 173
PACAP 1 receptor purifn 217: 823
phosphoneuroprotein 14 sequence cattle 217: 1057
pituitary dopamine D2 receptor Xe= nopus 213: 1349
specific regulation aldolase gene 218: 143
substance P peptide dogfish 214: 469
succinate semialdehyde dehydroge= nase 211: 757
Branched
chain alpha oxo acid dehydrogenase 213: 1091
pathway metab control model 213: 625
Brassica
cruciferin disulfide interchange 217: 891
Breast
cancer proliferation protein pS2 TPA 215: 671
Bromoconduritol
binding site glucosidase II liver 215: 37
Brown
adipocyte protein review 218: 785
Buffer
polyamine ribosome dissocn pressure 218: 463
Butylhydroperoxide
liver cyclooxygenase potassium chan= nel 211: 449
Butyrate
CETP protein expression hepatocyte 218: 945
Butyrobetaine
hydroxylase gamma chain sequence Pseudomonas 213: 1075
C
reactive protein oligosaccharide Lim= ulus 214: 99
reactive protein subunit compn Limu= lus 214: 91
Cab
gene expression phytochrome bean 211: 127
Cadmium
contg metallothionein I sequence Helix 216: 739
Calbindin
D28k calcium EF hand 215: 401
Calcitriol
osteocalcin formation osteoblast IGF 218: 883
Calcium
activation aminopeptidase specificity Streptomyces 212: 107
ATPase magnesium site sarcoplasmic reticulum 217: 225
ATPase sensitive insensitive form detn 218: 959
binding ATPase sarcoplasmic reticu= lum 211: 117
binding sialic acid ependymin confor= mation 217: 275
crystallin beta B2 dimer conformation 213: 313
EF hand calretinin calbindin D28k 215: 401
gelsolin conformation 212: 713
influx neutrophil complement C3a 217: 289
pyrophosphatase mitochondria Sac= charomyces 217: 657
release channel ATP binding site 213: 147
transport creatine kinase ATPase coupling 213: 973
transport Saccharomyces ATPase Golgi 216: 573
troponin conformation muscle con= traction 213: 599
Callistephus
flavanone hydroxylase cDNA 217: 745
Calmodulin
adenylate cyclase activation domain flexibility 217: 581
interaction inositol trisphosphate kinase domain 214: 497
Calpain
thrombin platelet aggregation peptide inhibitor 214: 233
Calretinin
calcium EF hand 215: 401
cAMP
AP1 regulation interleukin gene 213: 243
dependent protein kinase activity Saccharomyces 213: 501
glucose response gene CSC25 Candida 213: 195
iodothyronine deiodinase astrocyte TSH 218: 1091
neurosecretion habituation receptor adaptation 217: 259
receptor protein DNA anion Escheric= hia 212: 539
regulatory region gene cytochrome P450 214: 521
retinoate adipocyte malic enzyme 215: 285
Campylobacter
lipopolysaccharide 213: 1029
serotype lipopolysaccharide core structure 213: 1017
serotype lipopolysaccharide core structure correction 216: 880
Canaliculus
membrane hepatocyte taurocholate transporting glycoprotein 214: 539
Cancer
breast proliferation protein pS2 TPA 215: 671
Candida
cytochrome P 450 membrane topol 216: 477
gene CDC25 homolog cloning Saccha= romyces 213: 195
protein mannosyltransferase peptide substrate 215: 845
Cannabinoid
receptor expression mRNA human leukocyte 214: 173
CAP
RNA formation factor DNA anion 212: 539
Capparis
mabinlin II sequence 211: 281
Capsule
antigen Actinobacillus structure teic= hoate 214: 209
polysaccharide Klebsiella structure 213: 445
CAP37
protein Kunitz trypsin inhibitor 214: 271
Carbachol
stomach secretion prophospholipase A2 215: 91
Carbamoyl
amino acid hydrolase Comamonas 212: 685
Carbamoyltransferase
ornithine allosteric kinetics glutamate mutation 215: 833
Carbohydrate
binding lectin Listera leaf 217: 677
chain interleukin 5 thermostability 211: 903
factor X activation 218: 153
structure phospholipase A2 honeybee venom 213: 1193
Carbon
dioxide fixation hydroxypropionate cycle enzyme 215: 633
fixation cyclic autotrophic pathway Chloroflexus 215: 619
13 glucose incubation glioma 217: 457
Carbonic
anhydrase active site residue function 211: 821
anhydrase purifn kinetic characteriza= tion pea 218: 439
anhydrase 1 Chlamydomonas se= quence 214: 9
anhydride azide complex crystal structure 213: 507
Carboxy
terminal domain thermolysin confor= mation 211: 569
terminal EGF conformation 211: 213
Carboxykinase
phosphoenolpyruvate mRNA glucagon insulin liver 215: 541
Carboxylase
acetyl CoA liver cell swelling 217: 1083
biotin dependent functional domain 215: 687
ribulose bisphosphatase stoichiometry multienzyme chloroplast 217: 1065
ribulose bisphosphate processing proteinase Chlamydomonas 217: 1039
ribulose diphosphate kinetics enzyme complex 217: 1075
Carboxylesterase
family acyl CoA thioesterase micro= some 214: 719
Carboxypeptidase
A B binding synergism mechanism 218: 529
Carboxytransferase
subunit glutaconyl CoA decarboxylase Acidaminococcus 211: 697
Carboxyvinyltransferase
UDP acetylglucosamine intermediate mechanism 218: 861
Carcinoma
daunorubicin resistance plasma mem= brane pump 218: 871
Lewis histone protein HMG14 HMGI 213: 825
Cardiac
fatty acid binding protein placenta 211: 725
Cardiolipin
biosynthesis isoform structure euka= ryote 212: 727
Cardiotoxin
CTX IIb Naja structure 213: 891
Caretta
superoxide dismutase sequence insert proteolysis 211: 843

Carotene
binding protein photosystem II 212: 297
Carrier
ADP ATP permeability mitochondria liver 215: 595
Cartilage
hyaline annulus fibrosus collagen II 213: 1297
tensin chondrocyte embryo 217: 781
Casein
kinase phosphorylation site serine 218: 515
Catabolite
repression glucose Saccharomyces glycolysis 214: 121
Catalase
peroxidase gene cpeA sequence Rhodobacter 214: 251
reverse micelle AOT isooctane 217: 567
Catalytic
antibody esterase activity 214: 197
Cataract
eye lens digitalis like compd 216: 261
Catharanthus
anthranilate synthase 212: 431
Cathepsin
E procathepsin cDNA sequence rabbit 216: 717
Cation
anion protein DNA binding model 218: 469
dependent conformation G actin 211: 731
divalent stoichiometry redox cytochrome oxidase 213: 1149
divalent Streptomyces aminopeptidase specificity modulation 212: 107
factor IX conformation phospholipid 212: 339
site structure function inositol monophosphatase 217: 281
Cattle
brain phosphoneuroprotein 14 sequence 217: 1057
sequence coagulation factor X 218: 153
CCAM
protein sequence rat 213: 1109
CCK
receptor peripheral review 215: 513
Cdc2
protein kinase lamin phosphorylation 213: 659
cDNA
aldehyde dehydrogenase isoenzyme E3 human 218: 311
amiloride binding protein sequence rat 216: 679
Bombyx antichymotrypsin sequence 214: 181
cathepsin E sequence rabbit 216: 717
cloning gelatinase B regulation mouse 218: 129
collagen XIV sequence chicken 212: 483
dopamine D2 receptor sequence Xenopus 213: 1349
elongation factor isoform human sequence 215: 549
entactin nidogen Halocynthia sequence 213: 11
ethylene forming enzyme sequence melon 212: 27
flavanone hydroxylase Dianthus Callistephus Matthiola 217: 745
galactoside sialyltransferase sequence mouse 216: 377
glutathione S transferase sequence Arabidopsis 216: 579
HES 2 rat sequence 215: 645
hirudin Hirudinaria sequence 214: 295
hydroxy acid oxidase rat sequence 214: 17
hydroxymethylglutaryl CoA synthase sequence cockroach 217: 691
interleukin 1beta pig cloning Escherichia 217: 45
laminin sequence mRNA human 216: 293
latroinsectotoxin Latrodectus sequence 213: 121
lectin sequence Pleurodeles oviduct 213: 901
lipocortin 1 expression Escherichia 211: 347
lipoxygenase sequence rat brain 212: 605
man9 mannosidase sequence kidney human 217: 535
myosin binding protein C sequence 216: 661
nitric oxide synthase rat 217: 37
peptidylarginine deiminase mouse sequence 215: 677
phospholipase A2 sequence guinea pig 215: 91
prealphatrypsin inhibitor H3 precursor sequence 212: 771
protein BM 90 mouse sequence 215: 733
protein kinase C isoenzyme human 216: 597
protein S anticoagulant sequence rabbit 217: 857
proteindisulfide isomerase CaBP2 sequence rat 213: 789
rab protein sequence Lymnaea 217: 241
sequence acetylcholine receptor human 215: 229
sequence albumin horse 215: 205
sequence axonin 1 human 211: 329
sequence beta amylase soybean 214: 787
sequence calretinin chicken 215: 401
sequence electron transfer flavoprotein human 213: 1003
sequence insulinlike growth factor I 218: 205
sequence perchlorate soluble protein rat 212: 665
sequence peroxidase Coprinus 213: 605
sequence presorbitol dehydrogenase rat testis 217: 83
sequence ransom mannose specific lectin 217: 123
sequence squid microtubule protein MAPH1 211: 193
sequence vasopressin V2 receptor 215: 1
testican human sequence 214: 347
TRAP protein subunit sequence rat 214: 375
trypsinogen isoenzyme sequence cod 217: 1091
CD66
epitope antigen CGM1 human granulocyte 214: 27
CEBP
transcription factor glycoprotein gene rabbit 216: 127
Cell
adenosylmethionine decarboxylase regulation polyamine 214: 671
adhesion axonin homophilic interaction 215: 133
adhesion mol isoform liver 213: 1109
adhesion protein glycolipid anchor Polysphondylium 218: 623
attachment growth dolichol oligosaccharide metab 215: 873
glioma C6 metab flux detn 217: 457
K562 monodehydroascorbate reductase 218: 1057
mammalian phage T7 promoter transcription 217: 387
proliferation hydrogen signal transduction 213: 349
proliferation inhibition polyamine 217: 89
specific transcription regulation genesis 211: 509
swelling liver acetyl CoA carboxylase 217: 1083
transformation beta2 adrenoceptor G protein 213: 797
wall mannan Saccharomyces 217: 1
wall phosphatase soybean 211: 297
wall teichoic acid Glycomyces 218: 371
Cellodextrin
reduced hydrolysis cellulase kinetics 217: 947
Cellular
binding protein retinoid prepn 212: 13
Cellulase
C Clostridium 217: 557
kinetics reduced cellodextrin hydrolysis 217: 947
Cerebellum
dysfunction ankyrin gene review 211: 1
Cerulenin
analog inhibition fatty acid synthase 211: 111
CETP
protein expression hepatocyte butyrate 218: 945
CGRP
conformation structure 213: 927
Chain
gamma butyrobetaine hydroxylase sequence Pseudomonas 213: 1075
light myosin filament conformation muscle 216: 89
Channel
activity colicin Escherichia translocation 213: 217
calcium release ATP binding site 213: 147
ion protein proline conformation flexibility 212: 305
potassium liver hydroperoxide metab 211: 449
sodium like protein sequence rat 216: 679
Chaperon
subunit neurotoxin agkistrodotoxin ammodytoxin 211: 57
Chaperone
inhibitor 2 protein phosphatase 1 213: 1055
Charge
transfer transition cytochrome P450BM3 Bacillus 213: 683
Charybdotoxin
truncated analog prepn activity 217: 157
Chelodonichthys
root effect Hb subunit sequence 218: 829
Chemoattractant
neutrophil inflammatory exudate CINC related 214: 267
Chick
embryo hepatocyte xanthine dehydrogenase 215: 307
Chicken
calretinin cDNA sequence 215: 401
collagen XIV cDNA sequence 212: 483
embryo protein osteonectin 218: 117
embryo tensin sequence 217: 781
neurotrophin 3 receptor retina embryo 211: 789
ribosomal protein L37a gene sequence 213: 77

Chief
cell stomach pepsinogen A regulation 213: 1283
Chimera
plasminogen activator oligosaccharide structure 212: 639
Chitinase
isoenzyme parsley 213: 419
Chitooligosaccharide
site lysozyme 212: 151
Chlamydia
lipopolysaccharide antigen Escheric= hia oligosaccharide bisphosphate 214: 703
Chlamydomonas
carbonic anhydrase 1 sequence 214: 9
chloroplast protein precursor process= ing proteinase 217: 1039
hydrogenase sequence characterization 214: 475
protein Malpha amino acid oxidase 215: 351
Chloro
aluminum tetramethyltetrapyridino porphyrazine interaction DNA 217: 371
Chloroflexus
carbon fixation cyclic autotrophic pathway 215: 619
hydroxypropionate cycle enzyme carbon fixation 215: 633
Chlorophyll
ab binding protein conformation pigment 215: 809
binding light inducible protein mRNA 214: 779
Chloroplast
ATP synthase conformation change 214: 587
cytochrome h6f NAD RNA 218: 397
enzyme complex phosphoribulokinase activation thioredoxin 217: 1075
glyoxylate synthetase potato 214: 889
multienzyme complex subunit stoi= chiometry 217: 1065
NADP malate dehydrogenase se= quence Pisum 217: 189
pea import narB protein Synechococ= cus 214: 533
protein precursor processing protei= nase Chlamydomonas 217: 1039
single stranded binding protein pea 211: 171
Cholecystokinin
receptor pancreas heterogeneity 212: 529
Cholecystokininlike
neuropeptide Lymnaea 213: 875
Cholesterol
chylomicron remnant secretion bile 211: 781
hydroxylase oxocholesterol liver 215: 705
metab adrenal gland endotoxemia shock 211: 829
phospholipid membrane myelin basic protein 211: 689
pool steroid formation 216: 557
side chain analog cytochrome P450scc 217: 209
tumor assocd antigen epitope 217: 337
Cholinesterase
dimeric form marine worm 215: 267
Chondrocyte
proteoglycan link protein degrdn 212: 87
tensin cartilage embryo 217: 781
Chondrocytes
secretory leukocyte proteinase inhib= itor 218: 951
Chromaffin
cell adrenal chromogranin A process= ing 217: 247
Chromatin
Trypanosoma 216: 387
Chromatog
affinity MAP kinase kinase muscle 214: 459
liq glucose phosphate thymidylyl= transferase detn 211: 763
Chromatophore
nicotinamide nucleotide transhyd= rogenase Rhodospirillum 217: 763
Chromium
complex adenosine methylenetri= phosphate ATPase mechanism 213: 743
Chromogranin
A processing adrenal medulla 217: 247
Chromosome
hydroxyphenylpyruvate dioxygenase gene sequence human 213: 1081
MyBP C protein gene human 216: 661
Chronic
pancreatitis lipase glycosylation vari= ant 216: 807
Chylomicron
remnant cholesterol secretion bile 211: 781
Chyme
mucosa glycosylphosphatidylinositol anchored alk phosphatase 217: 199
Chymopapain
papain thermostability papaya 214: 129
Chymotrypsin
active site dynamics reverse micelle 211: 47
acyltransfer kinetics nucleophile binding 217: 955
hydration water activity reverse mi= celle 218: 1013
Ciliary
neurotrophic factor receptor 218: 1031
CINC
related neutrophil chemoattractant inflammatory exudate 214: 267
Ciprofibrate
epidermal growth factor receptor phosphorylation 215: 903
Cis
element glutamine synthetase pro= moter 213: 1067
Cisplatin
resistance leukemia DNA excision repair 211: 403
Citrate
synthase dimeric gene sequence Es= cherichia 214: 75
Citrobacter
gene ampR protein 213: 405
Cleavage
site nidogen proteinase 217: 877
Cloning
ATPase hybrid Propionigenium Es= cherichia 218: 937
Candida gene CDC25 homolog Sac= charomyces 213: 195
cDNA gelatinase B regulation mouse 218: 129
cDNA interleukin 1beta pig Escheric= hia 217: 45
copper metallothionein Saccharomyc= es 212: 521
Escherichia O4 polysaccharide modi= fication 214: 259
gene dihydrofolate reductase Halofer= ax Escherichia 216: 199
Hyphomicrobium serine hydroxyme= thyltransferase gene 212: 745
intestinal trefoil factor receptor organ 212: 557
lipoxygenase cDNA rat brain Escher= ichia 212: 605
lipoxygenase gene human 214: 845
mutation urocanase gene Pseudomo= nas 217: 429
notechis 11 2L fusion protein 212: 441
sequence follistatin related protein gene 217: 13
seryl tRNA synthetase gene yeast 214: 869
synthetic gene bacteriorhodopsin Escherichia 211: 27
Clostridium
cellulase C 217: 557
flavodoxin flavin dynamics 218: 977
glutamate dehydrogenase substrate coenzyme mechanism 213: 935
hydroxybutyryl CoA dehydratase vinylacetyl isomerase 215: 421
serine threonine dehydratase prosth= etic group 215: 341
succinate semialdehyde dehydroge= nase CoA 212: 121
Clotting
protein hemolymph freshwater cray= fish 213: 591
Cluster
iron manganese methane monooxyge= nase hydroxylase 217: 217
cMyb
oncoprotein DNA domain conforma= tion 216: 147
CoA
succinate semialdehyde dehydroge= nase Clostridium 212: 121
Coagulation
factor protein S sequence 217: 857
factor X activation factor VII 217: 509
factor X sequence cattle human 218: 153
Cobalt
aminopeptidase specificity Strepto= myces 212: 107
metallothionein coordination NMR 211: 235
Cobra
neurotoxin II conformation 213: 1213
Cockroach
hydroxymethylglutaryl CoA reductase 213: 233
hydroxymethylglutaryl CoA synthase cDNA sequence 217: 691
Cod
trypsinogen isoenzyme cDNA se= quence 217: 1091
Codon
anticodon glycine specific tRNA Bombyx 217: 131
Coeff
flux control enzyme pathway theorem 212: 791
Coenzyme
F420 dependent enzyme stereospeci= ficity Archaeoglobus 214: 641
F420 hydrogenase subunit processing Methanococcus 213: 1355
M methyltransferase methyltetrahy= dromethanopterin corrinoid sub= unit 217: 115
site aspartate aminotransferase lysine histidine 211: 475
substrate glutamate dehydrogenase binding mechanism 213: 935
Cofactor
adduct glycogen phosphorylase amino acid 215: 761
Coho
salmon insulin like growth factor 218: 205
Colcemid
nitrobenzoxadiazolyl colchicine site tubulin fluorometry 212: 387
Colchicine
site fluorescent probe tubulin

212: 387
site tubulin tryptophan 216: 757
Colicin
A neg phospholipid membrane interaction 211: 625
N receptor Escherichia 214: 635
translocation channel activity Escherichia phospholipid 213: 217
Collagen
I gene mutation osteogenesis imperfecta 211: 415 217: 77
II hyaline cartilage annulus fibrosus 213: 1297
IV binding integrin 215: 151
X gene Col10a1 mouse 213: 99
XIV cDNA sequence chicken 212: 483
Colon
amiloride binding protein isoform sequence 216: 679
Col10a1
mouse collagen X gene 213: 99
Comamonas
carbamoyl amino acid hydrolase 212: 685
Complement
C3a calcium influx neutrophil 217: 289
Complex
III subunit sequence yeast 215: 601
Conformation
adenylate kinase tryptophan Bordetella 218: 921
albolabrin 218: 853
alpha lactalbumin complex polyamine 218: 303
apomyoglobin acid compact state dynamics 218: 213
aspartate aminotransferase coenzyme site lysine 211: 475
ATPase ATP E1 site modification 213: 743
bacteriorhodopsin protein 218: 837
basic protein spermatozoa 214: 879
beta amyloid peptide membrane Alzheimer 211: 249
CGRP 213: 927
change ATP synthase chloroplast 214: 587
chlorophyll ab binding protein pigment 215: 809
cMyb oncoprotein DNA domain 216: 147
crystallin beta B2 dimer extension 213: 313
deltorphin II NMR mol dynamics 212: 185
dendrotoxin I venom Dendroaspis 211: 813
DNA RNA hybrid duplex 215: 297
dynamics protein reverse micelle 211: 47
dynamics RNase B glycoform oligosaccharide 218: 239
EF Tu Ts GDP GTP 218: 1041
EGF carboxy terminal 211: 213
ependymin calcium binding 217: 275
factor IX cation phospholipid 212: 339
flavodoxin Desulfovibrio NMR 213: 167
flexibility ion channel protein proline 212: 305
F1 ATPase epsilon subunit mitochondria 214: 729
G actin cation nucleotide dependent 211: 731
gelsolin calcium actin tropomyosin 212: 713
gene psaA protein reaction center 214: 907
glutathione transferase P11 domain interaction 218: 845
Hb alpha chain zinc protoporphyrin 214: 383
HBsu protein phenylalanine tryptophan Bacillus 217: 849
helix Tat protein EIAV virus 218: 973
heme pocket myoglobin NOE 214: 405
heterogeneity cytochrome c553 Desulfovibrio 218: 293
histidine contg protein HPr Staphylococcus 216: 205
horse albumin 215: 205
interleukin 6 tryptophan sulfenylation 217: 53
Jun protein leucine zipper domain 214: 415
lipid A bacteria endotoxin 218: 555
lipopolysaccharide bacteria x ray diffraction 217: 771
lysozyme chitooligosaccharide site tryptophan 212: 151
lysozyme hen turkey NMR 215: 255
molten globule creatinase collapsed state 213: 1225
multiphasic folding glutathione transferase Proteus 215: 741
muscle enolase mRNA leader human 214: 367
myosin filament proteolysis muscle 216: 89
NADH peroxidase mechanism Enterococcus 211: 221
neurotoxin II Naja 213: 1213
nitric oxide synthase structure antibody 215: 801
parallel alpha beta protein NMR 215: 573
parathormone related protein 211: 205
parathyroid hormone fragment 215: 315
pertussis toxin T cell epitope 217: 171
phospholipase A2 inhibitor stereospecificity 215: 531
pregnancy zone protein fluorescent probe 218: 651
proadipokinetic hormone I processing 217: 905
probe aspartate aminotransferase transition ligand 216: 763
prolactin structure activity 214: 483
prosomatostatin processing 216: 39
protein binding mitochondria import 218: 905
protein phosphatase 1 isoform inhibitor 213: 1055
proteolipid membrane channel class 213: 21
p21cHras protein GTP binding hydrolysis 213: 781
Qout reaction domain complex III 215: 601
redox temp dependent cytochrome c 211: 555
RNase T1 GMP complex 218: 1005
sarcotoxin IA 217: 639
secondary acetylcholinesterase FTIR spectroscopy 213: 1235
stability determinant hybrid beta glucanase 216: 829
surfactant protein D conglutinin 215: 793
tetrahydropyrimidine deriv soln crystal 214: 897
thermolysin carboxy terminal domain 211: 569
thymosin beta4 218: 335
transglutaminase IR spectra 218: 499
troponin calcium muscle contraction 213: 599
tyrosine hydroxylase phosphorylation ascorbate binding 218: 363
unfolding albumin histidine pH 212: 811
unfolding refolding myosin rod model 218: 1049
Conformer
ATPase activity hydration reverse micelle 213: 757
Conglutinin
surfactant protein D structure 215: 793
Conopressin
lysine leech 217: 897
Consensus
sequence detection GTPase GTP crosslinking 215: 473
Control
analysis enzyme lac operon promoter 211: 181
analysis metab enzyme regulation kinetics 212: 833
metab branched pathway model 213: 625
metab unbranched pathway model 213: 613
Coordination
cobalt metallothionein NMR 211: 235
copper histidine superoxide dismutase NMR 213: 391
heme cytochrome c6 Monoraphidium 216: 329
zinc astacin family active site 214: 215
Copper
coordination histidine superoxide dismutase NMR 213: 391
metallothionein Saccharomyces cloning expression property 212: 521
site cytochrome oxidase stoichiometry redox 213: 1149
site potential azurin mutant Pseudomonas 212: 289
Coprinus
peroxidase cDNA sequence 213: 605
Core
glycan oligosaccharide mucin stomach 217: 645
Correction
adenosinetetraphosphonucleoside 215: 907
Aplysia nervous system phosphonoglycosphingolipid 217: 1129
Campylobacter serotype lipopolysaccharide core structure 216: 880
enzyme kinetics nomenclature 213: 1
gene protein phosphatase Z Saccharomyces 216: 881
glucoamylase kinetics mechanism Aspergillus 212: 840
glutathione S transferase cDNA Arabidopsis 218: 1096
hyrogenase subunit gene sequence Wolinella 214: 949
metab metabolite channeling pool size 216: 879
muscle enolase gene ENO3 human 218: 1095
NADH oxidase gene sequence Thermus 211: 909
nomenclature amino acid peptide 213: 2
nomenclature electron transfer protein enzyme 213: 2
peroxynitrite myeloperoxidase lactoperoxidase peroxidase 216: 881
porin PhoE precursor protein SecB 211: 909
protamine gene sequence evolution primate 218: 1095
proton transport archaeal tetraether lipid 216: 880
review transcription factor Ets family 215: 907
rhodopsin kinase light dependent mechanism 212: 840
snail molluscan insulin related neuro-

peptide 212: 839
steroid nomenclature IUPAC IUB 213: 2
tubulin colchicine site fluorescent probe 216: 879
yeast fructose bisphosphatase gene sequence 214: 949
Corrinoid
subunit methyltetrahydrometha= nopterin coenzyme M methyltrans= ferase 217: 115
Cortisol
macroglobulin formation mammary 214: 803
Corylus
major allergen I sequence 212: 355
Corynebacterium
lysine formation split path regulation 213: 1325
oxocyclohexenecarboxylate oxocyclo= hexanecarboxylate desaturase 218: 997
Coupling
creatine kinase ATPase calcium transport 213: 973
Cow
lysozyme sequence evolution kidney 213: 649
Crab
C reactive protein oligosaccharide 214: 99
C reactive protein subunit 214: 91
CRABP
testis mRNA retinoid 211: 835
Crabtree
effect thymocyte proliferation energy metab 212: 95
Crayfish
clotting protein hemolymph 213: 591
CRBP
testis mRNA retinoid 211: 835
CRE
enhancer element gene CYP21A2 human 214: 521
Creatinase
collapsed state molten globule confor= mation 213: 1225
Creatine
kinase ATPase coupling calcium transport 213: 973
Crosslinking
GTP G protein affinity labeling 215: 473
photochem F actin myosin 213: 1243
Crotoxin
isoform complex stability toxicity 214: 491
Cruciferae
11S globulin disulfide interchange 217: 891
Cruciferin
disulfide interchange Brassica 217: 891
Crustacean
hyperglycemic hormone sequence 211: 601
Crystal
structure albumin horse 215: 205
structure aponeocarzinostatin 213: 737
structure carbonic anhydride azide complex 213: 507
structure Desulfovibrio aldehyde oxidoreductase 215: 729
structure DNA octamer 213: 673
structure hydroxymethylbilane syn= thase Escherichia 211: 615
structure phycoerythrin Porphyridium 218: 103
structure proteinase inhibitor trypsin complex 212: 549
structure recombinant selenomethio= nyl interleukin 5 212: 751
structure RNase Sa guanosine cyclo= phosphorothioate 216: 301
structure RNase T1 GMP complex 218: 1005
structure RNase T1 ternary complex 211: 311
structure trypanothione reductase substrate complex 213: 67
tetrahydropyrimidine deriv conforma= tion soln 214: 897
Crystallin
alpha nonspherical isoform property 217: 143
beta aggregation B2 subunit 213: 321
beta B2 dimer conformation extension 213: 313
epsilon lactate dehydrogenase stabili= ty animal 211: 643
Csis
human 216: 487
CTP
synthetase leukemia 216: 161
Cucumis
ripening wounding cDNA 212: 27
Culture
aorta atriopeptin C receptor 217: 295
hepatocyte P 450 isoenzyme membr= ene 213: 805
Cuticle
Lm67 Lm70a Lm70b protein sequence 217: 267
Cyanoborohydride
redn aspartate aminotransferase conformation ligand 216: 763
Cyclase
adenylate activation calmodulin do= main flexibility 217: 581
adenylate prostaglandin EP3 receptor subtype 217: 313
guanylate atriopeptin receptor aorta 217: 295
Cyclic
autotrophic pathway carbon fixation Chloroflexus 215: 619
Cyclohexadienyl
dehydrogenase sequence Zymomonas 212: 157
Cycloheximide
resistance gene SCR2 SCR1 Schwan= niomyces 213: 849
resistance yeast ribosomal protein L41 213: 841
Cyclooxygenase
potassium channel liver butylhydro= peroxide 211: 449
Cyclophosphorothioate
guanosine complex RNase Sa 216: 301
Cysteine
amino acid oxidase Trigonopsis 218: 735
modification sorbitol dehydrogenase active site 211: 861
NADP malate dehydrogenase redn activation 217: 189
phosphotyrosine protein phosphatase phosphoenzyme intermediate 214: 647
protease soybean proglycinin process= ing 215: 123
proteinase thermostability papaya 214: 129
reactivity aspartate aminotransferase conformation ligand 216: 763
rich peptide assay 211: 377
sorbitol dehydrogenase zinc coordina= tion glutamate 216: 103
Cysteinyl
leukotriene receptor macrophage antiidiotypic IgG 214: 83
Cytidylyltransferase
phosphocholine expression hepatocyte 214: 927
Cytochalasin
B arabinose proton symport protein 215: 43
Cytochrome
b heterodisulfide reductase complex Methanosarcina 213: 529
bo oxidase active site binding 212: 657
c bacteria methylamine dehydroge= nase activity 218: 711
c heme cavity Methylophilus NMR 215: 817
c heme electronic structure NMR 211: 563
c oxidase metal stoichiometry redox 213: 1149
c oxidase mutation Saccharomyces 213: 129
c oxidase proton slippage Paracoccus 212: 827
c oxidase subunit fetus 217: 1099
c redox temp dependent conformation 211: 555
cd1 nitrite reductase Thiosphaera 212: 377
c3 kinetics hydrogenase Desulfovibrio 217: 981
c550 sol membrane form Bacillus 212: 499
c553 conformation heterogeneity Desulfovibrio 218: 293
c6 sequence heme coordination Mo= noraphidium 216: 329
h6f chloroplast NAD RNA 218: 397
oxidase subunit V promoter sequence 211: 411
P 450 IA1 IIB1 monooxygenase 215: 373
P 450 isoenzyme liver membrane 213: 805
P 450 membrane topol Candida 216: 477
P 450 regulation phosphatidylserine phosphatidylinositol 218: 1021
P 450 3A4 variant comparison 218: 355
photooxidn photosystem I 213: 1133
P450 cAMP regulatory region gene 214: 521
P450 gene exon alternative splicing 213: 383
P450 gene human PC12 cell 214: 735
P450 isoenzyme induction ethoxyphe= nol Rhodococcus 213: 211
P450 NOE spectroscopy 215: 431
P450BM3 charge transfer transition Bacillus 213: 683
P450scc cholesterol side chain analog 217: 209
P4503A4 gene sequence transcription human 218: 585
spectrometry respiratory mutant Saccharomyces 213: 137
yeast oxidative activation tienilic acid 213: 223
Cytokine
gene regulation transforming growth factor 213: 113
Cytomegalo
virus gp58 glycoprotein epitope map= ping 215: 383
Cytoskeleton
beta actin mRNA binding protein 212: 217
Cytosol
factor GTP phospholipase D activa= tion 215: 389
leukemia cell protein myristoyltrans= ferase 214: 853
LNPI elastase inhibitor polymorpho= nuclear granulocyte 217: 519
phospholipase A2 lysophospholipase activity mammal 218: 629
5S RNA metab liver 213: 1277
Cytotoxicity
metab adenosinealkane adenosine receptor binding 214: 935

tumor necrosis factor phospholipase D 212: 491
Cytotoxin
Pseudomonas binding protein eryth= rocyte 217: 1123
C3a
complement calcium influx neutro= phil 217: 289
C6
glioma cell metab flux detn 217: 457
Daunomycin
lipid membrane interaction 213: 1269
Daunorubicin
resistance carcinoma plasma mem= brane pump 218: 871
DCCD
inhibition nicotinamide nucleotide transhydrogenase bacteria 211: 663
Deaminase
porphobilinogen gene erythroid regu= lation human 212: 763
serine gene sdaB sequence Escheric= hia 212: 777
l serine Escherichia 211: 521
Decarboxylase
adenosylmethionine regulation cell polyamine 214: 671
adenosylmethionine SAM1 cell 215: 247
complex glycine T protein pea 217: 377
glutaconyl CoA carboxytransferase subunit Acidaminococcus 211: 697
glutamate epitope diabetes mellitus 212: 597
ornithine degrdn reticulocyte protea= some 213: 205
ornithine feedback regulation poly= amine 215: 753
ornithine gene mutation tumor 214: 837
ornithine homodimer formation es= sential glycine 218: 245
oxopentenetricarboxylate hydroxy= heptadienedioate isomerase se= quence Escherichia 217: 575
Defensin
peptide neutrophil antiadrenocortico= tropin 216: 653
Dehydratase
hydroxybutyryl CoA vinylacetyl isom= erase Clostridium 215: 421
serine threonine prosthetic group Clostridium 215: 341
Dehydroepiandrosterone
sulfotransferase organ immunochem 211: 539
Dehydrogenase
alc assocn subtilisin Drosophila 211: 357
alc I alligator structure evolution 216: 49
alc isoenzyme immunization liver ethanol 212: 757
alc isoenzyme rabbit sequence charac= terization 213: 31
alc lysine glycation liver 215: 567
alc sorbitol mRNA tissue 215: 497
aldehyde isoenzyme E3 sequence human 218: 311
cyclohexadienyl sequence Zymomonas 212: 157
dihydrolipoamide Trypanosoma se= quence 212: 423
glucose gene sequence expression Thermoplasma 211: 549
glucose phosphate sequence structure Pichia 212: 41
glutamate gene MAR sequence rat 215: 777
glutamate gene sequence rat 211: 795
glutamate substrate coenzyme binding mechanism 213: 935
glyceraldehyde phosphate gene Ther= motoga sequence 214: 43
glyceraldehyde phosphate stoichiome= try multienzyme chloroplast 217: 1065
hydroxyprostaglandin monomer pla= centa 214: 67
hydroxythromboxane B2 kidney 212: 403
lactate conserved threonine role Ba= cillus 212: 447
lactate dissocn 212: 63
lactate epsilon crystallin stability animal 211: 643
lactate gene ldh sequence Thermotoga 216: 709
lactate inactivation protection reverse micelle 211: 73
lactate isoenzyme H4 NAD deriv 213: 947
lactate mutation structure thermosta= bility 211: 267
lactate release cell cytochrome P450 214: 735
malate dye linked Bacillus 214: 37
malate NADP sequence Pisum chlo= roplast 217: 189
methylenetetrahydromethanopterin hydrogen formation mechanism Methanobacterium 212: 255
methylenetetrahydromethanopterin stereospecificity coenzyme F420 214: 641
NADH gene sequence mitochondria wheat 217: 831
nitrosodimethylaniline alc Amycola= topsis 212: 819
oxo acid gene sequence Bacillus 213: 1091
presorbitol cDNA sequence rat testis 217: 83
pyruvate gene PDA1 regulation Sac= charomyces 218: 405
sorbitol active site cysteine modifica= tion 211: 861
sorbitol alc proteolysis structure 213: 487
sorbitol gene sequence diapause Bom= byx 213: 1125
sorbitol zinc coordination glutamate cysteine 216: 103
succinate semialdehyde brain 211: 757
succinate semialdehyde CoA Clostri= dium 212: 121
xanthine chick embryo hepatocyte 215: 307
Dehydroxylating
hydroxybenzoyl CoA reductase deni= trifying Pseudomonas 213: 563
Deiminase
peptidylarginine mouse sequence 215: 677
Deiodinase
iodothyronine astrocyte TSH cAMP 218: 1091
Deletion
mutant heat shock protein Drosophila 215: 277
sequence transketolase gene Saccha= romyces 217: 487
Delta
sleep inducing peptide sequence brain 216: 429
Deltorphin
II conformation NMR mol dynamics 212: 185
Denaturation
acetylcholinesterase conformation FTIR spectroscopy 213: 1235
Dendroaspis
venom dendrotoxin I conformation 211: 813
Dendrotoxin
I sequence NMR secondary structure 211: 813
Denitrifying
Pseudomonas dehydroxylating hy= droxybenzoyl CoA reductase 213: 563
Pseudomonas hydroxybenzoate CoA ligase 213: 555
Deoxyerythronolide
B synthase recombinant Saccharopo= lyspora 214: 305
Deoxyglucose
glucose metab Saccharomyces 218: 221
Deoxymannooctulosonate
phosphate synthase mechanism 217: 991
Deoxymyoglobin
NOE spectroscopy 215: 431
Dephosphorylation
atriopeptin protein phosphatase 2A 211: 485
eEF2 phosphatase 213: 689
phosphoprotein MAP2 brain hippo= campus epilepsy 215: 181
Depolymerase
polyhydroxyalkanoate gene Pseudo= monas 218: 701
Decrotonation
tyrosine glutathione transferase mechanism thiol 215: 663
Desatn
lysophosphatidylcholine octadecenyl analog plant 213: 965
Desaturase
oxocyclohexenecarboxylate oxocyclo= hexanecarboxylate Corynebacterium 218: 997
Desulfovibrio
aldehyde oxidoreductase crystal structure 215: 729
cytochrome c553 conformation hete= rogeneity 218: 293
desulfoviridin gamma subunit se= quence 211: 501
flavodoxin conformation NMR 213: 167
hydrogenase kinetics electron transfer protein 217: 981
iron cluster nigerythrin rubrerythrin 212: 237
NADH rubredoxin oxidoreductase 216: 443
nitrite reductase electron transfer kinetics 212: 79
Desulfoviridin
gamma subunit sequence Desulfovi= brio 211: 501
Detergent
ATPase activated state detn mito= chondria 216: 565
Detyrosination
posttranslational tubulin erythrocyte 218: 107
Deuterated
ribosome Escherichia 216: 315
Development
arginine metab enterocyte 216: 109
differentiation disease hepatocyte gene review 216: 353
glutathione S transferase Arabidopsis 216: 579
mouse embryo collagen gene expres= sion 213: 99
retina axonin 1 human 211: 329
Schistosoma protein hsp70 212: 589
Dexamethasone
galactoside sialyltransferase gene transcription 211: 135
Dextran
gluconolactone glucoamylase starch binding domain 211: 717

Diabetes
glucose phosphatase arachidonate liver microsome 213: 461
mellitus glutamate decarboxylase epitope 212: 597
Diacylglycerol
metab macrophage activation 218: 753
Dianthus
flavanone hydroxylase cDNA 217: 745
Diapause
sorbitol dehydrogenase gene sequence Bombyx 213: 1125
Diazepam
binding inhibitor antibacterial peptide intestine 216: 623
Dictyostelium
DRE repetitive element sequence 217: 627
gene coxV promoter sequence 211: 411
PsA glycoprotein glycosylphosphatidylinositol membrane anchor 216: 729
Didelphis
protamine gene sequence expression 215: 63
Dienoyl
CoA reductase isoform heart liver 215: 199
Differentiation
alk phosphatase retinoid prepn structure 212: 13
development disease hepatocyte gene review 216: 353
fibroblast G protein insulin 215: 611
Diffraction
x ray lipopolysaccharide bacteria conformation 217: 771
Digitalis
like compd eye lens cataract 216: 261
Dihydrofolate
reductase binding NADP mechanism 215: 9
reductase recombinant Haloferax 216: 199
Dihydrolipoamide
dehydrogenase Trypanosoma sequence 212: 423
Dihydrolipoyl
transacetylase domain linker region role 211: 591
Dihydroneopterin
aldolase gene fas Pneumocystis 216: 449
Dihydropteroate
synthase gene fas Pneumocystis 216: 449
Dihydrorhodamine
123 superoxide hydrogen peroxide detection 217: 973
Dimerization
progesterone receptor responsive element 214: 189
Dimethylnaphthoquinone
oxidoreductase stereospecificity coenzyme F420 214: 641
Dinucleoside
polyphosphate analog adenosinealkane structure activity 214: 935
Dioxygenase
hydroxyphenylpyruvate gene chromosome sequence human 213: 1081
DIP
peptide characterization 216: 429
Dipeptidyl
peptidase gastrointestinal hormone degrdn serum 214: 829
Disaccharide
Pectinatus lipopolysaccharide 213: 377
Disease
differentiation development hepatocyte gene review 216: 353
Dismutase
superoxide copper coordination histidine NMR 213: 391
superoxide sequence insert proteolysis Caretta 211: 843
Dissimilatory
sulfite reductase subunit sequence Desulfovibrio 211: 501
Dissocn
lactate dehydrogenase reversed micelle 212: 63
pressure induced ribosome elongation intermediate 218: 463
Disulfide
glutathionylspermidine interaction trypanothione reductase crystallog 213: 67
group glycoprotein gp64 Polysphondylium 211: 147
group thioredoxin glutaredoxin sulfitolysis 211: 609
interchange cruciferin Brassica 217: 891
protein isomerase CaBP2 sequence rat 213: 789
Divalent
cation stoichiometry redox cytochrome oxidase 213: 1149
cation Streptomyces aminopeptidase specificity modulation 212: 107
DNA
adenine thymine rich Hoechst 33258 211: 437
berenil pentamidine binding 213: 1175
cAMP receptor protein anion Escherichia 212: 539
cleavage restriction enzyme antitumor platinum 216: 183
cleaving joining MobA protein plasmid 217: 929
domain cMyb oncoprotein conformation 216: 147
domain gene V protein bacteriophage 216: 507
Drosophila transposon terminal repeat 218: 95
excision repair leukemia cisplatin resistance 211: 403
formation mammal cell topoisomerase inhibitor 216: 177
gene recA protein histidine ATP 217: 665
interaction chloro aluminum tetrame thyltetrapyridino porphyrazine 217: 371
methyltransferase adenine specific kinetics 218: 727
mithramycin binding base sequence 215: 561
nuclease radiation thymocyte apoptosis 215: 893
octamer crystal structure 213: 673
polymerase I Klenow arginine role 214: 59
polymerase Tca Thermus 214: 135
protein binding cation anion model 218: 469
RNA hybrid duplex conformation 215: 297
topoisomerase gene regulatory region human 217: 813
topoisomerase II drug resistance 218: 575
triplex sequence recognition 212: 395
DNase
I binding actin stabilization 218: 911
site mapping human gene csis 216: 487
Dogfish
brain substance P peptide 214: 469
Dolichol
oligosaccharide metab cell attachment growth 215: 873
Dopamine
D2 receptor cDNA sequence Xenopus 213: 1349
oxidase melanocyte MSH 217: 541
Double
stranded RNA kinase PKR mutant 214: 945
Doxorubicin
conjugate transferrin 213: 427
lipid glutathione peroxidase antitumor resistance 211: 141
DRA
HLA gene methylation lymphocyte 218: 485
DRE
repetitive element sequence Dictyostelium 217: 627
Drosophila
alc dehydrogenase assocn subtilisin 211: 357
DNA transposon terminal repeat 218: 95
eclosion hormone gene sequence 215: 221
heat shock protein deletion mutant 215: 277
protein phosphatase 1 isoform sequence 212: 177
Drug
resistance DNA topoisomerase II 218: 575
resistance neoplasm glutathione transferase isoenzyme 217: 671
Ductin
proteolipid membrane channel class 213: 21
Duplex
DNA RNA hybrid conformation 215: 297
Duramycin
B C soln structure 216: 419
Dye
linked malate dehydrogenase Bacillus 214: 37
Dynamics
conformation RNase B glycoform oligosaccharide 218: 239
flavin flavodoxin Clostridium 218: 977
E
box Sp1 ATPase gene promoter 218: 195
MCAT box acetylcholine receptor gene 216: 395
Earthworm
myosin regulatory light chain sequence 211: 341
EcaI
methyltransferase DNA kinetics 218: 727
Eclosion
hormone gene sequence Drosophila 215: 221
hormone phosphatidylinositol hydrolysis metamorphosis silkworm 211: 427
eEF2
phosphorylation kinase dephosphorylation phosphatase 213: 689
EF
hand calretinin calbindin D28k calcium 215: 401
EF1alpha
mRNA translation repression 213: 919
EGF
carboxy terminal conformation 211: 213
receptor protein Ras GTP 212: 477
Egg
Halocynthia beta acetylglucosaminidase 218: 535
Eicosanoid
liver hydroperoxide metab 211: 449
macrophage differentiation thrombox

ane synthase 212: 371
macrophage zymosan protein kinase C 217: 69
Elastase
inhibitor LNPI sequence swine leuko= cyte 217: 519
terbium complex luminometry 211: 467
Elec
organ Torpedo VAT1 protein complex 216: 189
Electrochem
azurin lysine mutant ionization 218: 229
Electron
transfer flavoprotein cDNA sequence human 213: 1003
transfer kinetics nitrite reductase Desulfovibrio 212: 79
transfer protein kinetics hydrogenase Desulfovibrio 217: 981
transport bacteria hydrogen formation glycolate 217: 233
Electronic
structure heme cytochrome c NMR 211: 563
structure HiPIP protein Rhodopseu= domonas NMR 212: 69
transition fatty acid monooxygenase Bacillus 213: 683
Electrostatic
potential glutathione transferase active site 215: 663
Element
interferon stimulable transcription factor human 214: 617
Elicitor
fungus parsley chitinase endogluca= nase 213: 419
Elongation
factor EF1alpha mRNA translation repression 213: 919
factor isoform human sequence ex= pression 215: 549
factor Tu Ts GDP GTP 218: 1041
factor 2 GDP complex ribosome 215: 291
factor 2 kinase reticulocyte 212: 511
factor 2 phosphorylation site threo= nine 213: 689
intermediate pressure induced dissocn 218: 463
Embryo
chick hepatocyte xanthine dehydroge= nase 215: 307
chicken protein osteonectin 218: 117
mouse development collagen gene expression 213: 99
neurotrophin 3 receptor retina chicken 211: 789
tensin cartilage chondrocyte 217: 781
Encephalopathy
hepatic hyperammonemia protein MAP2 phosphorylation 214: 243
Endochitinase
isoenzyme Petroselinum 213: 419
Endocytosis
receptor doxorubicin conjugate trans= ferrin 213: 427
Endoglucanase
C Clostridium 217: 557
parsley fungus elicitor 213: 419
Endoglycoceramidase
hydrolysis glycosphingolipid erythro= cyte 218: 637
hydrolysis glycosphingolipids erythro= cyte kinetics 218: 645
Endonuclease
Cfr9I binding specificity mechanism 217: 411
Endopeptidase
24 16 kidney membrane 211: 79
Endoplasmic
reticulum phosphatidylserine phos= phatidylinositol cytochrome reduc= tase 218: 1021
reticulum pituitary preprosomatosta= tin processing 218: 1063
reticulum yeast protein degrdn 218: 565
Endorhamnosidase
tailspike folding assembly amino domain 215: 653
Endothelial
cell growth factor thymidine phospho= rylase 212: 201
Endothelin
converting enzyme big endothelin hydrolysis 218: 493
nitric oxide liver Ito cell 213: 815
Endothelium
adhesion monocyte phospholipase A2 atherosclerosis 217: 723
platelet activating factor bacteria porin 214: 685
Endotoxemia
shock cholesterol metab adrenal gland 211: 829
Endotoxin
Bacillus insect midgut membrane permeability 214: 771
bacteria lipid A conformation 218: 555
binding protein Heliothis Spodoptera 212: 145
Energy
dependent conformation change ATP synthase 214: 587
metab thymocyte proliferation glucose 212: 95
transfer protein terbium detn 211: 467
Engineered
yeast xenobiotic metabolizing enzyme human 211: 63
Engineering
protein mutation structure thermost= ability 211: 267
Enhancer
binding protein lipoprotein AI gene 216: 247
CRE element gene CYP21A2 human 214: 521
glucocorticoid transcription factor rat 211: 459
HS2 PBGD gene human 212: 763
of split cDNA sequence human 216: 343
promoter CYP3A4 gene sequence human 218: 585
silencer gene csis PDGFB human 216: 487
Enolase
muscle gene ENO3 human sequence 214: 367
Entactin
nidogen ascidian sequence 213: 11
Entamoeba
inositol phosphate metabolite 214: 711
Enterococcus
NADH peroxidase conformation mechanism 211: 221
sex pheromone induced aggregation substance 211: 711
Enterocyte
arginine metab development 216: 109
Entrapment
enzyme reverse micelle inactivation protection 211: 73
Enzyme
amidating mol diversity Xenopus tissue 214: 811
coenzyme F420 dependent stereospec= ificity Archaeoglobus 214: 641
complex ribulose diphosphate carb= oxylase kinetics 217: 1075
concn metabolite prodn increase 216: 361
conformation binding import mito= chondria 218: 905
control analysis lac operon promoter 211: 181
ethylene forming cDNA sequence melon 212: 27
gcv operon sequence Escherichia 216: 539
glycine reductase gene sequence Eu= bacterium 217: 791
group transferring pentose pathway flux 213: 477
hydroxypropionate cycle carbon diox= ide fixation 215: 633
kinetics nomenclature correction 213: 1
pathway flux control coeff theorem 212: 791
RecA histidine DNA ATP 217: 665
regulation kinetics metab control analysis 212: 833
xenobiotic metabolizing human engi= neered yeast 211: 63
Eosinophil
respiration G protein arachidonate 218: 669
Ependymin
conformation calcium binding sialic acid 217: 275
Epidermal
growth factor receptor phosphoryla= tion ciprofibrate 215: 903
Epilepsy
brain hippocampus phosphoprotein MAP2 dephosphorylayion 215: 181
Epithelium
human mixed lineage kinase sequence 213: 701
mammal nuclear matrix purifn 212: 573
Epitope
glutamate decarboxylase diabetes mellitus 212: 597
mapping ATPase Saccharomyces membrane 212: 737
mapping cytomegalo virus gp58 glyco= protein 215: 383
mapping gastric lipase 211: 99
T cell pertussis toxin conformation 217: 171
tumor assocd antigen membrane antibody 217: 337
EPR
xylose isomerase metal binding site 213: 1185
EP3
receptor subtype adenylate cyclase 217: 313
Equine
anemia virus Tat protein helix 218: 973
Erythritolteichocite
Glycomyces cell wall 218: 371
Erythrocyte
glucose transporter modulation gly= cosphingolipid 218: 637
glycerophosphocholine release lyso= phospholipase 212: 411
glycosphingolipids hydrolysis endogly= coceramidase kinetics 218: 645
glyoxalase II 213: 1261
infection glycan transferase malaria Plasmodium 216: 779
membrane band 4 inositol phospholi= pid 211: 671
membrane GSH redox transduction 215: 711
membrane PGE1 receptor 213: 1167
methylglyoxal glycerone glyceraldeh= yde phosphate 212: 101
phosphatidate formation phosphati= dylcholine phospholipase D 213: 367

protein Pseudomonas cytotoxin bind= ing 217: 1123
transketolase binding thiamin di= phosphate magnesium 218: 261
tubulin posttranslational modification 218: 107
urea transporter Kidd antigen 218: 447
Erythroid
regulation human porphobilinogen deaminase gene 212: 763
Erythroleukemia
initiation factor 2 kinase 211: 529
Erythropoietin
receptor phosphatidylinositol kinase 216: 821
sialylated oligosaccharide 213: 39
structure activity 218: 597
Escherichia
ATPase hybrid Propionigenium clon= ing 218: 937
ATPase regulation lac promoter 211: 181
bacterioferritin 213: 329
cAMP receptor protein DNA anion 212: 539
cloning cDNA interleukin 1beta pig 217: 45
cloning dihydrofolate reductase gene Haloferax 216: 199
cloning lipoxygenase cDNA rat brain 212: 605
cloning O4 polysaccharide modifica= tion 214: 259
cloning synthetic gene bacteriorho= dopsin 211: 27
colicin N receptor 214: 635
deuterated ribosome 216: 315
dimeric citrate synthase gene se= quence 214: 75
expression lipocortin 1 cDNA 211: 347
ferritin 218: 985
flavin reductase iron redn mobiliza= tion 211: 635
gcv operon enzyme sequence 216: 539
hydroxyheptadienedioate isomerase oxopentenetricarboxylate decar= boxylase sequence 217: 575
hydroxymethylbilane synthase seleno= methionyl deriv 211: 615
lipase LipB protein expression Pseu= domonas 215: 239
lipid A defective formation firA 212: 363
lipid A structure 214: 695
lysine hydroxylase FAD substrate analog 213: 995
membrane gene kdpD sensor kinase 217: 1019
methylaminomethyluridine arginine tRNA anticodon wobble 216: 369
O antigen polysaccharide 213: 859
oligosaccharide bisphosphate lipopo= lysaccharide Chlamydia antigen 214: 703
overexpression triosephosphate isom= erase mutant Trypanosoma 211: 703
phospholipid colicin translocation channel activity 213: 217
recombinant selenomethionyl inter= leukin 5 crystn 212: 751
RNase RNA oligonucleotide mRNA degrdn 213: 285
serine deaminase gene sdaB sequence 212: 777
serine deaminase 1 211: 521
Shigella hybrid lipopolysaccharide structure 213: 573
termination release factor functional domain 213: 749
yeast recombinant seryl tRNA synthetase 214: 869
ESG
protein cDNA sequence mouse human 216: 343
ESR
P cluster molybdenum iron protein 212: 51
Esterase
activity catalytic antibody 214: 197
Esterification
alc nucleotide phosphodiesterase mechanism venom 213: 1139
Estradiol
breast cancer proliferation protein pS2 215: 671
Estrogen
LDL lipoprotein receptor transcrip= tion 216: 527
Ethanol
liver alc dehydrogenase isoenzyme immunization 212: 757
Ether
alkenyl phospholipid acylation desatn microsome 213: 965
Ethoxyphenol
induction cytochrome P450 isoenzyme Rhodococcus 213: 211
Ethylene
forming enzyme cDNA sequence melon 212: 27
Ethylhexylsulfosuccinate
isooctane reverse micelle catalase 217: 567
Eubacterium
glycine reductase enzyme gene se= quence 217: 791
vitamin B12 formation hydroxybenzi= midazole 217: 1117
Eukaryote
cardiolipin biosynthesis isoform struc= ture 212: 727
membrane protein topol prediction 213: 1333
peptidylproline isomerase family review 216: 689
Evolution
acetylcholinesterase hydrophobic anchor subunit brain 215: 333
alc dehydrogenase I alligator structure 216: 49
aminotransferase 214: 549
lysozyme kidney cow sheep 213: 649
mol biotin dependent carboxylase 215: 687
monotreme protamine gene 218: 457
protamine gene sequence primate 214: 609
Exchange
reaction enzyme pentose path flux 213: 477
Exochitinase
gene sequence Streptomyces 214: 659
isoenzyme Petroselinum 213: 419
Exon
cytochrome P450 gene alternative splicing 213: 383
Exonuclease
liver nucleus 217: 493
Expression
Pseudomonas lipase LipB protein Escherichia 215: 239
Extracellular
matrix structure tenascin marine sponge 216: 255
Eye
lens digitalis like compd cataract 216: 261
F
actin photochem crosslinking myosin 213: 1243
Factor
hepatocyte growth gene regulatory element 213: 113
IX conformation cation phospholipid 212: 339
X activation carbohydrate 218: 153
X activation factor VII 217: 509
FAD
analog lysine hydroxylase Escherichia 213: 995
hydroxybutyryl CoA dehydratase Clostridium 215: 421
Fast
twitch muscle myosin isoform 214: 157
Fat
body insect attacin processing 214: 287
Fatty
acid binding protein cardiac placenta 211: 725
acid binding protein mRNA heart 215: 555
acid monooxygenase electronic transi= tion Bacillus 213: 683
acid phosphatidylcholine cytochrome P 450 215: 373
acid spinach acetyl ACP intermediate 213: 981
acid synthase inhibition cerulenin analog 211: 111
Feedback
regulation ornithine decarboxylase polyamine 215: 753
Ferredoxin
II kinetics hydrogenase Desulfovibrio 217: 981
NADP reductase substrate site lysine 216: 57
Ferricytochrome
c heme cavity Methylophilus NMR 215: 817
Ferritin
Escherichia 218: 985
Fertilization
Halocynthia polyspermy blockage egg acetylglucosaminidase 218: 535
Fetuin
hemonectin sequence homol 213: 523
Fetus
cathepsin E gene expression 216: 717
cytochrome c oxidase subunit 217: 1099
FGF
proteolysis glycosaminoglycan 214: 51
Fiber
type myosin isoform muscle rabbit 211: 367
Fibrate
deriv acyl CoA synthetase liver 216: 615
Fibrin
plasminogen activator binding 216: 549
polymn site fibrinopeptide D1 218: 321
Fibrinogen
ADP platelet inositol phospholipid 216: 231
fragment E thrombin specificity modulation 215: 143
gamma chain polymn site 218: 321
Fibrinolytic
system activation streptokinase re= combinant staphylokinase 216: 307
Fibrinopeptide
D1 fibrin polymn site 218: 321
Fibroblast
cell histone gene transcription repres= sion 217: 683
differentiation G protein insulin 215: 611
Fibrocartilage
cartilage collagen II hydroxylation glycosylation 213: 1297

Fibronectin
binding protein gene sequence Strep= tococcus 214: 819
Fibulin
C D sequence mouse 215: 733
Filament
actin assembly stability C terminus 212: 247
intermediate protein review 214: 351
myosin conformation proteolysis muscle 216: 89
FirA
lipid A defective formation Escheric= hia 212: 363
Fish
ependymin conformation calcium site 217: 275
Flavanone
hydroxylase sequence iron site histi= dine 217: 745
Flavin
dynamics flavodoxin Clostridium 218: 977
dynamics flavodoxin multiple form 211: 37
mononucleotide flavodoxin Desulfovi= brio 213: 167
reductase iron redn mobilization Escherichia 211: 635
Flavodoxin
Desulfovibrio conformation NMR 213: 167
flavin dynamics Clostridium 218: 977
multiple form flavin dynamics 211: 37
mutation Klebsiella 217: 395
Flavoprotein
electron transfer cDNA sequence human 213: 1003
Flexibility
calmodulin domain adenylate cyclase activation 217: 581
conformation ion channel protein proline 212: 305
Fluorescence
EGF mutant 211: 213
probe microsome glutathione transf= erase aggregation 217: 661
Fluorescent
labeling tRNA aminoacyl property 213: 583
probe colchicine site tubulin 212: 387
probe pregnancy zone protein confor= mation 218: 651
Fluorometry
nitrobenzoxadiazolyl colcemid colchi= cine site tubulin 212: 387
tRNA labeling 213: 583
Flux
control coeff enzyme pathway theorem 212: 791
Folding
mechanism peroxidase horseradish 212: 227
multiphasic conformation glutathione transferase Proteus 215: 741
tailspike endorhamnosidase amino domain 215: 653
Follistatin
related protein gene sequence cloning 217: 13
Force
protonmotive ATPase activation plant mitochondria 216: 565
protonmotive nisin antibacterial membrane lipid 212: 417
Form
sequence RNase Sulfolobus 211: 305
Formyl
removal protein 212: 785
Formylmethionylleucylphenylalanine
macrophage G protein arachidonate 213: 295
Freshwater
crayfish clotting protein hemolymph 213: 591
Frog
peptidylglycine amidating monoox= ygenase AEII mRNA 213: 93
Fructose
bisphosphatase gene Kluyveromyces sequence 212: 193
glucose conversion intestine 213: 721
phosphate trehalose synthase bakers yeast 216: 841
Fruitfly
DNA topoisomerase retrotransposon 218: 95
FTIR
spectroscopy protein helical popula= tion assignment 213: 1235
Fucosyltransferase
tumor assocd antigen formation 216: 769
Fumarase
inhibition arsonoacrylate arsonolac= tate 215: 161
Fungus
elicitor parsley chitinase endogluca= nase 213: 419
white rot ligninase kinetics 211: 391
Fusicoccin
receptor purifn analysis maize 214: 339
Fusion
liposome sperm phospholipid 217: 1001
protein notechis II 2L cloning 212: 441
Fusobacterium
O antigen polysaccharide structure 212: 801
F1
ATPase epsilon subunit conformation mitochondria 214: 729
F420
dependent enzyme stereospecificity Archaeoglobus 214: 641
G
actin conformation cation nucleotide dependent 211: 731
protein adrenergic receptor interaction heart 213: 57
protein beta2 adrenoceptor cell trans= formation 213: 797
protein brain phospholipase D activa= tion 215: 389
protein fibroblast differentiation insulin 215: 611
protein interaction phosphatidylinosi= tol phospholipase C 217: 1109
protein macrophage formylmethionyl= leucylphenylalanine PAF arachido= nate 213: 295
protein neutrophil respiration arachi= donate 218: 669
protein neutrophil signal complement C3a 217: 289
protein platelet thrombin receptor prostacyclin 216: 81
protein p21cHras labeling GDP GTP 215: 473
protein rab6 processed unprocessed form 217: 1027
protein rac1 NADPH oxidase activa= tor 217: 441
protein small GTPase NADPH oxi= dase 216: 813
Galactoside
sialyltransferase cDNA sequence mouse 216: 377
sialyltransferase gene sequence human 213: 467
sialyltransferase gene transcription dexamethasone 211: 135
Galactosyltransferase
protein acetylglucosamine membrane Golgi liver 216: 405
recombinant Saccharomyces expres= sion 212: 113
Gamma
ray DNA formation mammal cell 216: 177
Ganglioside
GM3 erythrocyte hydrolysis endogly= coceramidase 218: 645
Gap
junction Nephrops subunit organiza= tion 213: 21
rap GTPase rap1A protein arachido= nate 216: 813
Gastric
inhibitory polypeptide antibacterial peptide intestine 216: 623
lipase epitope mapping 211: 99
Gastrin
immunogen structure function 212: 325
Gastrointestinal
hormone degrdn dipeptidyl peptidase serum 214: 829
GATA1
Sp1 regulation PBGD gene promoter 212: 763
Gcv
operon enzyme sequence Escherichia 216: 539
GDI
protein subunit NADPH oxidase activator 217: 441
GDP
dissocn inhibitor sigma1 protein subunit 217: 441
elongation factor Tu Ts 218: 1041
elongation factor 2 complex ribosome 215: 291
G protein p21cHras labeling 215: 473
Gelatinase
A precursor activation autolysis 218: 431
B gene sequence mouse 218: 129
Gelsolin
conformation calcium actin tropo= myosin 212: 713
ternary complex actin dimer orienta= tion 218: 507
Gene
actin promoter expression sequence Xenopus 214: 425
adenylate kinase sequence Bordetella 218: 921
adrenergic receptor promoter se= quence 213: 1117
AES ESG sequence mouse human 216: 343
aldolase brain specific regulation 218: 143
amidase sequence Rhodococcus 217: 327
amplification DNA polymerase Tca 214: 135
ampR protein Citrobacter 213: 405
ankyrin anemia cerebellum dysfunc= tion review 211: 1
apolipoprotein AI regulatory protein 216: 247
asa1 traE1 aggregation plasmid pAD1 214: 333
ATPase promoter Sp1 E box 218: 195
bfmB oxo acid dehydrogenase se= quence 213: 1091
Cab expression phytochrome bean 211: 127
cathepsin E expression fetus adult 216: 717
CDC25 homolog Candida cloning Saccharomyces 213: 195
cloning Rhodopseudomonas antenna LHII 217: 867
cluster nisin sequence Lactococcus 216: 281

cobC nifS pabC malY aminotransfer= ase 211: 373
collagen I mutation osteogenesis imperfecta 211: 415 217: 77
collagen X Col10a1 mouse 213: 99
coxV promoter sequence Dictyostelium 211: 411
cpeA catalase peroxidase sequence Rhodobacter 214: 251
csis cell specific transcription regula= tion 211: 509
csis PDGFB human enhancer silencer 216: 487
CYP21A2 enhancer CRE element human 214: 521
cytochrome P450 exon alternative splicing 213: 383
cytochrome P450 human PC12 cell 214: 735
cytochrome P4503A4 sequence tran= scription human 218: 585
dihydrofolate reductase Haloferax cloning Escherichia 216: 199
DNA topoisomerase regulatory region human 217: 813
dsvC sequence Desulfovibrio 211: 501
eclosion hormone sequence Drosophila 215: 221
ENO3 muscle enolase human se= quence 214: 367
exochitinase sequence Streptomyces 214: 659
E2 protein human papillomavirus retraction 212: 271
fas trifunctional enzyme Pneumocys= tis 216: 449
fructose bisphosphatase Kluyvero= myces sequence 212: 193
fusion serine deaminase purifn Es= cherichia 211: 521
galactoside sialyltransferase sequence human 213: 467
galactoside sialyltransferase transcrip= tion dexamethasone 211: 135
gcdA glutaconyl CoA decarboxylase sequence 211: 697
gcvTHP protein sequence Escherichia 216: 539
gelatinase B sequence mouse 218: 129
GGS1 sequence mutation Kluyvero= myces 217: 701
glucokinase expression newborn glu= cose 215: 883
glucose dehydrogenase sequence expression Thermoplasma 211: 549
glutamate dehydrogenase sequence rat 211: 795
glutamine synthetase rat liver se= quence 213: 1067
glyceraldehyde phosphate dehydroge= nase Thermotoga sequence 214: 43
glycine reductase enzyme sequence Eubacterium 217: 791
gro product neutrophil chemoattrac= tant lipopolysaccharide 214: 267
growth hormone silencer element 213: 399
heme oxygenase heat shock element 212: 167
hepatocyte development differentia= tion disease review 216: 353
histone transcription repression fi= broblast cell 217: 683
HLA DRA methylation lymphocyte 218: 485
Hox morphogen regulation vertebrate review 212: 273
hpcE sequence Escherichia 217: 575
Hst70 testis promoter sperm rat 212: 137
human transcription IRF1 IFR2 ISGF3 214: 617
hydroxymethylglutaryl CoA synthase promoter rat 213: 773
hydroxyphenylpyruvate dioxygenase chromosome sequence human 213: 1081
H1 histone promoter sequence neo= plasm 217: 353
immediate early hydrogen ion signal= ing 213: 349
interalpha trypsin inhibitor sequence human 218: 283
interleukin regulation AP1 cAMP 213: 243
interleukin 1beta sequence pig 217: 45
intermediate filament protein expres= sion review 214: 351
internal promotor amiloride binding protein 216: 679
kdpD sensor kinase Escherichia mem= brane 217: 1019
ldh lactate dehydrogenase sequence Thermotoga 216: 709
lipoxygenase human mol cloning 214: 845
mannose specific lectin Allium 217: 123
mtrA protein Methanobacterium sequence 217: 115
MyBP C protein chromosome human 216: 661
nad9 NADH dehydrogenase wheat mitochondria 217: 831
nef protein oligomerization HIV 214: 451
nitrous oxide reductase sequence Paracoccus 218: 49
ornithine decarboxylase mutation tumor 214: 837
PDA1 pyruvate dehydrogenase regu= lation Saccharomyces 218: 405
penDE isopenicillin acyltransferase Penicillium 215: 323
pepN lysyl aminopeptidase Lactoba= cillus sequence 217: 105
pepsinogen A promoter sequence 213: 1283
phaZ1 Pseudomonas alkanoate depo= lymerase 218: 701
plastocyanin sequence barley 217: 97
polyADPribose polymerase US1 ele= ment rat 215: 73
porphobilinogen deaminase erythroid regulation human 212: 763
POT1 sequence regulation Yarrowia 216: 607
PP1 13C sequence Drosophila 212: 177
promoter acid glycoprotein transcrip= tion factor 216: 127
promoter element PCNA antigen mouse 218: 173
prorenin expression antisense oligo= nucleotide transformation 212: 347
protamine monotreme evolution 218: 457
protamine sequence evolution primate 214: 609
protamine sequence expression opos= sum 215: 63
protein phosphatase PPQ yeast 218: 689
protein phosphatase Z Saccharomyces correction 216: 881
protein phosphatase Z Saccharomyces sequence 216: 269
protein WZF1 sequence wheat 217: 1049
psaB protein thylakoid membrane topol 214: 907
pur8 protein sequence Streptomyces 218: 963
QCR8 sequence yeast 215: 601
rab6 protein processed unprocessed form 217: 1027
rac1 protein sigma1 protein subunit 217: 441
recA protein histidine DNA ATP 217: 665
ribosomal protein L37a sequence chicken 213: 77
RNA polymerase III transcription review 212: 1
rts51 sperm protein sequence rat 216: 497
Saccharomyces ADP ATP transloca= tor regulation 213: 547
scatter factor promoter sequence rat 213: 113
SCR2 SCR1 cycloheximide resistance Schwanniomyces 213: 849
sequence dihydrolipoamide dehydro= genase Trypanosoma 212: 423
sequence Escherichia dimeric citrate synthase 214: 75
sequence fibronectin binding protein Streptococcus 214: 819
sequence pyruvate kinase phospho= fructokinase Bacillus 211: 851
sequence ribosomal protein L41 Kluy= veromyces 213: 841
sequence sodium influx peptide Lym= naea 215: 397
serine deaminase sdaB sequence Escherichia 212: 777
serine hydroxymethyltransferase cloning sequence Hyphomicrobium 212: 745
seryl tRNA synthetase yeast cloning 214: 869
sorbitol dehydrogenase sequence diapause Bombyx 213: 1125
synthetic bacteriorhodopsin cloning Escherichia 211: 27
tms1 protein sequence Schizosaccha= romyces 217: 731
TPK mutation protein kinase activity 213: 501
TPS2 sequence heat shock yeast 212: 315
transcription heme oxygenase sper= matogenesis 217: 633
transforming growth factor inducible protein 217: 13
transketolase sequence deletion Sac= charomyces 217: 487
tRNA assocd DRE element Dictyoste= lium 217: 627
TSS1 trehalose synthase phosphatase Saccharomyces 216: 849
tyrC sequence Zymomonas 212: 157
tyrosine aminotransferase transcrip= tion glucocorticoid enhancer 211: 459
V protein DNA domain bacteriophage 216: 507
616 interferon inducible targeting human 218: 273

Genetics
sex detn animal review 218: 769

GH
releasing hormone PACAP precursor sequence 215: 439

Glioma
cell C6 metab flux detn 217: 457

Globule
molten conformation creatinase col= lapsed state 213: 1225

Globulin
11S disulfide interchange Cruciferae 217: 891

Glucagon
glucokinase gene newborn glucose 215: 883
insulin phosphoenolpyruvate carbox= ykinase mRNA liver 215: 541

Glucanase
beta hybrid thermostability structure determinant 216: 829

Glucoamylase
kinetics mechanism Aspergillus correction 212: 840
starch binding domain maltooligosaccharide Aspergillus 211: 717
Glucocorticoid
enhancer transcription factor rat 211: 459
receptor antirepressor transcription 215: 505
receptor binding macromol translocation inhibitor 218: 679
receptor mRNA galactoside sialyltransferase 211: 135
Glucokinase
gene expression newborn glucose 215: 883
Gluconeogenesis
liver metformin pyruvate kinase ATP 213: 1341
Gluconolactone
dextran glucoamylase starch binding domain 211: 717
Glucose
carbon 13 incubation glioma 217: 457
dehydrogenase gene sequence expression Thermoplasma 211: 549
deoxyglucose metab Saccharomyces 218: 221
energy metab thymocyte proliferation 212: 95
fructose conversion intestine 213: 721
glucokinase gene expression newborn 215: 883
metab brain granule cell astrocyte 217: 617
metab oxidative phosphorylations Saccharomyces 214: 163
oxidase Pleurotus 215: 747
phosphatase arachidonate liver microsome diabetes 213: 461
phosphate dehydrogenase sequence structure Pichia 212: 41
phosphate phosphohydrolase kinetics microsome membrane 212: 335
phosphate thymidylyltransferase Salmonella 211: 763
repression Saccharomyces phosphate isomerase 214: 121
response cAMP gene CSC25 Candida 213: 195
transport alkaliphile bacteria ammonium 217: 435
transporter modulation glycosphingolipid erythrocyte 218: 637
transporting protein reconstitution Trypanosoma 214: 593
Glucosidase
beta thermostable Pyrococcus 213: 305
II bromoconduritol binding site liver 215: 37
Glutaconyl
CoA decarboxylase carboxytransferase subunit Acidaminococcus 211: 697
Glutamate
decarboxylase epitope diabetes mellitus 212: 597
dehydrogenase gene MAR sequence rat 215: 777
dehydrogenase gene sequence rat 211: 795
dehydrogenase Saccharomyces glycolysis mutation suppression 217: 469
dehydrogenase substrate coenzyme binding mechanism 213: 935
lysine replacement albumin Herborn human 214: 437
ornithine carbamoyltransferase mutation allosteric kinetics 215: 833
release storage uptake synaptosome review 212: 613
role carbonic anhydrase active site 211: 821
sorbitol dehydrogenase zinc coordination cysteine 216: 103
Glutamatergic
nerve terminal review 212: 613
Glutamine
synthetase gene rat liver sequence 213: 1067
Glutaredoxin
glutathione NMR spectrometry carbon13 nitrogen15 218: 327
thioredoxin sulfitolysis plant bacteria 211: 609
Glutathione
glutaredoxin NMR spectrometry carbon13 nitrogen15 218: 327
peroxidase lipid doxorubicin antitumor resistance 211: 141
S transferase cDNA Arabidopsis correction 218: 1096
S transferase cDNA sequence Arabidopsis 216: 579
transferase conformation multiphasic folding Proteus 215: 741
transferase isoenzyme neoplasm drug resistance 217: 671
transferase isoenzyme sequence Proteus 211: 421
transferase mechanism glutathione thiol activation 215: 663
transferase mechanism histidine noninvolvement 211: 805
transferase microsome aggregation fluoroscence probe 217: 661
transferase P11 domain conformation interaction 218: 845
Glutathionylspermidine
disulfide interaction trypanothione reductase crystallog 213: 67
Glycan
core oligosaccharide mucin stomach 217: 645
erythrocyte infection transferase malaria Plasmodium 216: 779
Glycation
lysine alc dehydrogenase liver 215: 567
Glyceraldehyde
insulin secretion stimulation 213: 359
phosphate dehydrogenase gene Thermotoga sequence 214: 43
phosphate dehydrogenase stoichiometry multienzyme chloroplast 217: 1065
phosphate methylglyoxal 212: 101
Glycerone
phosphate methylglyoxal 212: 101
Glycerophosphocholine
release erythrocyte lysophospholipase 212: 411
Glycine
beta amylase cDNA sequence 214: 787
decarboxylase complex T protein pea 217: 377
essential ornithine decarboxylase homodimer formation 218: 245
reductase enzyme gene sequence Eubacterium 217: 791
specific tRNA anticodon codon Bombyx 217: 131
Glycogen
metab proglycosyn hepatocyte 218: 745
phosphorylase imidazole citrate amino acid 215: 761
phosphorylase prostaglandin E2 hepatocyte 218: 1083
Glycogenolysis
hepatocyte PGF2 receptor 211: 163
liver noradrenaline PGF2 protein kinase 217: 305
Glycoinositol
phospholipid Trypanosoma 218: 929
Glycolate
hydrogen formation bacteria electron transport 217: 233
oxidase active site tyrosine role 213: 1047
Glycolipid
anchor glycoprotein gp64 Polysphondylium 218: 623
sialyltransferase specificity Trypanosoma 213: 765
Glycolylneuraminate
specific lectin Scylla 215: 697
Glycolysis
mutation suppression Saccharomyces glutamate dehydrogenase 217: 469
oxidative phosphorylations Saccharomyces 214: 163
Saccharomyces catabolite repression glucose 214: 121
Glycomyces
teichoic acid cell wall 218: 371
Glycopeptidolipid
antigen methylserine contg structure Mycobacterium 214: 395
antigen Mycobacterium 215: 859
Glycophorin
band 4 erythrocyte inositol phospholipid 211: 671
Glycoprotein
acid gene promoter transcription factor 216: 127
boar sperm 218: 719
CaBP2 protein disulfide isomerase sequence 213: 789
glycosylation review 218: 1
gp41 human immunodeficiency virus transglutaminase 215: 99
gp58 epitope mapping cytomegalo virus 215: 383
gp64 glycolipid anchor Polysphondylium 218: 623
gp64 purifn glycosylation site Polysphondylium 211: 147
high mannose membrane hepatocyte hepatoma 216: 215
oligosaccharide zona pelucida 214: 763
PC1 nucleotide phosphodiesterase soluble form 217: 421
PsA glycosylphosphatidylinositol membrane anchor Dictyostelium 216: 729
respiratory mucus sialylated oligosaccharide structure 211: 491
sialyltransferase specificity Trypanosoma 213: 765
taurocholate transporting hepatocyte canaliculus membrane 214: 539
Tc85 glycosylphosphatidylinositol anchor Trypanosoma 217: 597
Glycosaminoglycan
basic FGF proteolysis 214: 51
structure heparan sulfate proteoglycan 211: 771
Glycosphingolipid
modulation glucose transporter erythrocyte 218: 637
Glycosphingolipids
erythrocyte hydrolysis endoglycoceramidase kinetics 218: 645
Glycosylation
gelatinase B regulation 218: 129
glycoprotein review 218: 1
hydroxylation collagen II cartilage fibrocartilage 213: 1297
lipase variant chronic pancreatitis 216: 807
site glycoprotein gp64 Polysphondylium 211: 147
Glycosylphosphatidylinositol
anchor oligosaccharide lipid Tc85 glycoprotein 217: 597

anchored alk phosphatase heterogene= ity intestine 217: 199
membrane anchor PsA glycoprotein Dictyostelium 216: 729
prolactin signal transduction 216: 747
signaling system insulin age 211: 431
Glyoxalase
II erythrocyte 213: 1261
Glyoxylate
synthetase potato chloroplast 214: 889
GMP
RNase T1 complex conformation 218: 1005
GM3
ganglioside erythrocyte hydrolysis endoglycoceramidase 218: 645
Golgi
ATPase Saccharomyces calcium transport 216: 573
membrane protein acetylglucosamine galactosyltransferase liver 216: 405
Gonadotropin
plasminogen activator system ovula= tion 214: 147
Gp58
glycoprotein epitope mapping cyto= megalo virus 215: 383
Granule
cell brain glucose metab 217: 617
Granulocyte
CD66 epitope antigen CGM1 human 214: 27
polymorphonuclear cytosol LNPI elastase inhibitor 217: 519
Grapevine
lipid transfer protein isoform 217: 885
Gro
gene product neutrophil chemoattrac= tant lipopolysaccharide 214: 267
Growth
factor epidermal receptor phosphory= lation ciprofibrate 215: 903
factor vascular endothelial insect cell 211: 19
hormone gene silencer element 213: 399
stationary desulfoviridin gamma subunit 211: 501
GSH
redox transduction erythrocyte mem= brane 215: 711
GTP
binding hydrolysis p21cHras protein conformation 213: 781
binding protein rab sequence mollusk 217: 241
elongation factor Tu Ts 218: 1041
G protein p21cHras labeling 215: 473
phospholipase D activation cytosol factor 215: 389
protein Ras EGF receptor 212: 477
GTPase
heart sarcolemma adrenergic receptor 213: 57
small G protein NADPH oxidase 216: 813
Guanosine
bisphosphate phosphate complex RNase T1 211: 311
cyclophosphorothioate complex RNase Sa 216: 301
Guanylate
cyclase atriopeptin receptor aorta 217: 295
kinase sequence brain pig 213: 263
Guinea
pig phospholipase A2 cDNA sequence 215: 91
pig stomach phospholipase A2 215: 81
Habituation
neurosecretion cAMP receptor adap= tation 217: 259
Hafnia
lipopolysaccharide O specific polysac= charide structure 213: 1255
Halobacterium
bacterioopsin synthetic gene sequence 211: 27
rhodopsin conformation 218: 837
Halocynthia
egg beta acetylglucosaminidase 218: 535
entactin nidogen cDNA sequence 213: 11
Haloferax
dihydrofolate reductase recombinant 216: 199
Hazel
pollen allergen isoform 212: 355
Hb
alpha chain zinc protoporphyrin conformation 214: 383
subunit sequence Chelodonichthys root effect 218: 829
HBsu
protein conformation phenylalanine tryptophan Bacillus 217: 849
HDL
K45 protein plasma 211: 871
Heart
adrenergic receptor G protein interac= tion 213: 57
dienoyl CoA reductase isoform 215: 199
FABP protein multiple form mRNA 215: 555
mitochondria ATP synthase 218: 377
myoglobin heme pocket 214: 405
type lactate dehydrogenase stability animal 211: 643
Heat
shock element heme oxygenase gene 212: 167
shock gene TPS2 212: 315
shock protein deletion mutant Droso= phila 215: 277
shock protein liver thermotolerance 218: 413
Heliothis
endotoxin binding protein Spodoptera 212: 145
Helix
cadmium contg metallothionein I sequence 216: 739
Heme
cavity ferricytochrome c Methylophi= lus NMR 215: 817
coordination cytochrome c6 Monora= phidium 216: 329
cytochrome c electronic structure NMR 211: 563
oxygenase gene heat shock element 212: 167
oxygenase gene transcription sperma= togenesis 217: 633
oxygenase liver regulation heme 213: 909
Hemerythrin
myo homol metalloprotein II Nereis 217: 151
Hemin
structure peroxidase porphobilinogen oxygenase activity 218: 251
Hemolymph
clotting protein freshwater crayfish 213: 591
Hemonectin
fetuin sequence homol 213: 523
Hemoprotein
reduced proton NMR spectrometry 215: 431
Hen
turkey lysozyme conformation NMR 215: 255
Heparan
sulfate phospholipase prostaglandin 218: 807
sulfate proteoglycan glycosaminogly= can structure 211: 771
sulfate proteoglycan membrane mus= cle 216: 587
Heparin
binding protein interaction Kunitz inhibitor 214: 271
progelatinase A activation autolysis 218: 431
Hepatic
encephalopathy hyperammonemia protein MAP2 phosphorylation 214: 243
Hepatitis
delta virus ribozyme important resi= due 217: 29
Hepatocyte
autophagy okadaic acid 215: 113
canaliculus membrane taurocholate transporting glycoprotein 214: 539
CETP protein expression butyrate 218: 945
chick embryo xanthine dehydrogenase 215: 307
culture P 450 isoenzyme membrene 213: 805
development differentiation disease gene review 216: 353
growth factor gene regulatory element 213: 113
high mannose membrane glycoprotein 216: 215
low density lipoprotein receptor 213: 989
membrane PGF2 receptor 211: 163
peroxide oxidative stress 211: 449
phosphocholine cytidylyltransferase expression 214: 927
phosphorylation growth factor recep= tor ciprofibrate 215: 903
proglycosyn glycogen metab 218: 745
prostaglandin E2 glycogen phosphory= lase 218: 1083
swelling autophagy amino acid 215: 449
Hepatoma
high mannose membrane glycoprotein 216: 215
Herborn
albumin lysine glutamate replacement human 214: 437
Herpesvirus
antisense oligodeoxyribonucleotide psoralen virucide radiosensitizer 216: 19
HES
2 rat sequence characterization 215: 645
Heterodisulfide
reductase complex Methanosarcina membrane 213: 529
Hevea
polyisoprene formation prenyl trans= ferase 218: 267
High
density lipoprotein paraoxonase K45 protein 211: 871
mannose glycoprotein membrane hepatocyte hepatoma 216: 215
potential iron sulfur protein Rhodop= seudomonas 212: 69
Hippocampus
brain epilepsy phosphoprotein MAP2 dephosphorylayion 215: 181
Hirudin
leech sequence 214: 295
Hirudinaria
cDNA hirudin sequence 214: 295
Histidine
albumin conformation unfolding pH

212: 811
aspartate aminotransferase coenzyme site lysine 211: 475
bisphosphoglycerate mutase active site 213: 493
contg protein HPr conformation Staphylococcus 216: 205
coordination copper superoxide dismutase NMR 213: 391
flavanone hydroxylase sequence iron site 217: 745
gene recA protein DNA ATP 217: 665
noninvolvement glutathione transferase mechanism 211: 805
tagged recombinant lipoxygenase platelet 214: 845
Histone
gene transcription repression fibroblast cell 217: 683
H1 gene promoter sequence neoplasm 217: 353
H3 gene regulation protein WZF1 217: 1049
protein HMG14 HMGI Lewis carcinoma 213: 825
HIV
Nef protein oligomerization 214: 451
HIV1
virus rev response element 216: 459
HLA
DRA gene methylation lymphocyte 218: 485
HL60
cell differentiation eicoisanoid 212: 371
cell protein tyrosine kinase 214: 503
HMGI
HMG14 protein histone Lewis carcinoma 213: 825
HMG14
protein HMGI histone Lewis carcinoma 213: 825
Hoechst
33258 DNA adenine thymine rich 211: 437
Homophilic
interaction axonin cell adhesion 215: 133
Honeybee
venom phospholipase A2 oligosaccharide structure 213: 1193
Hormone
arginase expression metamorphosis tadpole 211: 891
eclosion gene sequence Drosophila 215: 221
hydroxymethylglutaryl CoA synthase gene promoter 213: 773
hyperglycemic crustacean sequence 211: 601
thyroid adipocyte malic enzyme 215: 285
Horse
albumin cDNA sequence conformation 215: 205
Horseshoe
crab C reactive protein oligosaccharide 214: 99
crab C reactive protein subunit 214: 91
HPLC
glucose phosphate thymidylyltransferase detn 211: 763
HPr
protein conformation Staphylococcus 216: 205
Hsp70
protein Schistosoma development stress 212: 589
HS2
enhancer PBGD gene human 212: 763
Human
acetylcholine receptor cDNA sequence 215: 229
adrenoceptor insect cell transformation 213: 797
aldehyde dehydrogenase isoenzyme E3 sequence 218: 311
aromatase mRNA alternative splicing 213: 383
axonin 1 cDNA sequence 211: 329
chromosome MyBP C protein gene 216: 661
cytochrome P450 gene PC12 cell 214: 735
cytochrome P4503A4 gene sequence transcription 218: 585
DNA topoisomerase gene regulatory region 217: 813
electron transfer flavoprotein cDNA sequence 213: 1003
elongation factor isoform sequence expression 215: 549
enhancer silencer gene csis PDGFB 216: 487
epithelium mixed lineage kinase sequence 213: 701
galactoside sialyltransferase gene sequence 213: 467
granulocyte CD66 epitope antigen CGM1 214: 27
hydroxyphenylpyruvate dioxygenase gene chromosome sequence 213: 1081
immunodeficiency virus glycoprotein gp41 transglutaminase 215: 99
interalpha trypsin inhibitor gene sequence 218: 283
interferon inducible gene 616 targeting 218: 273
interferon stimulable element transcription factor 214: 617
intermediate basic protein 2 sequence 214: 445
keratinocyte sequence IGUP I5111 protein 218: 421
K45 protein HDL plasma sequence 211: 871
laminin cDNA sequence mRNA 216: 293
lipocortin 1 sequence 211: 347
lipoxygenase gene mol cloning 214: 845
man9 mannosidase cDNA sequence kidney 217: 535
milk oligosaccharide structure 215: 361
mouse AES protein cDNA sequence 216: 343
muscle enolase gene ENO3 sequence 214: 367
oxoprolylglutamylprolinamide extended form semen 212: 35
pancreas glutamate decarboxylase sequence 212: 597
parathormone related protein prodn Saccharomyces 213: 641
parvalbumin alpha beta sequence 215: 719
plasma RNase 4 sequence 217: 401
porphobilinogen deaminase gene erythroid regulation 212: 763
prealphatrypsin inhibitor H3 precursor sequence 212: 771
protein kinase C isoenzyme cDNA 216: 597
recombinant sol interleukin 6 receptor 216: 239
rRNA processing pathway 212: 211
sequence coagulation factor X 218: 153
testican sequence 214: 347
Hyaline
cartilage annulus fibrosus collagen II 213: 1297
Hybrid
beta glucanase thermostability structure determinant 216: 829
DNA RNA duplex conformation 215: 297
Hydantoinase
Agrobacterium 213: 1315
Hydratase
maleate thermodn Pseudomonas 217: 1011
nitrile gene coupled amidase Rhodococcus 217: 327
Hydration
ATPase conformer activity reverse micelle 213: 757
chymotrypsin water activity reverse micelle 218: 1013
Hydrazine
protein formyl removal deblocking 212: 785
Hydride
ion transfer nicotinamide nucleotide transhydrogenase 217: 763
Hydrogen
bond methyl lactoside Ricinus lectin 214: 677
formation glycolate bacteria electron transport 217: 233
formation mechanism methylenetetrahydromethanopterin dehydrogenase Methanobacterium 212: 255
ion pyrophosphatase kinetics vacuole Vigna 217: 755
peroxide detection dihydrorhodamine 123 217: 973
signal transduction cell proliferation 213: 349
Hydrogenase
Chlamydomonas sequence characterization 214: 475
Desulfovibrio kinetics electron transfer protein 217: 981
selenocysteine contg subunit processing Methanococcus 213: 1355
Hydrolase
acylpeptide lens 216: 631
carbamoyl amino acid Comamonas 212: 685
Hydrolysis
glycosphingolipid endoglycoceramidase erythrocyte 218: 637
GTP p21cHras protein conformation 213: 781
Hydroperoxide
metab liver potassium channel eicosanoid 211: 449
Hydrophobic
anchor subunit acetylcholinesterase brain evolution 215: 333
probe thermolysin binding zinc ligand 218: 523
Hydrostatic
pressure tumor antigen epitope 217: 337
Hydroxy
acid oxidase sequence rat kidney 214: 17
Hydroxybenzimidazole
Eubacterium vitamin B12 formation 217: 1117
Hydroxybenzoate
CoA ligase denitrifying Pseudomonas 213: 555
hydroxylase substrate activation tyrosine role 216: 137
Hydroxybenzoyl
CoA reductase dehydroxylating denitrifying Pseudomonas 213: 563
Hydroxybutyryl
CoA dehydratase vinylacetyl isomerase Clostridium 215: 421
Hydroxyheptadecatrienoate
kinetics hydroxyprostaglandin dehydrogenase placenta 214: 67
Hydroxyheptadienedioate
isomerase oxopentenetricarboxylate decarboxylase sequence Escherichia 217: 575

Hydroxylase
butyrobetaine gamma chain sequence Pseudomonas 213: 1075
cholesterol oxocholesterol liver 215: 705
flavanone sequence iron site histidine 217: 745
hydroxybenzoate substrate activation tyrosine role 216: 137
lysine FAD substrate analog Escheric= hia 213: 995
methane monooxygenase iron manga= nese Methylococcus 217: 217
phenol mechanism regioselectivity kinetics Trichosporon 218: 345
tyrosine MAP MAPKAP kinase 217: 715
tyrosine melanocyte MSH 217: 541
tyrosine phosphorylated form inacti= vation ascorbate 218: 363
Hydroxylation
glycosylation collagen II cartilage fibrocartilage 213: 1297
Hydroxymethylbilane
synthase selenomethionyl deriv Es= cherichia 211: 615
Hydroxymethyldihydropterin
pyrophosphokinase gene fas Pneumo= cystis 216: 449
Hydroxymethylglutaryl
CoA reductase cockroach 213: 233
CoA synthase cDNA sequence cock= roach 217: 691
CoA synthase gene promoter rat 213: 773
Hydroxymethyltransferase
serine gene cloning sequence Hypho= microbium 212: 745
Hydroxyphenylpyruvate
dioxygenase gene chromosome se= quence human 213: 1081
Hydroxypropionate
cycle enzyme carbon dioxide fixation 215: 633
Hydroxyprostaglandin
dehydrogenase monomer placenta 214: 67
Hydroxythromboxane
B2 dehydrogenase kidney 212: 403
Hyperammonemia
liver failure protein MAP2 phospho= rylation 214: 243
Hyperglycemic
hormone crustacean sequence 211: 601
Hypertension
blood vasopressor factor 218: 67
Hyphomicrobium
serine hydroxymethyltransferase gene cloning sequence 212: 745
Hyrogenase
subunit gene sequence Wolinella correction 214: 949
H1
histone gene promoter sequence neo= plasm 217: 353
H3
precursor prealphatrypsin inhibitor sequence human 212: 771
IFR2
gene human transcription 214: 617
IF1
inhibitor protein ATPase receptor mitochondria 215: 487
IGF
calcitriol osteocalcin formation os= teoblast 218: 883
IgG
antiidiotypic cysteinyl leukotriene receptor macrophage 214: 83
IgM
membrane protein tyrosine kinase p72syk 213: 455
IGUP
protein keratinocyte interferon gam= ma 218: 421
IKe
virus gene V protein domain 216: 507
Imidazole
citrate glycogen phosphorylase amino acid 215: 761
Immediate
early gene hydrogen ion signaling 213: 349
Immobilization
NADP malic enzyme monomer tet= ramer 213: 1159
Immunity
gene nisA nisI Lactococcus 216: 281
Immunization
active catalytic antibody 214: 197
Immunogen
gastrin structure function 212: 325
Immunogenic
region nicotinic receptor structure 211: 227
Immunogenicity
pertussis toxin epitope conformation 217: 171
Immunophilin
family prokaryote eukaryote review 216: 689
Import
mitochondria electron transfer flavo= protein subunit 213: 1003
narB protein Synechococcus chloro= plast pea 214: 533
prechaperonin preornithine transcar= bamylase mitochondria 211: 881
preprotein Chlamydomonas chloro= plast processing proteinase 217: 1039
protein conformation mitochondria binding 218: 905
Infection
erythrocyte glycan transferase malaria Plasmodium 216: 779
Inflammatory
exudate neutrophil chemoattractant CINC related 214: 267
Influenza
virus N9 sialidase antibody binding 217: 319
Influx
calcium neutrophil complement C3a 217: 289
Inhibitor
protein IF1 ATPase receptor mito= chondria 215: 487
proteinase secretory leukocyte chon= drocytes 218: 951
2 chaperone protein phosphatase 1 213: 1055
Initiation
factor 4alpha phosphorylation T lymphocyte 218: 39
Inositol
monophosphatase mechanism inhib= ition cation site 217: 281
phosphatase kinetics mechanism brain 212: 693
phosphate metab macrophage activa= tion 218: 753
phosphate metabolite Entamoeba 214: 711
phospholipid band 4 erythrocyte membrane 211: 671
phospholipid platelet ADP fibrinogen 216: 231
trisphosphate kinase domain interac= tion calmodulin 214: 497
Insect
cell transformation human adrenocep= tor 213: 797
cell vascular endothelial growth factor 211: 19
fat body attacin processing 214: 287
midgut membrane permeability Bacil= lus endotoxin 214: 771
Insulin
adipocyte malic enzyme gene 215: 285
EGF receptor Ras GTP 212: 477
fibroblast differentiation G protein 215: 611
glucagon phosphoenolpyruvate car= boxykinase mRNA liver 215: 541
glucokinase gene newborn glucose 215: 883
glycosylphosphatidylinositol signaling system age 211: 431
like growth factor I sequence 218: 205
receptor complex membrane 211: 241
receptor kinase lipid 213: 277
secretion stimulation glyceraldehyde 213: 359
stimulated protein kinase 1 phospho= rylation 212: 581
TPA MAP kinase 218: 815
Insulinlike
growth factor I cDNA sequence 218: 205
Integrin
binding collagen IV 215: 151
Interalpha
trypsin inhibitor gene sequence hu= man 218: 283
Interferon
alpha2 recombinant Sf9 cell 217: 921
gamma protein IGUP keratinocyte 218: 421
gamma reconstitution purifn swine 215: 481
inducible gene 616 targeting human 218: 273
omega1 recombinant Sf9 cell 217: 913
stimulable element transcription factor human 214: 617
Interleukin
gene regulation AP1 cAMP 213: 243
1 lymphoblast Alzheimer disease 217: 21
1beta gene sequence pig 217: 45
1beta partial agonist mutation 211: 583
2 recombinant baculovirus Spodoptera 215: 189
5 selenomethionyl recombinant crys= tal structure 212: 751
5 thermostability carbohydrate chain 211: 903
6 monoblast plasma membrane pro= tease 215: 825
6 receptor interaction arginine 179 211: 749
6 receptor recombinant sol human 216: 239
6 tryptophan sulfenylation activity conformation 217: 53
Intermediate
basic protein 2 sequence human 214: 445
biotin formation lavender culture 217: 479
filament protein review 214: 351
Intestinal
trefoil factor cloning receptor organ 212: 557
Intestine
antibacterial peptide gastric inhibito= ry polypeptide 216: 623
arginine metab newborn 216: 109
fructose glucose conversion 213: 721
glycosylphosphatidylinositol anchored alk phosphatase heterogeneity 217: 199
zinc finger peptide ZF1 211: 377
Intrinsic
uncoupling proton pump cytochrome oxidase 212: 827

Invertebrate
cholecystokininlike neuropeptide lymnaDFamide 213: 875
Iodothyronine
deiodinase astrocyte TSH cAMP 218: 1091
Ion
channel protein proline conformation flexibility 212: 305
IR
spectra transglutaminase structure 218: 499
IRF1
gene human transcription 214: 617
Iron
cluster nigerythrin rubrerythrin Desulfovibrio 212: 237
molybdenum cofactor incorporation nitrogenase 3 215: 25
reconstitution methane monooxygenase hydroxylase Methylococcus 217: 217
redn mobilization flavin reductase Escherichia 211: 635
regulatory factor mRNA translation aconitase 218: 657
site histidine flavanone hydroxylase sequence 217: 745
substituted acid phosphatase Moessbauer bean 214: 313
sulfur cluster redox EPR molybdoferredoxin 212: 51
sulfur high potential protein Rhodopseudomonas 212: 69
sulfur hydroxybutyryl CoA dehydratase Clostridium 215: 421
uptake doxorubicin conjugate transferrin 213: 427
water phenylalanine monooxygenase active site 211: 259
ISGF3
gene human transcription 214: 617
Isoenzyme
alc dehydrogenase immunization liver ethanol 212: 757
chitinase parsley 213: 419
cytochrome P 450 liver membrane 213: 805
cytochrome P450 induction ethoxyphenol Rhodococcus 213: 211
E3 aldehyde dehydrogenase sequence human 218: 311
glutathione transferase sequence Proteus 211: 421
H4 lactate dehydrogenase NAD deriv 213: 947
methyl coenzyme M reductase Methanobacterium 217: 587
phosphatidylinositol phospholipase C functional domain 217: 1109
trypsinogen cDNA sequence cod 217: 1091
zeta protein kinase C sequence 216: 597
Isoform
allergen pollen hazel 212: 355
protein phosphatase 1 conformation inhibitor 213: 1055
Isomaltooligosaccharide
Streptococcus lipoteichoate microheterogeneity structure 214: 757
Streptococcus lipoteichoate structure 214: 747
Isomerase
hydroxyheptadienedioate oxopentene tricarboxylate decarboxylase sequence Escherichia 217: 575
peptidylproline family prokaryote eukaryote review 216: 689
phosphate Saccharomyces glucose repression 214: 121
proteindisulfide CaBP2 cDNA sequence rat 213: 789
triosephosphate mutant recombinant form Trypanosoma 211: 703
vinylacetyl CoA hydroxybutyryl dehydratase Clostridium 215: 421
xylose metal binding site EPR 213: 1185
Isooctane
AOT reverse micelle catalase 217: 567
Isopenicillin
acyltransferase gene penDE Penicillium 215: 323
Ito
cell endothelin nitric oxide liver 213: 815
Jack
bean urease quaternary structure surfactant 215: 55
JMV
179 cholecystokinin receptor affinity state 212: 529
Jun
protein leucine zipper domain conformation 214: 415
Keratinocyte
phosphorylation protein p28 TPA okadaate 213: 1101
protein IGUP interferon gamma 218: 421
Kidd
antigen erythrocyte urea transporter 218: 447
Kidney
bean purple acid phosphatase Moessbauer 214: 313
hydroxythromboxane B2 dehydrogenase 212: 403
liver perchlorate soluble protein sequence 212: 665
man9 mannosidase cDNA sequence human 217: 535
membrane endopeptidase 24 16 211: 79
rat hydroxy acid oxidase sequence 214: 17
Kinase
actin fragmin Physarum purifn sequence 214: 111
adenylate gene sequence Bordetella 218: 921
C alpha delta activation specificity 216: 597
cAMP dependent protein activity Saccharomyces 213: 501
casein phosphorylation site serine 218: 515
creatine ATPase coupling calcium transport 213: 973
eEF2 phosphorylation 213: 689
elongation factor 2 reticulocyte 212: 511
guanylate sequence brain pig 213: 263
inositol trisphosphate domain interaction calmodulin 214: 497
insulin receptor lipid 213: 277
MAP kinase affinity chromatog muscle 214: 459
MAP MAPKAP tyrosine hydroxylase 217: 715
mixed lineage sequence epithelium human 213: 701
phosphatidylinositol erythropoietin receptor 216: 821
phosphoglycerate structure function review 216: 1
phosphoglycerate yeast affinity labeling 212: 719
protein C LDL receptor liver 213: 989
protein C zymosan eicosanoid macrophage 217: 69
protein cAMP interleukin regulation AP1 213: 243
protein cdc2 C lamin phosphorylation 213: 659
protein formation initiation factor 2 211: 529
protein glycogenolysis liver noradrenaline PGF2 217: 305
protein ISPK1 phosphorylation sequence 212: 581
protein liver ciprofibrate 215: 903
protein PKR inactive mutant mechanism 214: 945
protein tyrosine HL60 cell 214: 503
pyruvate ATP metformin gluconeogenesis liver 213: 1341
pyruvate sequence Bacillus 211: 851
p72syk B cell antigen receptor 213: 455
rhodopsin activation mechanism rhodopsin phosphorylation 213: 881
sensor gene kdpD Escherichia membrane 217: 1019
tyrosine platelet activating factor 216: 639
tyrosine protein fgr fyn spleen 216: 323
Kinetics
beta lactamase antibiotic interaction 217: 61
enzyme nomenclature correction 213: 1
glucose phosphate phosphohydrolase microsome membrane 212: 335
methyltransferase DNA adenine specific 218: 727
Klebsiella
capsule polysaccharide structure 213: 445
flavodoxin mutation 217: 395
Klenow
DNA polymerase I arginine role 214: 59
Kluyveromyces
fructose bisphosphatase gene sequence 212: 193
gene GGS1 sequence mutation 217: 701
ribosomal protein L41 gene sequence 213: 841
Kunitz
inhibitor interaction heparin binding protein 214: 271
proteinase inhibitor structure sea anemone 212: 675
K45
protein HDL plasma human sequence 211: 871
K562
cell monodehydroascorbate reductase 218: 1057
Labeling
fluorescent tRNA aminoacyl property 213: 583
G protein p21cHras GDP GTP 215: 473
Lac
operon promoter enzyme control analysis 211: 181
promoter CAP protein anion 212: 539
Lactalbumin
alpha conformation polyamine complex 218: 303
Lactamase
beta antibiotic interaction 217: 61
beta TEM1 mutation Pseudomonas 217: 939
Lactate
dehydrogenase conserved threonine role Bacillus 212: 447
dehydrogenase dissocn reversed micelle 212: 63
dehydrogenase epsilon crystallin stability animal 211: 643
dehydrogenase gene ldh sequence Thermotoga 216: 709
dehydrogenase inactivation protection reverse micelle 211: 73

dehydrogenase isoenzyme H4 NAD deriv 213: 947
dehydrogenase mutation structure thermostability 211: 267
dehydrogenase release cell cytochrome P450 214: 735
Lactobacillus
gene pepN lysyl aminopeptidase sequence 217: 105
Lactococcus
nisin gene cluster sequence 216: 281
Lactogenic
receptor PRL binding 214: 483
Lactoperoxidase
peroxynitrite 215: 767
Lactoside
methyl hydrogen bond Ricinus lectin 214: 677
Lactotransferrin
receptor platelet aggregation 213: 1205
Lamin
A C phosphorylation site 213: 659
Laminin
cDNA sequence mRNA human 216: 293
domain self assembly basement membrane 216: 437
Lantibiotic
soln structure 216: 419
Latrodectus
latroinsectotoxin cDNA sequence 213: 121
Latroinsectotoxin
cDNA Latrodectus sequence 213: 121
Lavender
culture biotin formation intermediate 217: 479
LDL
lipoprotein receptor estrogen transcription 216: 527
receptor liver protein kinase C 213: 989
Leader
muscle enolase mRNA human conformation 214: 367
Leaf
barley light stress inducible protein 214: 779
Listera lectin carbohydrate binding 217: 677
Lectin
binding oligosaccharide natural killer lymphocyte 213: 1303
cDNA sequence Pleurodeles oviduct 213: 901
glycolylneuraminate specific Scylla 215: 697
inhibition biantennary oligosaccharide 216: 789
Listera leaf carbohydrate binding 217: 677
mannose specific cDNA sequence ransom 217: 123
Ricinus methyl lactoside hydrogen bond 214: 677
Leech
hirudin sequence 214: 295
lysine conopressin 217: 897
Leishmania
acid phosphatase lipophosphoglycan monoclonal antibody 217: 603
trypanothione reductase oxidative trypanosomicide 218: 29
Lens
acylpeptide hydrolase 216: 631
eye digitalis like compd cataract 216: 261
Leucine
transport alkaliphile bacteria ammonium 217: 435
zipper domain Jun protein conformation 214: 415
Leukemia
cell cytosol protein myristoyltransferase 214: 853
CTP synthetase 216: 161
DNA excision repair cisplatin resistance 211: 403
Leukocyte
arachidonate lipoxygenase specificity product platelet 218: 165
human cannabinoid receptor mRNA expression 214: 173
LNPI elastase inhibitor sequence swine 217: 519
proteinase inhibitor secretory chondrocytes 218: 951
Leukotriene
B4 analog structure activity 218: 59
B4 prodn arachidonate baculovirus system 218: 477
receptor macrophage antiidiotypic IgG 214: 83
Lewis
carcinoma histone protein HMG14 HMGI 213: 825
Ligand
bifunctional vasopressin V1a receptor 213: 711
zinc binding thermolysin hydrophobic probe 218: 523
Ligase
hydroxybenzoate CoA denitrifying Pseudomonas 213: 555
Light
ATP formation bacteriorhodopsin synthase reconstitution 218: 377
chain myosin filament conformation muscle 216: 89
harvesting chlorophyll binding protein conformation 215: 809
harvesting protein gene alphaE betaE 217: 867
stress inducible protein barley leaf 214: 779
Lignin
peroxidase kinetics Phlebia 211: 391
Ligninase
kinetics white rot fungus 211: 391
Limulus
C reactive protein oligosaccharide 214: 99
C reactive protein subunit compn 214: 91
Link
protein proteoglycan degrdn chondrocyte monocyte 212: 87
Lipase
activation LipB protein Escherichia Pseudomonas 215: 239
extracellular Bacillus 216: 155
gastric epitope mapping 211: 99
glycosylation variant chronic pancreatitis 216: 807
lipoprotein functional site mammal 213: 185
oligosaccharide structure pancreatic juice 216: 799
LipB
protein lipase activation Pseudomonas Escherichia 215: 239
Lipid
A conformation bacteria endotoxin 218: 555
A defective formation Escherichia firA 212: 363
A Escherichia structure 214: 695
A oligosaccharide structure Vibrio 218: 543
glutathione peroxidase doxorubicin antitumor resistance 211: 141
glycosylphosphatidylinositol anchor Tc85 glycoprotein 217: 597
insulin receptor kinase 213: 277
membrane daunomycin interaction 213: 1269
membrane nisin antibacterial protonmotive force 212: 417
mobility platelet plasminogen activator 215: 867
tetraether archaeal proton transport protein 214: 917
transfer protein isoform grapevine 217: 885
Lipocortin
1 cDNA expression Escherichia 211: 347
Lipophosphoglycan
acid phosphatase Leishmania monoclonal antibody 217: 603
Lipopolysaccharide
bacteria x ray diffraction conformation 217: 771
Campylobacter 213: 1029
Chlamydia antigen Escherichia oligosaccharide bisphosphate 214: 703
core structure Campylobacter serotype 213: 1017
gro gene product neutrophil chemoattractant 214: 267
O antigen Escherichia 213: 859
O specific polysaccharide structure Hafnia 213: 1255
Pectinatus disaccharide 213: 377
structure Shigella Escherichia hybrid 213: 573
Lipoprotein
high density paraoxonase K45 protein 211: 871
LDL receptor estrogen transcription 216: 527
lipase functional site mammal 213: 185
low density receptor hepatocyte 213: 989
oxygenation arachidonate 15 lipoxygenase mammal 213: 251
Liposome
fusion sperm phospholipid 217: 1001
yeast ATPase bacteriorhodopsin coreconstitution 214: 563
Lipoteichoate
microheterogeneity structure Streptococcus isomaltooligosaccharide 214: 757
structure Streptococcus isomaltooligosaccharide 214: 747
teichoate chain structure identity Streptococcus 215: 851
Lipoxygenase
arachidonate activation protein activator mechanism 215: 105
arachidonate specificity product platelet leukocyte 218: 165
arachidonate 15 oxygenation lipoprotein mammal 213: 251
cDNA sequence rat brain 212: 605
recombinant histidine tagged platelet 214: 845
Liq
chromatog glucose phosphate thymidylyltransferase detn 211: 763
Listera
leaf lectin carbohydrate binding 217: 677
Lithium
inhibition inositol phosphatase brain 212: 693
therapy inositol monophosphatase inhibition mechanism 217: 281
Liver
acetyl CoA carboxylase cell swelling 217: 1083
acyl CoA synthetase fibrate deriv 216: 615
alc dehydrogenase lysine glycation NAD 215: 567
alligator alc dehydrogenase 216: 49
cell adhesion mol isoform 213: 1109
cholesterol hydroxylase oxocholesterol 215: 705
cytosol 5S RNA metab 213: 1277

dehyroepiandrosterone sulfotransfer= ase sex 211: 539
dienoyl CoA reductase isoform 215: 199
ethanol alc dehydrogenase isoenzyme immunization 212: 757
failure hyperammonemia protein MAP2 phosphorylation 214: 243
gluconeogenesis metformin pyruvate kinase ATP 213: 1341
glucosidase II bromoconduritol bind= ing site 215: 37
glutamine synthetase gene rat se= quence 213: 1067
glycogenolysis noradrenaline PGF2 protein kinase 217: 305
Golgi protein acetylglucosamine ga= lactosyltransferase membrane 216: 405
heat shock protein thermotolerance 218: 413
heme oxygenase regulation heme 213: 909
hydroperoxide metab potassium channel eicosanoid 211: 449
hydroxymethylglutaryl CoA synthase gene promoter 213: 773
Ito cell endothelin nitric oxide 213: 815
kidney perchlorate soluble protein sequence 212: 665
LDL receptor protein kinase C 213: 989
membrane cytochrome P 450 isoen= zyme 213: 805
microsome calcium magnesium AT= Pase detn 218: 959
microsome glucose phosphatase ara= chidonate diabetes 213: 461
nucleus exonuclease 217: 493
peroxisome permeability oxidase 218: 75
phosphoenolpyruvate carboxykinase mRNA glucagon insulin 215: 541
protein kinase ciprofibrate 215: 903
LMP2
protein subunit proteasome 216: 119
LMP7
protein proteasome subunit 216: 119
Lm67
protein sequence Locusta 217: 267
Lm70a
protein sequence Locusta 217: 267
Lm70b
protein sequence Locusta 217: 267
LNPI
elastase inhibitor sequence swine leukocyte 217: 519
Locusta
Lm67 Lm70a Lm70b protein sequence 217: 267
Loligo
microtubule assocd protein sequence 211: 193
Low
density lipoprotein receptor hepato= cyte 213: 989
Luciferase
promoted synthesis adenosine poly= phosphate 212: 263
Lumbricus
myosin regulatory light chain se= quence 211: 341
Luminometry
elastase terbium complex 211: 467
Lung
amiloride binding protein isoform sequence 216: 679
Lyase
peptidylhydroxyglycine mol diversity Xenopus tissue 214: 811
LymnaDFamide
neuropeptide pond snail 213: 875
Lymnaea
neuropeptide cholecystokininlike 213: 875
rab protein cDNA sequence 217: 241
sodium influx peptide gene sequence 215: 397
Lymphocyte
adenosine toxicity bisadenosinylal= kane structure activity 215: 465
B kinase p72syk signal transduction 213: 455
B proteoglycan link protein degrdn 212: 87
methylation HLA DRA gene 218: 485
natural killer lectin binding oligosac= charide 213: 1303
T phosphorylation initiation factor 4alpha 218: 39
Lymphoid
tissue brain cannabinoid receptor expression 214: 173
Lymphoma
histone protein HMG14 HMGI 213: 825
Lysine
acylation phospholipase A2 pancreas 216: 519
aspartate aminotransferase coenzyme site histidine 211: 475
conopressin leech 217: 897
ferredoxin NADP reductase substrate site 216: 57
formation Corynebacterium split path regulation 213: 1325
glutamate replacement albumin Her= born human 214: 437
glycation alc dehydrogenase liver 215: 567
hydroxylase FAD substrate analog Escherichia 213: 995
mutant azurin ionization structure electrochem 218: 229
Lysophosphatidylcholine
octadecenyl analog acylation desatn plant 213: 965
Lysophospholipase
activity phospholipase A2 cytosol mammal 218: 629
erythrocyte glycerophosphocholine release 212: 411
Lysozyme
chitooligosaccharide site conformation tryptophan 212: 151
conformation hen turkey NMR 215: 255
sequence evolution kidney cow sheep 213: 649
Lysyl
aminopeptidase gene pepN Lactoba= cillus sequence 217: 105
Mabinlin
II sequence Capparis 211: 281
Macroglobulin
formation cortisol mammary 214: 803
Macromol
translocation inhibitor glucocorticoid receptor binding 218: 679
Macrophage
activation pathway 218: 753
arachidonate phospholipase A phos= phorylation bacteria 213: 81
cysteinyl leukotriene receptor antiid= iotypic IgG 214: 83
differentiation eicosanoid thrombox= ane synthase 212: 371
eicosanoid zymosan protein kinase C 217: 69
G protein formylmethionylleucylphe= nylalanine PAF arachidonate 213: 295
NADPH oxidase activation sigma1 protein 217: 441
nitric oxide prodn tetrahydrobiopterin biosynthesis 213: 833
Magnesium
ATP binding ATPase sarcoplasmic reticulum 211: 117
ATPase calcium insensitive sensitive detn 218: 959
cell proliferation inhibition polyamine 217: 89
pyrophosphatase mitochondria Sac= charomyces 217: 657
site calcium ATPase sarcoplasmic reticulum 217: 225
site structure function inositol mon= ophosphatase 217: 281
thiamin diphosphate binding transke= tolase erythrocyte 218: 261
Magnetic
relaxation spin lattice nigerythrin rubrerythrin 212: 237
Maize
fusicoccin receptor purifn analysis 214: 339
Malaria
Plasmodium transferase glycan eryth= rocyte infection 216: 779
Malate
dehydrogenase dye linked Bacillus 214: 37
dehydrogenase NADP sequence Pisum chloroplast 217: 189
Malease
thermodn Pseudomonas 217: 1011
Maleate
hydratase thermodn Pseudomonas 217: 1011
Malic
enzyme cAMP retinoate adipocyte 215: 285
enzyme monomer tetramer immobili= zation 213: 1159
Maltooligosaccharide
glucoamylase starch binding domain Aspergillus 211: 717
Mammal
arachidonate 15 lipoxygenase oxygen= ation lipoprotein 213: 251
cell DNA formation topoisomerase inhibitor 216: 177
cytosol protein myristoyltransferase 214: 853
epithelium nuclear matrix purifn 212: 573
metab math model 217: 457
Mammalian
cell phage T7 promoter transcription 217: 387
Mammary
macroglobulin formation cortisol 214: 803
Manganese
aminopeptidase specificity Strepto= myces 212: 107
reconstitution methane monooxyge= nase hydroxylase Methylococcus 217: 217
substituted xylose isomerase EPR 213: 1185
Mannan
Saccharomyces cell wall 217: 1
Mannose
high glycoprotein membrane hepato= cyte hepatoma 216: 215
specific lectin cDNA sequence ransom 217: 123
Mannosidase
man9 sequence kidney human 217: 535
Mannosyltransferase
protein peptide substrate Candida 215: 845
Man9
mannosidase sequence kidney human 217: 535
MAP
kinase insulin TPA 218: 815
kinase kinase affinity chromatog

muscle 214: 459
kinase tyrosine hydroxylase 217: 715
MAPKAP
kinase 1 2 tyrosine hydroxylase 217: 715
Mapping
DNase site human gene csis 216: 487
eclosion hormone gene chromosome 3 215: 221
gene AES TLE human 216: 343
hydroxyphenylpyruvate dioxygenase gene human 213: 1081
MAP2
phosphoprotein dephosphorylayion brain hippocampus epilepsy 215: 181
protein phosphorylation hyperam= monemia liver failure 214: 243
Marine
sponge tenascin extracellular matrix structure 216: 255
worm cholinesterase dimeric form 215: 267
Mast
cell transacylase platelet activating factor 216: 835
Math
model mammal metab 217: 457
Matrix
attachment region sequence rat 215: 777
tyrosinase isoenzyme melanocyte membrane 217: 549
Matthiola
flavanone hydroxylase cDNA 217: 745
MCAT
E box acetylcholine receptor gene 216: 395
Melanocyte
tyrosinase isoenzyme membrane matrix 217: 549
tyrosinase isoenzyme MSH 217: 541
Melon
ethylene forming enzyme cDNA se= quence 212: 27
Membrane
aggregation binding myelin basic protein 211: 689
anchor glycosylphosphatidylinositol PsA glycoprotein Dictyostelium 216: 729
ATPase epitope mapping Saccharo= myces 212: 737
bacteriorhodopsin ATP synthase reconstitution 218: 377
basement laminin domain self assem= bly 216: 437
beta amyloid peptide conformation Alzheimer 211: 249
binding domain phosphatidylinositol phospholipase C 217: 1109
channel proteolipid class conformation 213: 21
endopeptidase 24 16 kidney 211: 79
erythrocyte band 4 inositol phospholi= pid 211: 671
erythrocyte PGE1 receptor 213: 1167
Escherichia gene kdpD sensor kinase 217: 1019
form cytochrome c550 Bacillus 212: 499
GSH redox transduction erythrocyte 215: 711
hepatocyte canaliculus taurocholate transporting glycoprotein 214: 539
hepatocyte PGF2 receptor 211: 163
high mannose glycoprotein hepatocyte hepatoma 216: 215
IgM protein tyrosine kinase p72syk 213: 455
insulin receptor complex 211: 241
lipid archaeal bacteriorhodopsin proton transport 214: 917
lipid daunomycin interaction 213: 1269
lipid nisin antibacterial protonmotive force 212: 417
liver cytochrome P 450 isoenzyme 213: 805
Methanosarcina heterodisulfide re= ductase complex 213: 529
microsome glucose phosphate phos= phohydrolase kinetics 212: 335
muscle heparan sulfate proteoglycan 216: 587
neg phospholipid interaction colicin A 211: 625
phosphatidylserine interaction alpha actinin metavinculin 213: 1009
plasma arginine uptake yeast 211: 683
porin Omp34 Acidovorax 212: 129
protein acetylglucosamine galactosyl= transferase Golgi liver 216: 405
protein topol prediction eukaryote 213: 1333
protein vesicle proteolysis botulin B 217: 965
pump carcinoma daunorubicin resist= ance plasma 218: 871
synaptic vesicle VAT1 protein com= plex 216: 189
thylakoid topol gene psaA protein 214: 907
topol cytochrome P 450 Candida 216: 477
tumor assocd antigen epitope anti= body 217: 337
tyrosinase isoenzyme melanocyte matrix 217: 549
Meprin
A structure mol modeling 214: 215
Metab
control analysis enzyme regulation kinetics 212: 833
control branched pathway model 213: 625
control unbranched pathway model 213: 613
flux detn C6 glioma cell 217: 457
mammal math model 217: 457
metabolite channeling pool size 213: 87
metabolite channeling pool size cor= rection 216: 879
5S RNA cytosol liver 213: 1277
Metabolic
pathway flux control coeff theorem 212: 791
Metabolite
channeling metab pool size 213: 87
prodn increase enzyme concn 216: 361
Metal
binding site xylose isomerase EPR 213: 1185
ion stoichiometry redox cytochrome oxidase 213: 1149
Metallo
procarboxypeptidase review 211: 381
Metallocarboxypeptidase
zymogen review 211: 381
Metalloprotein
detn Moessbauer spectrometry 214: 1
II sequence Nereis 217: 151
Metalloproteinase
zinc astacin family structure function 214: 215
Metallothionein
cadmium contg I sequence Helix 216: 739
cobalt coordination NMR 211: 235
copper Saccharomyces cloning expres= sion property 212: 521
isoform sequence Mytilus 218: 183
Metamorphosis
arginase expression tadpole 211: 891
eclosion hormone phosphatidylinosi= tol hydrolysis silkworm 211: 427
Metavinculin
alpha actinin interaction phosphati= dylserine membrane 213: 1009
Metformin
gluconeogenesis liver pyruvate kinase ATP 213: 1341
Methane
monooxygenase hydroxylase iron manganese Methylococcus 217: 217
Methanobacterium
methyl coenzyme M reductase isoen= zyme 217: 587
methylenetetrahydromethanopterin dehydrogenase hydrogen formation mechanism 212: 255
methyltetrahydromethanopterin coenzyme M methyltransferase characterization 213: 537
sequence gene mtrA protein 217: 115
Methanococcus
hydrogenase selenocysteine contg subunit processing 213: 1355
Methanosarcina
membrane heterodisulfide reductase complex 213: 529
Methyl
coenzyme M reductase isoenzyme Methanobacterium 217: 587
lactoside hydrogen bond Ricinus lectin 214: 677
Methyladenine
receptor antagonist methylaminome= thyladenine starfish 213: 155
Methylamine
dehydrogenase tryptophan trypto= phylquinone cytochrome c 218: 711
Methylaminomethyladenine
antagonist methyladenine receptor starfish 213: 155
Methylaminomethyluridine
arginine tRNA anticodon wobble Escherichia 216: 369
Methylation
HLA DRA gene lymphocyte 218: 485
Methylenetetrahydromethanopterin
dehydrogenase hydrogen formation mechanism Methanobacterium 212: 255
reductase dehydrogenase stereospeci= ficity coenzyme F420 214: 641
Methylglyoxal
glycerone glyceraldehyde phosphate erythrocyte 212: 101
Methylnortestosterone
metab aromatase horse human 214: 569
Methylobacterium
methylamine dehydrogenase activity cytochrome c 218: 711
Methylococcus
methane monooxygenase hydroxylase iron manganese 217: 217
Methylophilus
ferricytochrome c heme cavity NMR 215: 817
Methylserine
contg glycopeptidolipid antigen struc= ture Mycobacterium 214: 395
Methyltetrahydromethanopterin
coenzyme M methyltransferase corri= noid subunit 217: 115
coenzyme M methyltransferase Meth= anobacterium characterization 213: 537
Methyltransferase
DNA adenine specific kinetics 218: 727

methyltetrahydromethanopterin coenzyme M corrinoid subunit 217: 115
methyltetrahydromethanopterin coenzyme M Methanobacterium characterization 213: 537
Micelle
reverse AOT isooctane catalase 217: 567
reverse ATPase conformer activity hydration 213: 757
reverse chymotrypsin active site dynamics 211: 47
reverse chymotrypsin hydration water activity 218: 1013
reverse entrapment enzyme inactivation protection 211: 73
reversed lactate dehydrogenase dissocn 212: 63
Microsome
acylation desatn alkenyl ether phospholipid 213: 965
carboxylesterase family acyl CoA thioesterase 214: 719
glutathione transferase aggregation fluoroscence probe 217: 661
liver calcium magnesium ATPase detn 218: 959
liver glucose phosphatase arachidonate diabetes 213: 461
membrane glucose phosphate phosphohydrolase kinetics 212: 335
Microtubule
assocd protein squid sequence 211: 193
Midgut
membrane insect permeability Bacillus endotoxin 214: 771
Milk
oligosaccharide structure human 215: 361
Minor
groove DNA Hoechst 33258 211: 437
Mithramycin
binding DNA base sequence 215: 561
Mitochondria
amino acid gene PDA1 Saccharomyces 218: 405
ATP formation mechanism review 218: 759
ATPase activation protonmotive force plant 216: 565
ATPase inhibitor protein IF1 receptor 215: 487
binding protein import conformation 218: 905
bloodstream Trypanosoma ATP formation 216: 75
F1 ATPase epsilon subunit conformation 214: 729
heart ATP synthase 218: 377
import electron transfer flavoprotein subunit 213: 1003
import processing prechaperonin preornithine transcarbamylase 211: 881
NADH dehydrogenase gene sequence wheat 217: 831
permeability ADP ATP carrier liver 215: 595
pyrophosphatase calcium magnesium Saccharomyces 217: 657
yeast ribosomal protein YmL transport 214: 577
Mitogen
activated protein kinase kinase muscle 214: 459
activated protein kinase tyrosine hydroxylase 217: 715
IGF osteoblast 218: 883
phospholipase D activation attenuation 215: 455
signaling hydrogen ion 213: 349
Mitogenesis
endothelial cell growth factor 212: 201
Mixed
lineage kinase sequence epithelium human 213: 701
MLK1
mixed lineage kinase epithelium human 213: 701
MLK2
mixed lineage kinase epithelium human 213: 701
MobA
protein plasmid DNA cleaving joining 217: 929
Mobilization
plasmid RSF1010 MobA protein 217: 929
Model
metab control branched pathway 213: 625
metab control unbranched pathway 213: 613
myosin rod conformation unfolding refolding 218: 1049
protein DNA binding cation anion 218: 469
Modeling
mol meprin A structure 214: 215
Moessbauer
spectrometry metalloprotein detn 214: 1
Mol
cloning lipoxygenase gene human 214: 845
evolution biotin dependent carboxylase 215: 687
modeling beta lactamase antibiotic interaction 217: 61
modeling meprin A structure 214: 215
Mollusk
GTP binding protein rab sequence 217: 241
Molten
globule conformation creatinase collapsed state 213: 1225
Molybdenum
iron cofactor incorporation nitrogenase 3 215: 25
iron protein P cluster Azotobacter 212: 51
Molybdoferredoxin
iron sulfur cluster redox EPR 212: 51
Monoblast
plasma membrane interleukin 6 protease 215: 825
Monoclonal
antibody gastric lipase 211: 99
antibody Leishmania acid phosphatase lipophosphoglycan 217: 603
antibody potassium channel 216: 871
IgG acetylcholinesterase hydrophobic anchor subunit 215: 333
Monocyte
adhesion endothelium phospholipase A2 atherosclerosis 217: 723
proteoglycan link protein degrdn 212: 87
Monodehydroascorbate
reductase K562 cell 218: 1057
Monooxygenase
cytochrome P 450 IA1 IIB1 215: 373
fatty acid electronic transition Bacillus 213: 683
methane hydroxylase iron manganese Methylococcus 217: 217
monophenol isoenzyme melanocyte 217: 549
P 450 3A4 variant comparison 218: 355
peptidylglycine amidating AEII mRNA frog 213: 93
peptidylglycine hydroxylating diversity Xenopus tissue 214: 811
phenylalanine active site iron water 211: 259
side chain cholesterol substrate specificity 217: 209
Monophenol
monooxygenase isoenzyme melanocyte 217: 549
Monophosphatase
inositol mechanism inhibition cation site 217: 281
Monoraphidium
cytochrome c6 sequence heme coordination 216: 329
Monotreme
protamine gene evolution 218: 457
Morphogen
gene Hox regulation vertebrate review 212: 273
Mouse
adenosylmethionine decarboxylase sequence 215: 247
ATPase gene promoter regulatory element 218: 195
collagen X gene Col10a1 sequence 213: 99
galactoside sialyltransferase cDNA sequence 216: 377
gelatinase B gene sequence 218: 129
glycoprotein PC1 nucleotide phosphodiesterase sequence 217: 421
human AES protein cDNA sequence 216: 343
lipoprotein receptor estrogen transcription 216: 527
octamer binding protein specificity 217: 799
PCNA antigen gene promoter element 218: 173
peptidylarginine deiminase sequence 215: 677
protein BM 90 sequence binding 215: 733
mRNA
alc sorbitol dehydrogenase tissue 215: 497
alternative splicing interalpha trypsin inhibitor 218: 283
aromatase alternative splicing human 213: 383
beta actin binding protein cytoskeleton 212: 217
cannabinoid receptor expression human leukocyte 214: 173
codon anticodon glycine specific tRNA 217: 131
CRABP CRBP testis retinoid 211: 835
degrdn RNA oligonucleotide RNase Escherichia 213: 285
EF1alpha translation repression 213: 919
FABP protein multiple form heart 215: 555
galactoside sialyltransferase glucocorticoid receptor 211: 135
laminin cDNA sequence human 216: 293
light inducible protein barley leaf 214: 779
muscle enolase human alternative splicing 214: 367
peptidylglycine amidating monooxygenase AEII frog 213: 93
phosphoenolpyruvate carboxykinase glucagon insulin liver 215: 541
protamine size expression opossum 215: 63
sialyltransferase 5prime flank translation regulation 213: 467
splicing adrenergic receptor adipose tissue 213: 1117
translation iron regulatory factor aconitase 218: 657

MSH
tyrosinase isoenzyme melanocyte 217: 541
Mucin
oligosaccharide core glycan stomach 217: 645
Mucosa
chyme glycosylphosphatidylinositol anchored alk phosphatase 217: 199
Multidrug
resistance antitumor plasma mem= brane pump 218: 871
Multienzyme
complex subunit stoichiometry chlo= roplast 217: 1065
Multiphasic
folding conformation glutathione transferase Proteus 215: 741
Mung
bean proteinase inhibitor trypsin crystallog 212: 549
Muscle
ATP binding site ryanodine receptor 213: 147
contraction troponin conformation calcium 213: 599
enolase gene ENO3 human correction 218: 1095
enolase gene ENO3 human sequence 214: 367
fast twitch myosin isoform 214: 157
MAP kinase kinase affinity chromatog 214: 459
membrane heparan sulfate proteogly= can 216: 587
myosin binding protein C isoform 216: 661
myosin filament conformation proteo= lysis 216: 89
myosin isoform fiber type rabbit 211: 367
troponin myosin isoform transition 213: 1039
Mussel
metallothionein isoform sequence 218: 183
Mutant
deletion heat shock protein Drosophi= la 215: 277
Mutase
bisphosphoglycerate active site argi= nine histidine 213: 493
Mutation
alpha amylase active site Bacillus 211: 899
beta lactamase TEM1 Pseudomonas 217: 939
cloning urocanase gene Pseudomonas 217: 429
collagen I gene osteogenesis imperfec= ta 211: 415 217: 77
cytochrome c oxidase Saccharomyces 213: 129
gene TPK protein kinase activity 213: 501
interleukin 1beta partial agonist 211: 583
ornithine decarboxylase gene tumor 214: 837
protein engineering structure ther= mostability 211: 267
ribosome binding gene sdaB 212: 777
roulette flavodoxin Klebsiella 217: 395
sequence gene GGS1 Kluyveromyces 217: 701
Myasthenia
gravis cholinoceptor immunogenic region analog 211: 227
Mycobacterium
glycopeptidolipid antigen 215: 859
methylserine contg glycopeptidolipid antigen structure 214: 395
mycoside B intermediate 212: 705
Mycoside
B intermediate Mycobacterium 212: 705
Myelin
basic protein membrane binding aggregation 211: 689
Myeloperoxidase
peroxynitrite 215: 767
Myoglobin
heme pocket heart sperm whale 214: 405
Myohemerythrin
structure homol metalloprotein II Nereis 217: 151
Myosin
binding actin site 215: 17
binding protein C cDNA sequence 216: 661
filament conformation proteolysis muscle 216: 89
isoform fast twitch muscle 214: 157
isoform fiber type rabbit muscle 211: 367
isoform transition muscle 213: 1039
nonmuscle isoform tissue 213: 5
photochem crosslinking F actin 213: 1243
regulatory light chain sequence earth= worm 211: 341
rod conformation unfolding refolding model 218: 1049
Myristoyltransferase
protein leukemia cell cytosol 214: 853
Mytilus
sequence metallothionein isoform 218: 183
M13
virus gene V protein domain 216: 507
NAD
alc dehydrogenase lysine glycation liver 215: 567
cytochrome h6f chloroplast 218: 397
deriv adenine modified lactate dehy= drogenase 213: 947
glutamate dehydrogenase binding mechanism 213: 935
NADH
dehydrogenase gene sequence mito= chondria wheat 217: 831
oxidase gene sequence Thermus cor= rection 211: 909
peroxidase conformation mechanism Enterococcus 211: 221
rubredoxin oxidoreductase Desulfovi= brio 216: 443
ubiquinone oxidoreductase Aspergil= lus overflow catabolism 216: 223
NADP
binding dihydrofolate reductase mechanism 215: 9
ferredoxin reductase substrate site lysine 216: 57
malate dehydrogenase redn activation cysteine 217: 189
malic enzyme monomer tetramer immobilization 213: 1159
NADPH
cytochrome reductase phosphatidylse= rine phosphatidylinositol liver 218: 1021
oxidase activation sigma1 protein macrophage 217: 441
oxidase neutrophil activation arachi= donate 211: 157
oxidase neutrophil tosylphenylalanine chloromethane 218: 83
oxidase small G protein GTPase 216: 813
Naja
cardiotoxin CTX IIb structure 213: 891
neurotoxin II conformation 213: 1213
Natural
killer lymphocyte lectin binding oligo= saccharide 213: 1303
Nef
protein oligomerization HIV 214: 451
Neoplasm
glutathione transferase isoenzyme drug resistance 217: 671
H1 histone gene promoter sequence 217: 353
Nephrops
subunit organization gap junction 213: 21
Nereis
metalloprotein II sequence 217: 151
Nerve
glutamatergic terminal review 212: 613
Neurofilament
L assembly tail domain 212: 565
Neuropeptide
hyperglycemic Armadillidium se= quence 211: 601
specificity endopeptidase 24 16 kidney 211: 79
Neurosecretion
habituation cAMP receptor adapta= tion 217: 259
Neurotensin
specificity endopeptidase 24 16 kidney 211: 79
Neurotoxin
II Naja conformation 213: 1213
phospholipase A2 snake venom 211: 57
Neurotrophin
3 receptor retina embryo chicken 211: 789
Neutrophil
calcium influx complement C3a 217: 289
chemoattractant inflammatory exud= ate CINC related 214: 267
NADPH oxidase activation arachido= nate 211: 157
NADPH oxidase tosylphenylalanine chloromethane 218: 83
peptide defensin antiadrenocortico= tropin 216: 653
respiration G protein arachidonate 218: 669
Newborn
glucokinase gene expression glucose 215: 883
intestine arginine metab 216: 109
Nicotinamide
nucleotide transhydrogenase inhib= ition photosynthetic bacteria 211: 663
nucleotide transhydrogenase Rhodos= pirillum chromatophore 217: 763
Nicotinic
receptor immunogenic region struc= ture 211: 227
receptor physostigmine binding site 216: 671
Nidogen
entactin ascidian sequence 213: 11
proteolysis 217: 877
Nigerythrin
iron cluster Desulfovibrio 212: 237
Nisin
antibacterial protonmotive force membrane lipid 212: 417
gene cluster sequence Lactococcus 216: 281
Nitrate
reductase Synechococcus thylakoid membrane pea 214: 533
Nitric
oxide endothelin liver Ito cell 213: 815
oxide prodn macrophage tetrahydro= biopterin biosynthesis 213: 833

oxide synthase cDNA sequence rat 217: 37
oxide synthase structure conformation antibody 215: 801
Nitrile
hydratase gene coupled amidase Rhodococcus 217: 327
Nitrite
reductase cytochrome cd1 Thiospha= era 212: 377
reductase electron transfer kinetics Desulfovibrio 212: 79
Nitrobenzoxadiazolyl
colcemid colchicine site tubulin fluo= rometry 212: 387
Nitrogenase
molybdenum iron protein P cluster 212: 51
3 incorporation iron molybdenum cofactor 215: 25
Nitrosodimethylaniline
alc dehydrogenase Amycolatopsis 212: 819
Nitrous
oxide reductase gene sequence Para= coccus 218: 49
oxide reductase Thiosphaera 212: 467
NMR
coordination cobalt metallothionein 211: 235
cytochrome c heme electronic struc= ture 211: 563
ferricytochrome c heme cavity Methy= lophilus 215: 817
flavodoxin Desulfovibrio conformation 213: 167
Hb alpha chain zinc protoporphyrin 214: 383
high potential iron sulfur protein 212: 69
Jun protein leucine zipper domain 214: 415
oligosaccharide human milk 215: 361
sequence dendrotoxin I 211: 813
spectrometry carbon13 nitrogen15 glutaredoxin glutathione 218: 327
spectrometry proton reduced hemo= protein 215: 431
SPO1 bacteriophage transcription factor 1 213: 865
structure PTH 215: 315
superoxide dismutase copper coordi= nation histidine 213: 391
NOE
heme pocket myoglobin conformation 214: 405
spectroscopy cytochrome P450 deoxy= myoglobin 215: 431
Nomenclature
amino acid peptide correction 213: 2
electron transfer protein enzyme correction 213: 2
enzyme kinetics correction 213: 1
Nonmuscle
myosin isoform tissue 213: 5
Nonspherical
isoform alpha crystallin 217: 143
Noradrenaline
glycogenolysis liver protein kinase 217: 305
Norbufalin
deriv eye lens cataract 216: 261
Norepinephrine
adipocyte malic enzyme gene 215: 285
Notechis
phospholipase A2 notexin recombi= nant 212: 441
Notexin
phospholipase A2 Notechis recombi= nant 212: 441
Nuclear
matrix purifn Physarum mammal epithelium 212: 573
Nuclease
radiation DNA thymocyte apoptosis 215: 893
Nucleophile
binding chymotrypsin acyltransfer kinetics 217: 955
Nucleotide
binding site ATPase 218: 823
dependent conformation G actin 211: 731
phosphodiesterase glycoprotein PC1 soluble form 217: 421
phosphodiesterase mechanism alc esterification venom 213: 1139
Nucleotidyl
donor 212: 263
Nucleus
liver exonuclease 217: 493
N9
sialidase influenza virus antibody binding 217: 319
O
antigen polysaccharide Escherichia 213: 859
antigen polysaccharide Fusobacterium structure 212: 801
specific polysaccharide structure lipopolysaccharide Hafnia 213: 1255
Octadecenyl
lysophosphatidylcholine analog acyla= tion desatn plant 213: 965
Octadeoxyribonucleotide
crystal structure 213: 673
Octamer
binding protein specificity mouse 217: 799
Okadaate
phosphorylation protein p28 keratino= cyte 213: 1101
Okadaic
acid hepatocyte autophagy 215: 113
Ole
e I allergen sequence Olea 216: 863
Olea
Ole e I allergen sequence 216: 863
Oleate
response element peroxisome yeast transcription 214: 323
Oligonucleotide
RNA mRNA degrdn RNase Escheric= hia 213: 285
Oligodeoxyribonucleotide
antisense psoralen herpesvirus viru= cide radiosensitizer 216: 19
Oligomerization
Nef protein HIV 214: 451
Oligonucleotide
antisense prorenin gene expression transformation 212: 347
Oligosaccharide
biantennary inhibition lectin 216: 789
binding natural killer lymphocyte lectin 213: 1303
bisphosphate Escherichia lipopolysac= charide Chlamydia antigen 214: 703
C reactive protein Limulus 214: 99
core glycan mucin stomach 217: 645
dolichol metab cell attachment growth 215: 873
glycoprotein zona pelucida 214: 763
glycosylphosphatidylinositol anchor Tc85 glycoprotein 217: 597
RNase B glycoform conformation dynamics 218: 239
sialylated erythropoietin 213: 39
sialylated structure respiratory mucus glycoprotein 211: 491
structure human milk 215: 361
structure lipase pancreatic juice 216: 799
structure phospholipase A2 honeybee venom 213: 1193
structure plasminogen activator chim= era 212: 639
structure saposin spleen 215: 171
structure teichoate Streptococcus 215: 851
structure Vibrio lipid A 218: 543
vitronectin 218: 797
Olive
tree pollen allergen sequence 216: 863
Oncoprotein
cMyb DNA domain conformation 216: 147
Operon
gcv enzyme sequence Escherichia 216: 539
lac promoter enzyme control analysis 211: 181
pyruvate kinase phosphofructokinase gene Bacillus 211: 851
Opiate
specificity endopeptidase 24 16 kidney 211: 79
Opossum
protamine gene sequence expression 215: 63
Orchid
twayblade agglutinin carbohydrate binding 217: 677
Organ
dehydroepiandrosterone sulfotransfer= ase 211: 539
intestinal trefoil factor receptor 212: 557
nonmuscle myosin isoform 213: 5
Ornithine
carbamoyltransferase allosteric kinet= ics glutamate mutation 215: 833
decarboxylase degrdn reticulocyte proteasome 213: 205
decarboxylase feedback regulation polyamine 215: 753
decarboxylase gene mutation tumor 214: 837
decarboxylase homodimer formation essential glycine 218: 245
Ornithorhynchus
protamine sequence 218: 457
Osteoblast
osteocalcin formation calcitriol IGF 218: 883
Osteocalcin
formation osteoblast calcitriol IGF 218: 883
Osteogenesis
imperfecta collagen I gene mutation 211: 415 217: 77
Osteonectin
protein chicken embryo 218: 117
Overhauser
spectrometry reduced hemoprotein 215: 431
Oviduct
lectin cDNA sequence Pleurodeles 213: 901
Ovulation
plasminogen activator system gonado= tropin 214: 147
Oxidase
amino acid protein Malpha Chlamy= domonas 215: 351
amino acid Trigonopsis cysteine 218: 735
cytochrome bo active site binding 212: 657
cytochrome c metal stoichiometry redox 213: 1149
cytochrome c mutation Saccharomyc= es 213: 129
cytochrome c proton slippage Para= coccus 212: 827
cytochrome c subunit fetus 217: 1099
cytochrome spectrometry respiratory mutant Saccharomyces 213: 137

cytochrome subunit V promoter sequence 211: 411
dopamine melanocyte MSH 217: 541
glucose Pleurotus 215: 747
glycolate active site tyrosine role 213: 1047
hydroxy acid sequence rat kidney 214: 17
liver peroxisome permeability 218: 75
NADPH activation sigma1 protein macrophage 217: 441
NADPH neutrophil activation arachidonate 211: 157
NADPH neutrophil tosylphenylalanine chloromethane 218: 83
NADPH small G protein GTPase 216: 813
pyranose Peniophora 214: 795
Oxidative
activation tienilic acid cytochrome yeast 213: 223
phosphorylations glucose metab Saccharomyces 214: 163
stress antioxidant review 215: 213
stress peroxide hepatocyte 211: 449
Oxidoreductase
aldehyde Desulfovibrio crystal structure 215: 729
dimethylnaphthoquinone stereospecificity coenzyme F420 214: 641
NADH rubredoxin Desulfovibrio 216: 443
NADH ubiquinone Aspergillus overflow catabolism 216: 223
ubiquinol cytochrome c Saccharomyces 215: 601
Oxo
acid dehydrogenase gene sequence Bacillus 213: 1091
Oxoacyl
CoA thiolase gene sequence Yarrowia 216: 607
Oxocholesterol
cholesterol hydroxylase liver 215: 705
Oxocyclohexanecarboxylate
desaturase Corynebacterium 218: 997
Oxocyclohexenecarboxylate
desaturase Corynebacterium 218: 997
Oxopentenetricarboxylate
decarboxylase hydroxyheptadienoate isomerase sequence Escherichia 217: 575
Oxoprolylglutamylprolinamide
extended form semen human 212: 35
Oxygen
regulation catalase peroxidase gene promoter 214: 251
Oxygenase
heme gene heat shock element 212: 167
heme gene transcription spermatogenesis 217: 633
heme liver regulation heme 213: 909
porphobilinogen activity hemin structure 218: 251
Oxygenation
lipoprotein mammal arachidonate 15 lipoxygenase 213: 251
Oxytocin
receptor sequence pig 215: 1
P
cluster molybdenum iron protein Azotobacter 212: 51
450 3A4 variant activity stability 218: 355
PACAP
GH releasing hormone precursor sequence 215: 439
1 receptor brain purifn 217: 823
Pacifastacus
CP protein hemolymph clotting 213: 591
PAF
macrophage G protein arachidonate 213: 295
PAI2
polymn 218: 1071
Pancreas
cholecystokinin receptor heterogeneity 212: 529
human glutamate decarboxylase sequence 212: 597
phospholipase A2 lysine acylation 216: 519
trypsin inhibitor interaction protein HBP 214: 271
Pancreatic
juice lipase glycosylation pancreatitis 216: 807
juice lipase oligosaccharide structure 216: 799
Pancreatitis
chronic lipase glycosylation variant 216: 807
Papain
chymopapain thermostability papaya 214: 129
Papaya
cysteine proteinase thermostability 214: 129
Paracoccus
cytochrome c oxidase proton slippage 212: 827
methylamine dehydrogenase activity cytochrome c 218: 711
nitrous oxide reductase gene sequence 218: 49
Parallel
alpha beta conformation protein NMR 215: 573
Paraoxonase
K45 protein high density lipoprotein 211: 871
Parathormone
related peptide parathyroid hormone structure 215: 315
related protein conformation structure activity 211: 205
related protein human prodn Saccharomyces 213: 641
Parathyroid
hormone fragment conformation 215: 315
Parsley
chitinase isoenzyme 213: 419
Parvalbumin
tissue 215: 719
PCNA
antigen gene promoter element mouse 218: 173
PC1
glycoprotein nucleotide phosphodiesterase soluble form 217: 421
PC12
cell human cytochrome P450 gene 214: 735
Pea
carbonic anhydrase purifn kinetic characterization 218: 439
chloroplast single stranded binding protein 211: 171
T protein glycine decarboxylase complex 217: 377
thylakoid membrane nitrate reductase Synechococcus 214: 533
Pectinatus
lipopolysaccharide disaccharide 213: 377
Penicillin
transacylase amidase gene penDE Penicillium 215: 323
Penicillium
gene penDE isopenicillin acyltransferase 215: 323
Peniophora
pyranose oxidase 214: 795
Pentamidine
DNA binding 213: 1175
Pentose
pathway flux group transferring enzyme 213: 477
Pepsinogen
A activation intermediate stability 217: 137
A gene promoter sequence 213: 1283
Peptidase
dipeptidyl gastrointestinal hormone degrdn serum 214: 829
Peptide
amide synthase Xenopus tissue specificity 214: 811
amino acid nomenclature correction 213: 2
analog binding cholinoceptor immunogenic region 211: 227
antibacterial intestine gastric inhibitory polypeptide 216: 623
beta amyloid conformation membrane Alzheimer 211: 249
cathepsin E specificity 216: 717
chain release factor tRNA synthetase 212: 457
cysteine rich assay 211: 377
defensin neutrophil antiadrenocorticotropin 216: 653
DIP characterization 216: 429
inhibitor thrombin platelet aggregation calpain 214: 233
sodium influx gene Lymnaea sequence 215: 397
substrate protein mannosyltransferase Candida 215: 845
synthesis aminopeptidase A Staphylococcus 211: 105
TRH like sequence semen 212: 35
ZF1 zinc finger intestine 211: 377
Peptidylarginine
deiminase mouse sequence 215: 677
Peptidylglycine
amidating monooxygenase AEII mRNA frog 213: 93
hydroxylating monooxygenase diversity Xenopus tissue 214: 811
Peptidylhydroxyglycine
lyase mol diversity Xenopus tissue 214: 811
Peptidylproline
isomerase family prokaryote eukaryote review 216: 689
Peptidyltransferase
interleukin 6 monoblast plasma membrane 215: 825
Perchlorate
soluble protein cDNA sequence rat 212: 665
Peripheral
CCK receptor review 215: 513
Permeability
mitochondria liver ADP ATP carrier 215: 595
peroxisome liver oxidase 218: 75
Peroxidase
activity hemin structure 218: 251
catalase gene cpeA sequence Rhodobacter 214: 251
cDNA sequence Coprinus 213: 605
folding mechanism horseradish 212: 227
glutathione lipid doxorubicin antitumor resistance 211: 141
glutathione S transferase sequence Arabidopsis 216: 579
lignin kinetics Phlebia 211: 391
NADH conformation mechanism Enterococcus 211: 221
peroxynitrite 215: 767
Peroxide
hepatocyte oxidative stress 211: 449

Peroxisome
permeability liver oxidase 218: 75
proliferator growth factor receptor phosphorylation 215: 903
yeast transcription oleate response element 214: 323
Peroxynitrite
myeloperoxidase lactoperoxidase peroxidase 215: 767
myeloperoxidase lactoperoxidase peroxidase correction 216: 881
Pertussis
toxin conformation T cell epitope 217: 171
toxin subunit receptor 211: 743
Petroselinum
exochitinase endochitinase isoenzyme elicitor parsley 213: 419
PGE1
receptor erythrocyte membrane 213: 1167
PGE2
formation phospholipase cell surface 218: 807
PGF2
glycogenolysis liver protein kinase 217: 305
phospholipase D 215: 455
receptor hepatocyte membrane 211: 163
pH
albumin conformation unfolding histidine 212: 811
Phage
P22 tailspike endorhamnosidase amino domain 215: 653
T7 promoter transcription mammalian cell 217: 387
Phenol
hydroxylase mechanism regioselectivity kinetics Trichosporon 218: 345
Phenylalanine
monooxygenase active site iron water 211: 259
tryptophan HBsu protein conformation Bacillus 217: 849
Pheromone
plasmid pAD1 aggregation gene traE1 214: 333
sex aggregation substance Enterococcus 211: 711
Phlebia
lignin peroxidase kinetics 211: 391
Phorbol
ester TPA phospholipase D 215: 455
Phosphatase
acid lipophosphoglycan Leishmania monoclonal antibody 217: 603
acid purple Moessbauer kidney bean 214: 313
alk differentiation retinoid prepn structure 212: 13
cell wall soybean 211: 297
eEF2 dephosphorylation 213: 689
glucose arachidonate liver microsome diabetes 213: 461
inhibitor hepatocyte autophagy okadaic acid 215: 113
inositol kinetics mechanism brain 212: 693
phosphoprotein 2A interaction T antigen 214: 281
phosphotyrosine protein active substrate site 214: 647
protein PPQ Saccharomyces 218: 689
protein 1 inhibitor 2 chaperone 213: 1055
protein 1 isoform sequence Drosophila 212: 177
trehalose gene TSS1 Saccharomyces 216: 849
trehalose phosphate sequence Saccharomyces 212: 315
trehalose regulation bakers yeast 216: 841
Phosphate
alc dehydrogenase lysine glycation 215: 567
guanosine bisphosphate complex RNase T1 211: 311
inositol metabolite Entamoeba 214: 711
starvation RNase LX sequence toma to 214: 627
trehalose synthase component bakers yeast 216: 841
Phosphatidate
formation erythrocyte phosphatidylcholine phospholipase D 213: 367
Phosphatidylcholine
bacteriorhodopsin interaction structure 218: 385
fatty acid cytochrome P 450 215: 373
formation regulation hepatocyte 214: 927
membrane myelin basic protein 211: 689
phospholipase D erythrocyte phosphatidate formation 213: 367
Phosphatidylinositol
hydrolysis eclosion hormone metamorphosis silkworm 211: 427
kinase erythropoietin receptor 216: 821
NADPH cytochrome reductase liver 218: 1021
phospholipase C isoenzyme functional domain 217: 1109
specific phospholipase C active site 213: 339
Phosphatidylserine
membrane aggregation myelin basic protein 211: 689
membrane interaction alpha actinin metavinculin 213: 1009
NADPH cytochrome reductase liver 218: 1021
Phosphocholine
cytidylyltransferase expression hepatocyte 214: 927
Phosphodiesterase
nucleotide glycoprotein PC1 soluble form 217: 421
nucleotide mechanism alc esterification venom 213: 1139
Phosphoenolpyruvate
carboxykinase mRNA glucagon insulin liver 215: 541
Phosphoenzyme
intermediate phosphotyrosine protein phosphatase cysteine 214: 647
Phosphofructokinase
sequence Bacillus 211: 851
structure yeast proteolysis 217: 527
Phosphoglucose
isomerase mutation suppression yeast 217: 469
Phosphoglycerate
kinase structure function review 216: 1
kinase yeast affinity labeling 212: 719
Phosphohydrolase
glucose phosphate kinetics microsome membrane 212: 335
Phosphoinositide
platelet activation ADP fibrinogen 216: 231
Phospholipase
A arachidonate phosphorylation macrophage bacteria 213: 81
A2 active site arginine role 213: 517
A2 cDNA sequence guinea pig 215: 91
A2 conformation inhibitor stereospecificity 215: 531
A2 crotoxin complex stability 214: 491
A2 extracellular prostaglandin formation 218: 807
A2 lysine acylation pancreas 216: 519
A2 lysophospholipase activity cytosol mammal 218: 629
A2 monocyte adhesion endothelium atherosclerosis 217: 723
A2 neurotoxin snake venom 211: 57
A2 notexin Notechis recombinant 212: 441
A2 oligosaccharide structure honeybee venom 213: 1193
A2 platelet activation arachidonate 216: 169
A2 stomach guinea pig 215: 81
C phosphatidylinositol isoenzyme functional domain 217: 1109
C phosphatidylinositol specific active site 213: 339
D activation attenuation mitogen 215: 455
D activation GTP cytosol factor 215: 389
D phosphatidylcholine erythrocyte phosphatidate formation 213: 367
D tumor necrosis factor cytotoxicity 212: 491
Phospholipid
alkenyl ether acylation desatn microsome 213: 965
Escherichia colicin translocation channel activity 213: 217
factor IX conformation cation 212: 339
fusion liposome sperm 217: 1001
glycoinositol Trypanosoma 218: 929
inositol band 4 erythrocyte membrane 211: 671
inositol platelet ADP fibrinogen 216: 231
membrane cholesterol myelin basic protein 211: 689
membrane neg interaction colicin A 211: 625
Phosphoneuroprotein
14 sequence cattle brain 217: 1057
Phosphoprotein
MAP2 dephosphorylayion brain hippocampus epilepsy 215: 181
phosphatase 2A interaction T antigen 214: 281
tyrosine phosphatase specificity T cell 211: 289
Phosphoribulokinase
activation thioredoxin enzyme complex chloroplast 217: 1075
stoichiometry multienzyme complex spinach chloroplast 217: 1065
Phosphorylase
glycogen imidazole citrate amino acid 215: 761
glycogen prostaglandin E2 hepatocyte 218: 1083
thymidine endothelial cell growth factor 212: 201
Phosphorylated
tyrosine hydroxylase inactivation ascorbate 218: 363
Phosphorylation
epidermal growth factor receptor ciprofibrate 215: 903
initiation factor 4alpha T lymphocyte 218: 39
phospholipase A arachidonate macrophage bacteria 213: 81
phosphoneuroprotein 14 brain 217: 1057
pigment arrestin photoreceptor blowfly 216: 67
posttranslational tubulin erythrocyte 218: 107
protein hydrogen ion signaling 213: 349
protein kinase ISPK1 212: 581
protein MAP2 hyperammonemia

liver failure 214: 243
protein p28 keratinocyte TPA okad= aate 213: 1101
rhodopsin activation mechanism rhodopsin kinase 213: 881
serum response factor carboxy termi= nus 216: 469
site casein kinase serine 218: 515
site lamin A C 213: 659
site threonine elongation factor 2 213: 689
translation factor eEF2 ribosome complex 215: 291
tyrosine hydroxylase conformation ascorbate binding 218: 363
tyrosine hydroxylase MAP MAPKAP kinase 217: 715
Phosphorylations
oxidative glucose metab Saccharo= myces 214: 163
Phosphotyrosine
protein phosphatase active substrate site 214: 647
Photochem
crosslinking F actin myosin 213: 1243
Photoreceptor
arrestin pigment phosphorylation blowfly 216: 67
Photosynthetic
bacteria nicotinamide nucleotide transhydrogenase inhibition 211: 663
Photosystem
I Anabaena plastocyanin cytochrome photooxidn 213: 1133
I reaction center protein PSIA 214: 907
II carotene binding protein 212: 297
Phycocyanobilin
apophytochrome B adduct 215: 587
Phycoerythrin
crystal structure Porphyridium 218: 103
Physarum
actin fragmin kinase purifn sequence 214: 111
nuclear matrix purifn 212: 573
Physostigmine
binding site nicotinic receptor 216: 671
Phytochrome
Cab gene expression bean 211: 127
PHYB apo phycocyanobilin adduct 215: 587
Phytotoxicity
sulfur dioxide sulfitolysis thioredoxin glutaredoxin 211: 609
Pichia
glucose phosphate dehydrogenase sequence structure 212: 41
Pig
aldose reductase sequence 218: 893
brain guanylate kinase sequence 213: 263
interleukin 1beta gene sequence 217: 45
intestine antibacterial peptide 3910 216: 623
vasopressin V2 receptor sequence 215: 1
Pigment
conformation chlorophyll ab binding protein 215: 809
phosphorylation arrestin photorecep= tor blowfly 216: 67
Pisum
chloroplast NADP malate dehydroge= nase sequence 217: 189
Pituitary
brain dopamine D2 receptor Xenopus 213: 1349
endoplasmic reticulum preprosoma= tostatin processing 218: 1063
PiZ
alpha1 antitrypsin mutant metab 213: 271
Placenta
cardiac fatty acid binding protein 211: 725
hydroxyprostaglandin dehydrogenase monomer 214: 67
methylnortestosterone metab horse human 214: 569
Plant
bacteria thioredoxin glutaredoxin sulfitolysis 211: 609
lysophosphatidylcholine octadecenyl analog acylation desatn 213: 965
mitochondria ATPase activation protonmotive force 216: 565
Plasma
K45 protein HDL 211: 871
membrane arginine uptake yeast 211: 683
membrane monoblast interleukin 6 protease 215: 825
RNase 4 sequence human 217: 401
Plasmid
pheromone pAD1 aggregation gene traE1 214: 333
RSF1010 mobilization MobA protein 217: 929
Plasminogen
activator chimera oligosaccharide structure 212: 639
activator fibrin binding 216: 549
activator inhibitor trophoblast trans= glutaminase substrate 214: 141
activator inhibitor 2 polymn 218: 1071
activator platelet lipid mobility 215: 867
activator system gonadotropin ovula= tion 214: 147
activator tissue urokinase structure specificity 213: 437
multiple forms interaction staphyloki= nase 211: 91
Plasmodium
malaria transferase glycan erythrocyte infection 216: 779
Plastocyanin
Anabaena photooxidn photosystem I 213: 1133
gene sequence barley 217: 97
Platelet
activating factor endothelium bacteria porin 214: 685
activating factor mast cell transacy= lase 216: 835
activating factor tyrosine kinase 216: 639
activation phospholipase A2 arachido= nate 216: 169
aggregation lactotransferrin receptor 213: 1205
aggregation thrombin calpain peptide inhibitor 214: 233
arachidonate lipoxygenase specificity product leukocyte 218: 165
derived endothelial cell growth factor 212: 201
derived growth factor phospholipase D 215: 455
G protein thrombin receptor prosta= cyclin 216: 81
histidine tagged recombinant lipox= ygenase 214: 845
inositol phospholipid ADP fibrinogen 216: 231
lipid mobility plasminogen activator 215: 867
Platinum
antitumor DNA cleavage restriction enzyme 216: 183
Pleurodeles
lectin cDNA sequence 213: 901
Pleurotus
glucose oxidase 215: 747
Pneumocystis
gene fas trifunctional enzyme 216: 449
Pollen
allergen isoform hazel 212: 355
allergen olive tree sequence 216: 863
PolyADPribose
polymerase gene US1 element rat 215: 73
Polyamine
adenosylmethionine decarboxylase regulation cell 214: 671
buffer ribosome dissocn pressure 218: 463
cell proliferation inhibition 217: 89
complex alpha lactalbumin conforma= tion 218: 303
ornithine decarboxylase feedback regulation 215: 753
Polyhydroxyalkanoate
depolymerase gene Pseudomonas 218: 701
Polyisoprene
formation Hevea prenyl transferase 218: 267
Polymerase
DNA I Klenow arginine role 214: 59
DNA Tca Thermus 214: 135
polyADPribose gene US1 element rat 215: 73
Polymn
plasminogen activator inhibitor 2 218: 1071
site fibrinogen gamma chain 218: 321
Polymorphism
eclosion hormone gene 215: 221
Polymorphonuclear
granulocyte cytosol LNPI elastase inhibitor 217: 519
Polyomavirus
T antigen interaction phosphatase 2A 214: 281
Polyphosphate
adenosine luciferase promoted syn= thesis 212: 263
Polysaccharide
capsule Klebsiella structure 213: 445
O antigen Escherichia 213: 859
O antigen Fusobacterium structure 212: 801
O specific structure lipopolysacchar= ide Hafnia 213: 1255
O4 modification Escherichia cloning 214: 259
Polyspermy
blockage Halocynthia fertilization egg acetylglucosaminidase 218: 535
Polysphondylium
glycoprotein gp64 glycolipid anchor 218: 623
glycoprotein gp64 purifn glycosylation site 211: 147
Pond
snail LymnaDFamide neuropeptide 213: 875
Porin
bacteria endothelium platelet activat= ing factor 214: 685
Omp34 membrane voltage gating Acidovorax 212: 129
PhoE precursor protein SecB correc= tion 211: 909
Porphobilinogen
deaminase gene erythroid regulation human 212: 763
oxygenase activity hemin structure 218: 251
Porphyrazine
tetramethyltetrapyridino chloro alu= minum interaction DNA 217: 371

Porphyridium
phycoerythrin crystal structure 218: 103
Posttranslational
modification tubulin erythrocyte 218: 107
Potassium
channel liver hydroperoxide metab 211: 449
channel monoclonal antibody 216: 871
sodium ATPase endogenous inhibitor urine 211: 317
Potato
chloroplast glyoxylate synthetase 214: 889
Potential
electrostatic glutathione transferase active site 215: 663
redn copper site azurin mutant 212: 289
Prealphatrypsin
inhibitor H3 precursor sequence human 212: 771
Prechaperonin
preornithine transcarbamylase import processing mitochondria 211: 881
Pregnancy
zone protein conformation fluorescent probe 218: 651
Prenyl
transferase Hevea polyisoprene for= mation 218: 267
Preornithine
transcarbamylase prechaperonin import processing mitochondria 211: 881
Prephenate
arogenate dehydrogenase Zymomonas 212: 157
Preprosomatostatin
processing pituitary endoplasmic reticulum 218: 1063
Preprotein
import Chlamydomonas chloroplast processing proteinase 217: 1039
Presorbitol
dehydrogenase cDNA sequence rat testis 217: 83
Pressure
hydrostatic tumor antigen epitope 217: 337
induced dissocn ribosome elongation intermediate 218: 463
Primate
protamine gene sequence evolution 214: 609
PRL
binding lactogenic receptor 214: 483
Proadipokinetic
hormone I processing 217: 905
Proattacin
processing insect fat body 214: 287
Probe
fluorescent pregnancy zone protein conformation 218: 651
Procarboxypeptidase
metallo review 211: 381
Procathepsin
E cathepsin cDNA sequence rabbit 216: 717
Processing
hydrogenase selenocysteine contg subunit Methanococcus 213: 1355
prechaperonin preornithine transcar= bamylase mitochondria 211: 881
proglycinin cysteine protease soybean 215: 123
Product
analog deoxymannooctulosonate phospate synthase inhibition 217: 991
Progelatinase
A activation autolysis 218: 431
Progesterone
receptor dimerization responsive element 214: 189
Proglycinin
processing cysteine protease soybean 215: 123
protease soybean 215: 123
Proglycosyn
glycogen metab hepatocyte 218: 745
Prokaryote
peptidylproline isomerase family review 216: 689
Prolactin
signal transduction glycosylphosphati= dylinositol 216: 747
structure activity conformation 214: 483
Proliferation
cell hydrogen signal transduction 213: 349
inhibition polyamine 217: 89
thymocyte glucose energy metab 212: 95
Proline
ion channel protein conformation flexibility 212: 305
prosomatostatin processing 216: 39
Promoter
actin gene expression sequence Xeno= pus 214: 425
adrenergic receptor gene sequence 213: 1117
alternative collagen X gene mouse 213: 99
ATP translocator gene AAC3 se= quence 213: 547
ATPase gene Sp1 E box 218: 195
catalase peroxidase gene regulation oxygen 214: 251
cis element glutamine synthetase 213: 1067
element PCNA antigen gene mouse 218: 173
enhancer CYP3A4 gene sequence human 218: 585
gene acid glycoprotein transcription factor 216: 127
gene coxV sequence Dictyostelium 211: 411
gene Hst70 testis rat sperm 212: 137
hydroxymethylglutaryl CoA synthase gene rat 213: 773
H1 histone gene sequence neoplasm 217: 353
lac CAP protein anion 212: 539
lac operon enzyme control analysis 211: 181
PBGD gene regulation GATA1 Sp1 212: 763
pepsinogen A gene sequence 213: 1283
phage T7 transcription mammalian cell 217: 387
plastocyanin gene protein binding barley 217: 97
scatter factor gene sequence rat 213: 113
Promotor
internal gene amiloride binding pro= tein 216: 679
Prophospholipase
A2 secretion stomach carbachol 215: 91
Propionigenium
ATPase hybrid cloning Escherichia 218: 937
Proprotamine
processing protamine HP12 sperm human 214: 445
Prorenin
gene expression antisense oligonucleo= tide transformation 212: 347
Prosomatostatin
processing proline conformation 216: 39
Prostacyclin
G protein platelet thrombin receptor 216: 81
Prostaglandin
EP3 receptor subtype adenylate cyclase 217: 313
E2 glycogen phosphorylase hepatocyte 218: 1083
formation extracellular phospholipase A2 218: 807
liver Ito cell contraction 213: 815
Prosthetic
group serine threonine dehydratase Clostridium 215: 341
Protamine
gene monotreme evolution 218: 457
gene sequence evolution primate 214: 609
gene sequence evolution primate correction 218: 1095
gene sequence expression opossum 215: 63
HP12 sequence sperm human 214: 445
Protease
interleukin 6 monoblast plasma mem= brane 215: 825
proglycinin soybean 215: 123
Proteasome
ornithine decarboxylase degrdn reti= culocyte 213: 205
subunit LMP7 protein 216: 119
Protein
a d chromatin Trypanosoma 216: 387
acetylglucosamine galactosyltransfer= ase membrane Golgi liver 216: 405
AES cDNA sequence mouse human 216: 343
amiloride binding cDNA sequence rat 216: 679
amyloid precursor processing Al= zheimer disease 217: 21
arabinose proton symport cytochalasin B 215: 43
arachidonate lipoxygenase activation activator mechanism 215: 105
band 4 membrane inositol phospholi= pid 211: 671
basic conformation spermatozoa 214: 879
beta actin mRNA binding cytoskele= ton 212: 217
binding endotoxin Heliothis Spodopt= era 212: 145
binding HSE element rat 212: 167
binding mitochondria import confor= mation 218: 905
binding promoter plastocyanin gene barley 217: 97
BM 90 mouse sequence binding 215: 733
C reactive oligosaccharide Limulus 214: 99
C reactive subunit compn Limulus 214: 91
cAMP receptor DNA anion Escheric= hia 212: 539
cardiac fatty acid binding placenta 211: 725
carotene binding photosystem II 212: 297
CCAM sequence rat 213: 1109
cell adhesion glycolipid anchor Polys= phondylium 218: 623
cellular binding retinoid prepn 212: 13
CETP expression hepatocyte butyrate 218: 945
Che Y conformation Escherichia 215: 573
chlorophyll ab binding conformation 215: 809
clotting hemolymph freshwater cray=

fish 213: 591
conformation bacteriorhodopsin 218: 837
conformation dynamics reverse mi= celle 211: 47
degrdn endoplasmic reticulum yeast 218: 565
degrdn hepatocyte swelling amino acid 215: 449
disulfide isomerase CaBP2 sequence rat 213: 789
DNA binding cation anion model 218: 469
EF 1alpha2 sequence human 215: 549
electron transfer kinetics hydrogenase Desulfovibrio 217: 981
energy transfer terbium detn 211: 467
engineering mutation structure ther= mostability 211: 267
erythrocyte Pseudomonas cytotoxin binding 217: 1123
FABP multiple form mRNA heart 215: 555
fibronectin binding gene sequence Streptococcus 214: 819
follistatin related gene sequence cloning 217: 13
formation elongation factor 2 kinase 212: 511
formation inhibition ribosome dissocn 218: 463
formation initiation factor 2 kinase 211: 529
formyl removal pyrrolidone carboxyl= ate deblocking 212: 785
fusion notechis 11 2L cloning 212: 441
G fibroblast differentiation insulin 215: 611
G interaction phosphatidylinositol phospholipase C 217: 1109
G macrophage formylmethionylleucyl= phenylalanine PAF arachidonate 213: 295
G platelet thrombin receptor prosta= cyclin 216: 81
G p21cHras labeling GDP GTP 215: 473
gene ampR Citrobacter 213: 405
gene CSC25 sequence Candida 213: 195
gene gcvTHP sequence Escherichia 216: 539
gene mtrA sequence Methanobacteri= um 217: 115
gene pur8 sequence Streptomyces 218: 963
gene rab6 processed unprocessed form 217: 1027
gene recA histidine DNA ATP 217: 665
gene rts51 sperm sequence rat 216: 497
gene tms1 sequence Schizosaccharo= myces 217: 731
gene V DNA domain bacteriophage 216: 507
glucose transporting reconstitution Trypanosoma 214: 593
glycosylation review 218: 1
HBP interaction trypsin inhibitor pancreas 214: 271
HBsu conformation phenylalanine tryptophan Bacillus 217: 849
heat shock deletion mutant Drosophi= la 215: 277
heat shock liver thermotolerance 218: 413
helical population assignment FTIR spectroscopy 213: 1235
HMG14 HMGI histone Lewis carci= noma 213: 825
HPr conformation Staphylococcus 216: 205
hsp70 Schistosoma development stress 212: 589
human intermediate basic 2 sequence 214: 445
IGUP keratinocyte interferon gamma 218: 421
inhibitor IF1 ATPase receptor mito= chondria 215: 487
intermediate filament review 214: 351
ion channel proline conformation flexibility 212: 305
IRF iron responsive element aconitase 218: 657
iron sulfur high potential Rhodopseu= domonas 212: 69
Jun leucine zipper domain conforma= tion 214: 415
KdpD sensor kinase Escherichia membrane 217: 1019
kinase C isoenzyme zeta sequence 216: 597
kinase C LDL receptor liver 213: 989
kinase C zymosan eicosanoid macro= phage 217: 69
kinase cAMP dependent activity Saccharomyces 213: 501
kinase cAMP interleukin regulation AP1 213: 243
kinase cdc2 C lamin phosphorylation 213: 659
kinase ERK1 insulin 218: 815
kinase glycogenolysis liver noradrena= line PGF2 217: 305
kinase II serine phosphoneuroprotein 14 217: 1057
kinase ISPK1 phosphorylation se= quence 212: 581
kinase liver ciprofibrate 215: 903
kinase mitogen activated tyrosine hydroxylase 217: 715
kinase PKR inactive mutant mecha= nism 214: 945
kinase platelet activating factor 216: 639
K45 HDL plasma human sequence 211: 871
light stress inducible barley leaf 214: 779
LipB lipase activation Pseudomonas Escherichia 215: 239
lipid transfer isoform grapevine 217: 885
LMP7 proteasome subunit 216: 119
Lm67 Lm70a Lm70b sequence Locus= ta 217: 267
Malpha amino acid oxidase Chlamy= domonas 215: 351
mannosyltransferase peptide substrate Candida 215: 845
MAP2 phosphorylation hyperam= monemia liver failure 214: 243
membrane topol prediction eukaryote 213: 1333
membrane vesicle proteolysis botulin B 217: 965
microtubule assocd squid sequence 211: 193
MobA plasmid DNA cleaving joining 217: 929
molybdenum iron P cluster Azotobac= ter 212: 51
MP II sequence Nereis 217: 151
myelin basic membrane binding ag= gregation 211: 689
myosin binding C cDNA sequence 216: 661
myristoyltransferase leukemia cell cytosol 214: 853
narB Synechococcus import chloro= plast pea 214: 533
Nef oligomerization HIV 214: 451
nisin gene sequence Lactococcus 216: 281
octamer binding specificity mouse 217: 799
osteonectin chicken embryo 218: 117
parathormone related conformation structure activity 211: 205
parathormone related human prodn Saccharomyces 213: 641
perchlorate soluble cDNA sequence rat 212: 665
phosphatase PPQ Saccharomyces 218: 689
phosphatase Z Saccharomyces se= quence function 216: 269
phosphatase 1 inhibitor 2 chaperone 213: 1055
phosphatase 1 isoform sequence Dro= sophila 212: 177
phosphatase 2A dephosphorylation atriopeptin 211: 485
phosphorylation hydrogen ion signal= ing 213: 349
pregnancy zone conformation fluores= cent probe 218: 651
proton transport archaeal tetraether lipid 214: 917
PSIB photosystem I reaction center 214: 907
pS2 breast cancer proliferation TPA 215: 671
p21cHras conformation GTP binding hydrolysis 213: 781
p28 phosphorylation keratinocyte TPA okadaate 213: 1101
rab cDNA sequence Lymnaea 217: 241
Ras GTP EGF receptor 212: 477
regulatory apolipoprotein AI gene 216: 247
repressor p50 ribonucleoprotein reti= culocyte 212: 633
rescue ribosome assembly translation 217: 839
retinol binding retinoid 213: 413
ribosomal L37a chicken gene sequence 213: 77
ribosomal L41 gene SCR2 sequence 213: 849
ribosomal L41 yeast cycloheximide resistance 213: 841
ribosomal ribosome subunit Bacillus 217: 361
ribosomal S8 16 S rRNA 215: 787
ribosomal YmL8 YmL20 transport yeast 214: 577
S anticoagulant sequence cDNA rabbit 217: 857
sigma1 subunit macrophage NADPH oxidase 217: 441
single stranded binding chloroplast pea 211: 171
small G GTPase NADPH oxidase 216: 813
spermadhesin boar 218: 719
sweet mabinlin II Capparis 211: 281
synthesis inhibition prerRNA pro= cessing human 212: 211
T glycine decarboxylase complex pea 217: 377
Tat helix equine anemia virus 218: 973
taurocholate transporting hepatocyte canaliculus membrane 214: 539
thylakoid expression stability tobacco 217: 345
toxin variant transport thymocyte toxicity 215: 411
TRAP subunit cDNA sequence rat 214: 375
tyrosine kinase fgr fyn spleen 216: 323
tyrosine kinase HL60 cell 214: 503
tyrosine kinase p72syk membrane IgM 213: 455
VAT1 complex synaptic vesicle mem=

brane 216: 189
white brown adipocyte review 218: 785
WZF1 gene sequence wheat 217: 1049
Proteinase
chloroplast protein precursor processing Chlamydomonas 217: 1039
cysteine thermostability papaya 214: 129
inhibitor Kunitz structure sea anemone 212: 675
inhibitor secretory leukocyte chondrocytes 218: 951
inhibitor trypsin complex crystal structure 212: 549
nidogen cleavage site 217: 877
Proteindisulfide
isomerase CaBP2 cDNA sequence rat 213: 789
Proteoglycan
heparan sulfate glycosaminoglycan structure 211: 771
heparan sulfate membrane muscle 216: 587
link protein degrdn chondrocyte monocyte 212: 87
Proteolipid
membrane channel class conformation 213: 21
Proteolysis
alc dehydrogenase Drosophila 211: 357
basic FGF glycosaminoglycan 214: 51
myosin filament conformation muscle 216: 89
nidogen 217: 877
ornithine decarboxylase mutant monomer mouse 218: 245
phosphofructokinase structure yeast 217: 527
sorbitol alc dehydrogenase structure 213: 487
superoxide dismutase sequence insert Caretta 211: 843
vesicle membrane protein botulin B 217: 965
Proteolytic
cleavage site thyroglobulin 218: 603
Proteus
glutathione transferase conformation multiphasic folding 215: 741
glutathione transferase isoenzyme sequence 211: 421
Proton
arabinose symport protein cytochalasin B 215: 43
NMR spectrometry reduced hemoprotein 215: 431
pump cytochrome oxidase intrinsic uncoupling 212: 827
translocation nicotinamide nucleotide transhydrogenase Rhodospirillum 217: 763
transport archaeal tetraether lipid correction 216: 880
transport protein archaeal tetraether lipid 214: 917
Protonmotive
force ATPase activation plant mitochondria 216: 565
force nisin antibacterial membrane lipid 212: 417
Protooncogene
expression osteoblast IGF 218: 883
Protoporphyrin
zinc Hb alpha chain conformation 214: 383
PsA
glycoprotein glycosylphosphatidylinositol membrane anchor Dictyostelium 216: 729
Pseudoazurin
nitrite reductase Thiosphaera 212: 377
Pseudomonas
aminoethylphosphonate aminotransferase reaction stereochemistry 215: 841
azurin lysine mutant ionization 218: 229
azurin mutant copper site potential 212: 289
benzoyl CoA redn 211: 649
beta lactamase TEM1 mutation 217: 939
cytotoxin binding protein erythrocyte 217: 1123
denitrifying dehydroxylating hydroxybenzoyl CoA reductase 213: 563
denitrifying hydroxybenzoate CoA ligase 213: 555
gamma butyrobetaine hydroxylase chain sequence 213: 1075
hydroxybenzoate hydroxylase substrate activation 216: 137
lipase activation LipB protein Escherichia 215: 239
maleate hydratase thermodn 217: 1011
polyhydroxyalkanoate depolymerase gene 218: 701
urocanase gene mutation cloning 217: 429
Psoralen
oligodeoxyribonucleotide antisense herpesvirus virucide radiosensitizer 216: 19
pS2
protein breast cancer proliferation TPA 215: 671
PTH
NMR structure 215: 315
Purifn
reconstitution swine interferon gamma 215: 481
Purinoceptor
adaptation neurosecretion habituation cAMP 217: 259
Puromycin
resistance gene pur8 Streptomyces 218: 963
Purple
acid phosphatase Moessbauer kidney bean 214: 313
Putrescine
interaction alpha lactalbumin conformation 218: 303
Pyranose
oxidase Peniophora 214: 795
Pyrococcus
thermostable beta glucosidase 213: 305
Pyrophosphatase
calcium magnesium mitochondria Saccharomyces 217: 657
hydrogen ion kinetics vacuole Vigna 217: 755
Pyrophosphokinase
hydroxymethyldihydropterin gene fas Pneumocystis 216: 449
Pyrrolidone
carboxylate deblocking protein 212: 785
Pyruvate
dehydrogenase gene PDA1 regulation Saccharomyces 218: 405
kinase ATP metformin gluconeogenesis liver 213: 1341
kinase sequence Bacillus 211: 851
P21cHras
G protein labeling GDP GTP 215: 473
protein conformation GTP binding hydrolysis 213: 781
P28
protein phosphorylation keratinocyte TPA okadaate 213: 1101
P450
cytochrome NOE spectroscopy 215: 431
P50
repressor protein ribonucleoprotein reticulocyte 212: 633
P72syk
kinase B cell antigen receptor 213: 455
Qout
reaction domain conformation complex III 215: 601
Quaternary
structure NADP malic enzyme 213: 1159
structure surfactant protein D conglutinin 215: 793
structure urease surfactant jack bean 215: 55
Rab
protein cDNA sequence Lymnaea 217: 241
Rabbit
alc dehydrogenase isoenzyme sequence characterization 213: 31
cathepsin E procathepsin cDNA sequence 216: 717
CEBP transcription factor glycoprotein gene 216: 127
protein S anticoagulant sequence cDNA 217: 857
rat transcription factor lipoprotein AI 216: 247
Rab6
gene protein processed unprocessed form 217: 1027
Radiation
nuclease DNA thymocyte apoptosis 215: 893
Radiosensitizer
antisense oligodeoxyribonucleotide psoralen herpesvirus virucide 216: 19
Ransom
mannose specific lectin cDNA sequence 217: 123
Rap
GAP GTPase rap1A protein arachidonate 216: 813
Rap1A
protein GTPase GAP rap arachidonate 216: 813
Ras
protein GTP EGF receptor 212: 477
Rat
AChR gene E MCAT box 216: 395
alc dehydrogenase sequence 215: 497
amiloride binding protein cDNA sequence 216: 679
casein kinase autophosphorylation 218: 515
CCAM protein sequence 213: 1109
gene Hst70 testis promoter sperm 212: 137
gene rts51 sperm protein sequence 216: 497
glucocorticoid enhancer transcription factor 211: 459
glutamate dehydrogenase gene sequence 211: 795
heme oxygenase gene HSE element 212: 167
HES 2 sequence characterization 215: 645
hydroxymethylglutaryl CoA synthase gene promoter 213: 773
kidney hydroxy acid oxidase sequence 214: 17
lipoprotein receptor estrogen transcription 216: 527
lipoxygenase cDNA sequence brain 212: 605
liver glutamine synthetase gene sequence 213: 1067
matrix attachment region sequence 215: 777
nitric oxide synthase cDNA sequence 217: 37

perchlorate soluble protein cDNA sequence 212: 665
polyADPribose polymerase gene US1 element 215: 73
proteindisulfide isomerase CaBP2 cDNA sequence 213: 789
rabbit transcription factor lipoprotein AI 216: 247
scatter factor gene promoter sequence 213: 113
testis presorbitol dehydrogenase cDNA sequence 217: 83
TRAP protein subunit cDNA sequence 214: 375
Reaction
center photosystem I protein PSIA 214: 907
Reagent
peptide protection deprotection aminopeptidase A 211: 105
RecA
enzyme histidine DNA ATP 217: 665
Receptor
acetylcholine epsilon subunit sequence 215: 229
adaptation neurosecretion habituation cAMP 217: 259
adenosine binding adenosinealkane cytotoxicity metab 214: 935
adrenergic gene promoter sequence 213: 1117
antigen B cell kinase p72syk 213: 455
ATPase inhibitor protein IF1 mitochondria 215: 487
atriopeptin aorta guanylate cyclase 217: 295
box acetylcholine E MCAT 216: 395
cannabinoid expression mRNA human leukocyte 214: 173
CCK peripheral review 215: 513
cholecystokinin pancreas heterogeneity 212: 529
ciliary neurotrophic factor 218: 1031
colicin N Escherichia 214: 635
cysteinyl leukotriene macrophage antiidiotypic IgG 214: 83
dopamine D2 cDNA sequence Xenopus 213: 1349
epidermal growth factor phosphorylation ciprofibrate 215: 903
erythropoietin phosphatidylinositol kinase 216: 821
glucocorticoid antirepressor transcription 215: 505
glucocorticoid binding macromol translocation inhibitor 218: 679
glucocorticoid mRNA galactoside sialyltransferase 211: 135
heart adrenergic G protein interaction 213: 57
insulin complex membrane 211: 241
insulin EGF Ras GTP 212: 477
insulin kinase lipid 213: 277
insulin protein kinase ERK1 218: 815
interleukin 6 interaction arginine 179 211: 749
interleukin 6 recombinant sol human 216: 239
intestinal trefoil factor organ 212: 557
lactogenic PRL binding 214: 483
lactotransferrin platelet aggregation 213: 1205
LDL lipoprotein estrogen transcription 216: 527
low density lipoprotein hepatocyte 213: 989
maize fusicoccin purifn analysis 214: 339
methyladenine antagonist methylamino nomethyladenine starfish 213: 155
neurotrophin 3 retina embryo chicken 211: 789
nicotinic immunogenic region structure 211: 227
nicotinic physostigmine binding site 216: 671
PACAP 1 brain purifn 217: 823
parathormone binding structure 215: 315
pertussis toxin subunit 211: 743
PGE1 erythrocyte membrane 213: 1167
PGF2 hepatocyte membrane 211: 163
progesterone dimerization responsive element 214: 189
prostaglandin EP3 subtype adenylate cyclase 217: 313
retinoid prepn 212: 13
ryanodine ATP binding site muscle 213: 147
signal sequence subunit cDNA sequence 214: 375
thrombin G protein platelet prostaclin 216: 81
vasopressin V1a bifunctional ligand 213: 711
vasopressin V2 sequence pig 215: 1
Recombinant
deoxyerythronolide B synthase Saccharopolyspora 214: 305
dihydrofolate reductase Haloferax 216: 199
galactosyltransferase Saccharomyces expression 212: 113
histidine tagged lipoxygenase platelet 214: 845
interferon alpha2 Sf9 cell 217: 921
interferon omega1 Sf9 cell 217: 913
interleukin 2 baculovirus Spodoptera 215: 189
notechis II 2L 212: 441
selenomethionyl interleukin 5 crystal structure 212: 751
seryl tRNA synthetase yeast Escherichia 214: 869
sol human interleukin 6 receptor 216: 239
triosephosphate isomerase form Trypanosoma 211: 703
Recombination
ATPase hybrid Escherichia 218: 937
homologous gene 616 targeted mutation 218: 273
Reconstitution
glucose transporting protein Trypanosoma 214: 593
purifn swine interferon gamma 215: 481
Red
blood cell glyoxalase II 213: 1261
Redn
activation NADP malate dehydrogenase cysteine 217: 189
potential copper site azurin mutant 212: 289
Redox
dependent conformation cytochrome c 211: 555
metal ion cytochrome oxidase 213: 1149
P cluster molybdenum iron protein 212: 51
transduction GSH erythrocyte membrane 215: 711
Reduced
cellodextrin hydrolysis cellulase kinetics 217: 947
hemoprotein proton NMR spectrometry 215: 431
Reductase
aldose sequence pig 218: 893
dienoyl CoA isoform heart liver 215: 199
dihydrofolate binding NADP mechanism 215: 9
dihydrofolate recombinant Haloferax 216: 199
dissimilatory sulfite subunit sequence Desulfovibrio 211: 501
ferredoxin NADP substrate site lysine 216: 57
flavin iron redn mobilization Escherichia 211: 635
glycine enzyme gene sequence Eubacterium 217: 791
heterodisulfide complex Methanosarcina membrane 213: 529
hydroxybenzoyl CoA dehydroxylating denitrifying Pseudomonas 213: 563
hydroxymethylglutaryl CoA cockroach 213: 233
methyl coenzyme M isoenzyme Methanobacterium 217: 587
methylenetetrahydromethanopterin stereospecificity coenzyme F420 214: 641
monodehydroascorbate K562 cell 218: 1057
NADPH cytochrome phosphatidylserine phosphatidylinositol liver 218: 1021
nitrate Synechococcus thylakoid membrane pea 214: 533
nitrite cytochrome cd1 Thiosphaera 212: 377
nitrite electron transfer kinetics Desulfovibrio 212: 79
nitrous oxide gene sequence Paracoccus 218: 49
nitrous oxide Thiosphaera 212: 467
rubredoxin Desulfovibrio 216: 443
trypanothione substrate complex crystal structure 213: 67
Referee
acknowledgement 211: a21
Refolding
unfolding conformation myosin rod model 218: 1049
Regioselective
oxidn sugar pyranose oxidase Peniophora 214: 795
Regioselectivity
phenol hydroxylase mechanism Trichosporon 218: 345
Regulatory
element hepatocyte growth factor gene 213: 113
protein apolipoprotein AI gene 216: 247
region human DNA topoisomerase gene 217: 813
Release
factor termination functional domain Escherichia 213: 749
factor tryptophanyl tRNA synthetase comparison 212: 457
Repetitive
element DRE Dictyostelium 217: 627
Repression
EF1alpha mRNA translation 213: 919
histone gene transcription fibroblast cell 217: 683
Repressor
protein p50 ribonucleoprotein reticulocyte 212: 633
Rescue
protein ribosome assembly translation 217: 839
Resistance
antitumor doxorubicin lipid glutathione peroxidase 211: 141
Respiration
neutrophil G protein arachidonate 218: 669
Respiratory
mucus glycoprotein sialylated oligo=

saccharide structure 211: 491
mutant Saccharomyces spectrometry cytochrome oxidase 213: 137
Responsive
element progesterone receptor dimeri= zation 214: 189
Restriction
endonuclease Cfr9I binding specificity mechanism 217: 411
enzyme DNA cleavage antitumor platinum 216: 183
Reticulocyte
elongation factor 2 kinase 212: 511
ornithine decarboxylase degrdn pro= teasome 213: 205
repressor protein p50 ribonucleopro= tein 212: 633
Retina
development axonin 1 human 211: 329
neurotrophin 3 receptor embryo chicken 211: 789
Retinoate
cAMP adipocyte malic enzyme 215: 285
Retinoid
prepn receptor cellular binding pro= tein 212: 13
retinol binding protein 213: 413
testis CRABP CRBP mRNA 211: 835
Retinol
binding protein retinoid 213: 413
Retraction
gene E2 protein human papillomavi= rus 212: 271
Rev
responsive element translation arrest HIV1 216: 459
Reverse
micelle AOT isooctane catalase 217: 567
micelle ATPase conformer activity hydration 213: 757
micelle chymotrypsin active site dynamics 211: 47
micelle chymotrypsin hydration water activity 218: 1013
micelle entrapment enzyme inactiva= tion protection 211: 73
Reversed
micelle lactate dehydrogenase dissocn 212: 63
Review
ankyrin gene anemia cerebellum dysfunction 211: 1
antioxidant oxidative stress 215: 213
ATP formation mechanism mito= chondria 218: 759
gene hepatocyte development differ= entiation disease 216: 353
gene Hox morphogen regulation ver= tebrate 212: 273
glutamate release storage uptake synaptosome 212: 613
glycoprotein glycosylation 218: 1
intermediate filament protein 214: 351
metallo procarboxypeptidase 211: 381
peptidylproline isomerase family prokaryote eukaryote 216: 689
peripheral CCK receptor 215: 513
phosphoglycerate kinase structure function 216: 1
protein white brown adipocyte 218: 785
RNA polymerase III gene transcrip= tion 212: 1
sex detn animal genetics 218: 769
transcription factor Ets family 211: 7
transcription factor Ets family correc= tion 215: 907
RF1
RF2 functional domain Escherichia 213: 749
RF2
RF1 functional domain Escherichia 213: 749
Rhodobacter
catalase peroxidase gene cpeA se= quence 214: 251
nitrogenase incorporation iron molyb= denum cofactor 215: 25
Rhodococcus
amidase gene sequence specificity 217: 327
cytochrome P450 isoenzyme induction ethoxyphenol 213: 211
Rhodopseudomonas
antenna LHII gene cloning sequence 217: 867
benzoyl CoA redn 211: 649
high potential iron sulfur protein 212: 69
Rhodopsin
conformation Halobacterium 218: 837
kinase activation mechanism rhodop= sin phosphorylation 213: 881
kinase light dependent mechanism correction 212: 840
Rhodospirillum
chromatophore nicotinamide nucleo= tide transhydrogenase 217: 763
Ribonucleoprotein
repressor protein p50 reticulocyte 212: 633
Ribosomal
protein L37a gene sequence chicken 213: 77
protein L41 gene SCR2 sequence 213: 849
protein L41 yeast cycloheximide resistance 213: 841
protein ribosome subunit Bacillus 217: 361
protein S8 16 S rRNA 215: 787
protein YmL8 YmL20 transport yeast 214: 577
Ribosome
assembly rescue protein translation 217: 839
binding mutation gene sdaB 212: 777
complex GDP elongation factor 2 215: 291
deuterated Escherichia 216: 315
dissocn pressure induced 218: 463
subunit ribosomal protein Bacillus 217: 361
Ribozyme
important residue hepatitis delta virus 217: 29
Ribulose
bisphosphatase carboxylase stoi= chiometry multienzyme chloroplast 217: 1065
bisphosphate carboxylase processing proteinase Chlamydomonas 217: 1039
diphosphate carboxylase kinetics enzyme complex 217: 1075
Ricin
abrin variant thymocyte toxicity transport 215: 411
Ricinus
lectin methyl lactoside hydrogen bond 214: 677
Ripening
wounding cDNA Cucumis 212: 27
RNA
cytochrome h6f chloroplast 218: 397
DNA hybrid duplex conformation 215: 297
double stranded kinase PKR mutant 214: 945
formation factor CAP DNA anion 212: 539
formation factor Ets review 211: 7
formation factor Jun conformation 214: 415
formation factor SRF phosphorylation 216: 469
formation factor TF1 arom residue 213: 865
olignucleotide mRNA degrdn RNase Escherichia 213: 285
polymerase III gene transcription review 212: 1
5S metab cytosol liver 213: 1277
RNase
B glycoform conformation dynamics oligosaccharide 218: 239
Escherichia RNA olignucleotide mRNA degrdn 213: 285
LX sequence tomato phosphate star= vation 214: 627
multiple form sequence Sulfolobus 211: 305
mutant specificity Bacillus 215: 167
P protein component purifn Schizo= saccharomyces 217: 501
Sa complex guanosine cyclophospho= rothoiate 216: 301
T1 complex guanosine bisphosphate phosphate 211: 311
T1 GMP complex conformation 218: 1005
4 sequence plasma human 217: 401
Roman
snail cadmium contg metallothionein sequence 216: 739
Root
effect Hb subunit sequence Chelodon= ichthys 218: 829
Roulette
mutation 217: 395
rRNA
processing pathway human 212: 211
16 S ribosomal protein S8 215: 787
Rsk
2 protein kinase ISPK1 212: 581
Rts51
sperm protein gene sequence rat 216: 497
Rubber
formation Hevea prenyl transferase 218: 267
Rubredoxin
reductase Desulfovibrio 216: 443
Rubrerythrin
iron cluster Desulfovibrio 212: 237
Ryanodine
receptor ATP binding site muscle 213: 147
Saccharomyces
ADP ATP translocator gene regula= tion 213: 547
calcium transport ATPase Golgi 216: 573
cAMP dependent protein kinase activity 213: 501
Candida gene CDC25 homolog cloning 213: 195
cell wall mannan 217: 1
copper metallothionein cloning ex= pression property 212: 521
cytochrome c oxidase mutation 213: 129
cytochrome P 450 tienilic acid 213: 223
expression galactosyltransferase re= combinant 212: 113
glucose deoxyglucose metab 218: 221
glucose metab oxidative phosphoryla= tions 214: 163
glycolysis mutation suppression gluta= mate dehydrogenase 217: 469
membrane ATPase epitope mapping 212: 737
mitochondria pyrophosphatase calcium magnesium 217: 657

phosphate isomerase glucose repression 214: 121
prodn human parathormone related protein 213: 641
protein phosphatase PPQ 218: 689
protein phosphatase Z sequence function 216: 269
pyruvate dehydrogenase gene PDA1 regulation 218: 405
respiratory mutant spectrometry cytochrome oxidase 213: 137
transketolase gene sequence deletion 217: 487
trehalose phosphate phosphatase sequence 212: 315
trehalose synthase gene TSS1 CIF1 216: 849
ubiquinol cytochrome c oxidoreductase 215: 601
Saccharopolyspora
recombinant deoxyerythronolide B synthase 214: 305
Salmon
coho insulin like growth factor 218: 205
GH releasing hormone PACAP precursor 215: 439
Salmonella
glucose phosphate thymidylyltransferase 211: 763
porin blood platelet activating factor 214: 685
SAM1
cell adenosylmethionine decarboxylase 215: 247
Saposin
oligosaccharide structure spleen 215: 171
Sarcolemma
heart GTPase adrenergic receptor 213: 57
Sarcoplasmic
reticulum ATPase binding site proximity 217: 737
reticulum ATPase creatine kinase 213: 973
reticulum ATPase hydration effect micelle 213: 757
reticulum ATPase kinetics mechanism 211: 117
reticulum calcium ATPase magnesium site 217: 225
reticulum nucleotide binding ATPase 218: 823
Sarcotoxin
IA conformation 217: 639
Scatter
factor gene promoter sequence rat 213: 113
Schistosoma
development stress protein hsp70 212: 589
Schizosaccharomyces
gene tms1 protein sequence 217: 731
RNase P protein component purifn 217: 501
Schwanniomyces
cycloheximide resistance gene SCR2 SCR1 213: 849
Scyliorhinin
brain dogfish 214: 469
Scylla
glycolylneuraminate specific lectin 215: 697
Sea
anemone Kunitz proteinase inhibitor structure 212: 675
Secondary
conformation acetylcholinesterase FTIR spectroscopy 213: 1235
structure dendrotoxin I 211: 813
Secretin
receptor adaptation neurosecretion habituation cAMP 217: 259
Secretion
chylomicron remnant cholesterol bile 211: 781
prophospholipase A2 stomach carbachol 215: 91
Secretory
leukocyte proteinase inhibitor chondrocytes 218: 951
Selenocysteine
contg subunit hydrogenase processing Methanococcus 213: 1355
Selenomethionyl
hydroxymethylbilane synthase Escherichia 211: 615
interleukin 5 recombinant crystal structure 212: 751
Selenoprotein
PA thioredoxin reductase gene sequence 217: 791
Self
assembly laminin domain basement membrane 216: 437
Semen
TRH like peptide sequence 212: 35
Sensor
kinase gene kdpD Escherichia membrane 217: 1019
Sequence
acetylcholine receptor epsilon subunit 215: 229
actin fragmin kinase Physarum 214: 111
actin gene promoter Xenopus 214: 425
adenosylmethionine decarboxylase mouse 215: 247
adenylate kinase gene Bordetella 218: 921
adrenergic receptor gene promoter 213: 1117
albumin cDNA horse 215: 205
alc dehydrogenase alligator liver 216: 49
aldehyde dehydrogenase isoenzyme E3 human 218: 311
alpha beta parvalbumin human 215: 719
amidase gene Rhodococcus 217: 327
amiloride binding protein cDNA rat 216: 679
antichymotrypsin Bombyx 214: 181
antigen CGM1 splice variant human 214: 27
arginase Xenopus 211: 891
axonin 1 cDNA human 211: 329
beta amylase cDNA soybean 214: 787
cadmium contg metallothionein I Helix 216: 739
carbonic anhydrase 1 Chlamydomonas 214: 9
cathepsin E procathepsin cDNA rabbit 216: 717
CCAM protein rat 213: 1109
cDNA calretinin chicken 215: 401
cDNA electron transfer flavoprotein human 213: 1003
cDNA perchlorate soluble protein rat 212: 665
chicken ribosomal protein L37a gene 213: 77
cloning Rhodopseudomonas antenna LHII gene 217: 867
coagulation factor X cattle human 218: 153
collagen XIV cDNA chicken 212: 483
complex III subunit yeast 215: 601
consensus detection GTPase GTP crosslinking 215: 473
crustacean hyperglycemic hormone 211: 601
cyclohexadienyl dehydrogenase Zymomonas 212: 157
cytochrome c6 Monoraphidium 216: 329
cytochrome P450 isoenzyme Rhodococcus 213: 211
deletion transketolase gene Saccharomyces 217: 487
desulfoviridin gamma subunit Desulfovibrio 211: 501
dihydrolipoamide dehydrogenase Trypanosoma 212: 423
dopamine D2 receptor cDNA Xenopus 213: 1349
DRE repetitive element Dictyostelium 217: 627
eclosion hormone gene Drosophila 215: 221
elongation factor isoform human 215: 549
enhancer of split cDNA human 216: 343
entactin nidogen ascidian 213: 11
Escherichia dimeric citrate synthase gene 214: 75
ethylene forming enzyme cDNA melon 212: 27
exochitinase gene Streptomyces 214: 659
flavanone hydroxylase iron site histidine 217: 745
fructose bisphosphatase gene Kluyveromyces 212: 193
galactoside sialyltransferase cDNA mouse 216: 377
galactoside sialyltransferase gene human 213: 467
gamma butyrobetaine hydroxylase chain Pseudomonas 213: 1075
gcv operon enzyme Escherichia 216: 539
gelatinase B gene mouse 218: 129
gene coxV promoter Dictyostelium 211: 411
gene CSC25 protein Candida 213: 195
gene fibronectin binding protein Streptococcus 214: 819
gene mtrA protein Methanobacterium 217: 115
gene pepN lysyl aminopeptidase Lactobacillus 217: 105
gene protein phosphatase Z Saccharomyces 216: 269
gene pur8 protein Streptomyces 218: 963
gene ribosomal protein L41 Kluyveromyces 213: 841
gene rts51 sperm protein 216: 497
gene sodium influx peptide Lymnaea 215: 397
gene tms1 protein Schizosaccharomyces 217: 731
GH releasing hormone PACAP precursor 215: 439
glucose dehydrogenase gene Thermoplasma 211: 549
glucose phosphate dehydrogenase structure Pichia 212: 41
glutaconyl CoA decarboxylase gene gcdA 211: 697
glutamate dehydrogenase gene rat 211: 795
glutamine synthetase gene rat liver 213: 1067
glutathione S transferase cDNA Arabidopsis 216: 579
glutathione transferase isoenzyme Proteus 211: 421
glyceraldehyde phosphate dehydrogenase gene Thermotoga 214: 43
glycine reductase enzyme gene Eubacterium 217: 791
glycoprotein gp64 Polysphondylium 211: 147
guanylate kinase brain pig 213: 263
HES 2 rat 215: 645
hirudin leech 214: 295

homol aminotransferase classification evolution 214: 549
HPI2 protamine sperm human 214: 445
human lipocortin 1 211: 347
human pancreas glutamate decarboxylase 212: 597
hydrogenase Chlamydomonas 214: 475
hydroxy acid oxidase rat kidney 214: 17
hydroxyheptadienedioate isomerase oxopentenetricarboxylate decarboxylase Escherichia 217: 575
hydroxymethylglutaryl CoA reductase Blattella 213: 233
hydroxymethylglutaryl CoA synthase cDNA cockroach 217: 691
hydroxymethylglutaryl CoA synthase gene promoter 213: 773
hydroxyphenylpyruvate dioxygenase gene chromosome human 213: 1081
Hyphomicrobium serine hydroxymethyltransferase gene 212: 745
H1 histone gene promoter neoplasm 217: 353
IGUP I5111 protein human keratinocyte 218: 421
insulin like growth factor I 218: 205
interalpha trypsin inhibitor gene human 218: 283
interleukin 1beta gene pig 217: 45
K45 protein HDL plasma human 211: 871
lactate dehydrogenase gene ldh Thermotoga 216: 709
laminin cDNA mRNA human 216: 293
latroinsectotoxin cDNA Latrodectus 213: 121
lectin cDNA Pleurodeles oviduct 213: 901
lipid transfer protein grapevine 217: 885
lipoxygenase cDNA rat brain 212: 605
Lm67 Lm70a Lm70b protein Locusta 217: 267
LNPI elastase inhibitor swine leukocyte 217: 519
lysozyme evolution kidney cow sheep 213: 649
mabinlin II Capparis 211: 281
major allergen I Corylus 212: 355
man9 mannosidase cDNA kidney human 217: 535
metalloprotein II Nereis 217: 151
metallothionein isoform Mytilus 218: 183
methyltetrahydromethanopterin coenzyme M methyltransferase Methanobacterium 213: 537
microtubule assocd protein squid 211: 193
mixed lineage kinase epithelium human 213: 701
mouse glycoprotein PC1 nucleotide phosphodiesterase 217: 421
muscle enolase gene ENO3 human 214: 367
mutation gene GGS1 Kluyveromyces 217: 701
myosin binding protein C cDNA 216: 661
myosin regulatory light chain earthworm 211: 341
NADH dehydrogenase gene mitochondria wheat 217: 831
NADP malate dehydrogenase Pisum chloroplast 217: 189
nitric oxide synthase cDNA rat 217: 37
nitrous oxide reductase gene Paracoccus 218: 49
NMR dendrotoxin I 211: 813
Olea Ole e I allergen 216: 863
oxo acid dehydrogenase gene Bacillus 213: 1091
oxoacyl CoA thiolase gene Yarrowia 216: 607
pepsinogen A gene promoter 213: 1283
peptidylarginine deiminase mouse 215: 677
peroxidase cDNA Coprinus 213: 605
phospholipase A2 cDNA guinea pig 215: 91
phosphoneuroprotein 14 cattle brain 217: 1057
plastocyanin gene barley 217: 97
potassium channel 216: 871
prealphatrypsin inhibitor H3 precursor human 212: 771
presorbitol dehydrogenase cDNA rat testis 217: 83
promoter ATP translocator gene AAC3 213: 547
protamine gene evolution primate 214: 609
protamine gene opossum 215: 63
protamine Ornithorhynchus Tachyglossus 218: 457
protein BM 90 mouse 215: 733
protein kinase C isoenzyme zeta 216: 597
protein kinase ISPK1 212: 581
protein phosphatase 1 isoform Drosophila 212: 177
protein S anticoagulant cDNA rabbit 217: 857
proteindisulfide isomerase CaBP2 cDNA rat 213: 789
pyruvate kinase phosphofructokinase gene Bacillus 211: 851
rab protein cDNA Lymnaea 217: 241
rabbit alc dehydrogenase isoenzyme 213: 31
ransom mannose specific lectin cDNA 217: 123
rat alc dehydrogenase 215: 497
rat matrix attachment region 215: 777
rat scatter factor gene promoter 213: 113
recognition DNA triplex 212: 395
Rhodobacter catalase peroxidase gene cpeA 214: 251
ribosomal protein L41 gene SCR2 213: 849
RNase LX tomato phosphate starvation 214: 627
RNase 4 plasma human 217: 401
root effect Hb subunit Chelodonichthys 218: 829
sdaB serine deaminase gene Escherichia 212: 777
sorbitol dehydrogenase gene diapause Bombyx 213: 1125
superoxide dismutase insert proteolysis Caretta 211: 843
sweet potato amylase 216: 25
synthetic gene bacterioopsin Halobacterium 211: 27
tensin embryo chicken 217: 781
testican human 214: 347
TGF inducible protein gene 217: 13
thyroglobulin proteolytic cleavage site 218: 603
transcription cytochrome P4503A4 gene human 218: 585
TRAP protein subunit cDNA rat 214: 375
trehalose phosphate phosphatase Saccharomyces 212: 315
trehalose synthase gene TSL1 Saccharomyces 216: 849
TRH like peptide semen 212: 35
trypsinogen isoenzyme cDNA cod 217: 1091
vasopressin V2 receptor pig 215: 1
wheat protein WZF1 gene 217: 1049

Serine
deaminase gene sdaB sequence Escherichia 212: 777
deaminase 1 Escherichia 211: 521
dehydratase Clostridium 215: 341
hydroxymethyltransferase gene cloning sequence Hyphomicrobium 212: 745
phosphorylation site casein kinase 218: 515
protein kinase II phosphoneuroprotein 14 217: 1057
tRNA bacteria recombinant yeast synthetase 214: 869

Serum
gastrointestinal hormone degrdn dipeptidyl peptidase 214: 829
response factor carboxy terminus phosphorylation 216: 469

Seryl
tRNA synthetase yeast activity bacteria 214: 869

Sex
dehyroepiandrosterone sulfotransferase liver 211: 539
detn animal genetics review 218: 769
pheromone induced aggregation substance Enterococcus 211: 711
pheromone plasmid pAD1 aggregation 214: 333

Sf9
cell interferon alpha2 recombinant 217: 921
cell interferon omega1 recombinant 217: 913

Sheep
lysozyme sequence evolution kidney 213: 649

Shigella
Escherichia hybrid lipopolysaccharide structure 213: 573

Shine
Dalgarno sequence gene ldh Thermotoga 216: 709

Shock
endotoxemia cholesterol metab adrenal gland 211: 829
heat gene TPS2 212: 315
heat protein deletion mutant Drosophila 215: 277

Sialic
acid calcium binding ependymin conformation 217: 275

Sialidase
N9 influenza virus antibody binding 217: 319
trans specificity glycolipid glycoprotein 213: 765

Sialylated
oligosaccharide erythropoietin 213: 39
oligosaccharide structure respiratory mucus glycoprotein 211: 491

Sialyltransferase
galactoside cDNA sequence mouse 216: 377
galactoside gene sequence human 213: 467
galactoside gene transcription dexamethasone 211: 135
specificity glycolipid glycoprotein Trypanosoma 213: 765

Side
chain cholesterol monooxygenase substrate specificity 217: 209

Signal
sequence receptor subunit cDNA sequence 214: 375
transduction B lymphocyte kinase p72syk 213: 455
transduction cell proliferation hydrogen 213: 349

transduction complement C3a neutrophil 217: 289
transduction prolactin glycosylphosphatidylinositol 216: 747
transduction thrombin receptor platelet 216: 81
Silencer
element growth hormone gene 213: 399
enhancer gene csis PDGFB human 216: 487
Silkworm
antichymotrypsin sequence 214: 181
eclosion hormone phosphatidylinositol hydrolysis metamorphosis 211: 427
Single
stranded binding protein chloroplast pea 211: 171
Sipunculus
cholinesterase dimeric form 215: 267
Sleep
inducing peptide delta sequence brain 216: 429
Slippage
proton cytochrome c oxidase Paracoccus 212: 827
Small
G protein GTPase NADPH oxidase 216: 813
Snail
cadmium contg metallothionein sequence 216: 739
molluscan insulin related neuropeptide correction 212: 839
pond LymnaDFamide neuropeptide 213: 875
Snake
venom nucleotide phosphodiesterase mechanism 213: 1139
venom phospholipase A2 neurotoxin 211: 57
Sodium
channel like protein sequence rat 216: 679
influx peptide gene sequence Lymnaea 215: 397
potassium ATPase endogenous inhibitor urine 211: 317
Sol
form cytochrome c550 Bacillus 212: 499
human recombinant interleukin 6 receptor 216: 239
Soln
structure duramycin B C 216: 419
Somatostatin
processing pituitary endoplasmic reticulum 218: 1063
processing prosomatostatin structure 216: 39
Sorbitol
alc dehydrogenase proteolysis structure 213: 487
dehydrogenase active site cysteine modification 211: 861
dehydrogenase gene sequence diapause Bombyx 213: 1125
dehydrogenase mRNA tissue 215: 497
dehydrogenase zinc coordination glutamate cysteine 216: 103
Soybean
beta amylase cDNA sequence 214: 787
cell wall phosphatase 211: 297
proglycinin protease 215: 123
SPARC
protein chicken embryo 218: 117
Spectrometry
cytochrome oxidase respiratory mutant Saccharomyces 213: 137
Moessbauer metalloprotein detn 214: 1
NMR carbon13 nitrogen15 glutaredoxin glutathione 218: 327
proton NMR reduced hemoprotein 215: 431
Spectroscopy
FTIR protein helical population assignment 213: 1235
Sperm
fusion liposome phospholipid 217: 1001
gene rts51 protein sequence rat 216: 497
glycoprotein boar 218: 719
HPI2 protamine sequence human 214: 445
rat gene Hst70 testis promoter 212: 137
whale myoglobin heme pocket 214: 405
Spermadhesin
protein boar 218: 719
Spermatogenesis
heme oxygenase gene transcription 217: 633
Spermatozoa
conformation basic protein 214: 879
Spermidine
interaction alpha lactalbumin conformation 218: 303
Spermine
interaction alpha lactalbumin conformation 218: 303
Spin
lattice magnetic relaxation nigerythrin rubrerythrin 212: 237
Spinach
fatty acid acetyl ACP intermediate 213: 981
Spirulina
ATP synthase activation thermodn 213: 957
Spleen
saposin oligosaccharide structure 215: 171
tyrosine protein kinase fgr fyn 216: 323
Splice
variant antigen CGM1 sequence human 214: 27
Splicing
alternative mRNA interalpha trypsin inhibitor 218: 283
alternative muscle enolase mRNA human 214: 367
mRNA adrenergic receptor adipose tissue 213: 1117
Spodoptera
baculovirus recombinant interleukin 2 215: 189
endotoxin binding protein Heliothis 212: 145
Sponge
marine tenascin extracellular matrix structure 216: 255
SPO1
bacteriophage transcription factor 1 NMR 213: 865
Sp1
E box ATPase gene promoter 218: 195
GATA1 regulation PBGD gene promoter 212: 763
Squid
microtubule assocd protein sequence 211: 193
Staphylococcus
aminopeptidase A 211: 105
histidine contg protein HPr conformation 216: 205
Staphylokinase
interaction plasminogen multiple forms 211: 91
mammalian fibrinolytic system activation species 216: 307
Starch
binding domain glucoamylase maltooligosaccharide Aspergillus 211: 717
Starfish
methyladenine receptor antagonist methylaminomethyladenine 213: 155
Stationary
growth desulfoviridin gamma subunit 211: 501
Stereochemistry
aminoethylphosphonate aminotransferase reaction Pseudomonas 215: 841
Stereospecificity
coenzyme F420 dependent enzyme Archaeoglobus 214: 641
inhibitor phospholipase A2 conformation 215: 531
Steroid
formation cholesterol pool 216: 557
nomenclature IUPAC IUB correction 213: 2
Stichodactyla
Kunitz proteinase inhibitor structure 212: 675
Stomach
chief cell pepsinogen A regulation 213: 1283
mucin oligosaccharide core glycan 217: 645
phospholipase A2 guinea pig 215: 81
prophospholipase A2 secretion carbachol 215: 91
Streptococcus
fibronectin binding protein gene sequence 214: 819
isomaltooligosaccharide lipoteichoate microheterogeneity structure 214: 757
isomaltooligosaccharide lipoteichoate structure 214: 747
NADH peroxidase conformation mechanism 211: 221
teichoate oligosaccharide structure 215: 851
Streptokinase
mammalian fibrinolytic system activation species 216: 307
Streptomyces
aminopeptidase specificity modulation divalent cation 212: 107
exochitinase gene sequence 214: 659
gene pur8 protein sequence 218: 963
Stress
light inducible protein barley leaf 214: 779
oxidative antioxidant review 215: 213
oxidative peroxide hepatocyte 211: 449
Schistosoma protein hsp70 212: 589
Structure
activity bisadenosinylalkane adenosine toxicity lymphocyte 215: 465
activity dinucleoside polyphosphate analog adenosinealkane 214: 935
activity erythropoietin 218: 597
activity leukotriene B4 analog 218: 59
activity parathormone related protein 211: 205
activity prolactin conformation 214: 483
cardiotoxin CTX IIb Naja 213: 891
CGRP 213: 927
Escherichia lipid A 214: 695
function gastrin immunogen 212: 325
glycosaminoglycan heparan sulfate proteoglycan 211: 771
nicotinic receptor immunogenic region 211: 227
O antigen polysaccharide Fusobacterium 212: 801
parathormone binding receptor

215: 315
secondary dendrotoxin I 211: 813
Substance
P peptide brain dogfish 214: 469
Substrate
analog lysine hydroxylase Escherichia 213: 995
Subtilisin
assocn alc dehydrogenase Drosophila 211: 357
Subunit
chaperon neurotoxin agkistrodotoxin ammodytoxin 211: 57
gamma desulfoviridin sequence Desulfovibrio 211: 501
organization gap junction Nephrops 213: 21
selenocysteine contg hydrogenase processing Methanococcus 213: 1355
sigma1 protein macrophage NADPH oxidase 217: 441
stoichiometry multienzyme complex chloroplast 217: 1065
Succinate
semialdehyde dehydrogenase brain 211: 757
semialdehyde dehydrogenase CoA Clostridium 212: 121
Sugar
regioselective oxidn pyranose oxidase Peniophora 214: 795
transport metab Kluyveromyces mutation 217: 701
Sulfenylation
tryptophan interleukin 6 activity conformation 217: 53
Sulfite
reductase subunit sequence Desulfovibrio dissimilatory 211: 501
Sulfitolysis
thioredoxin glutaredoxin plant bacteria 211: 609
Sulfolobus
RNase multiple form sequence 211: 305
tetraether lipid membrane proton transport 214: 917
Sulfotransferase
dehydroepiandrosterone organ immunochem 211: 539
Sulfur
dioxide phytotoxicity sulfitolysis thioredoxin glutaredoxin 211: 609
iron cluster redox EPR molybdoferredoxin 212: 51
iron high potential protein Rhodopseudomonas 212: 69
iron hydroxybutyryl CoA dehydratase Clostridium 215: 421
Superoxide
detection dihydrorhodamine 123 217: 973
dismutase copper coordination histidine NMR 213: 391
dismutase sequence insert proteolysis Caretta 211: 843
forming oxidase neutrophil activation arachidonate 211: 157
Supramol
structure glutathione transferase fluoroscence probe 217: 661
Surfactant
protein D conglutinin structure 215: 793
urease quaternary structure jack bean 215: 55
Sweet
potato amylase sequence 216: 25
protein mabinlin II Capparis 211: 281
Swelling
hepatocyte autophagy amino acid 215: 449
Swine
interferon gamma reconstitution purifn 215: 481
leukocyte LNPI elastase inhibitor sequence 217: 519
Symport
arabinose proton protein cytochalasin B 215: 43
Synaptic
vesicle membrane VAT1 protein complex 216: 189
Synaptosome
glutamate release storage uptake review 212: 613
Synechococcus
nitrate reductase thylakoid membrane pea 214: 533
Synergism
binding carboxypeptidase A B mechanism 218: 529
Synthase
anthranilate Catharanthus 212: 431
ATP activation thermodn Spirulina 213: 957
ATP conformation change chloroplast 214: 587
ATP heart mitochondria 218: 377
ATP mechanism mitochondria review 218: 759
cardiolipin eukaryote 212: 727
deoxyerythronolide B recombinant Saccharopolyspora 214: 305
deoxymannooctulosonate phosphate mechanism 217: 991
dihydropteroate gene fas Pneumocystis 216: 449
dimeric citrate gene sequence Escherichia 214: 75
fatty acid inhibition cerulenin analog 211: 111
hydroxymethylbilane selenomethionyl deriv Escherichia 211: 615
hydroxymethylglutaryl CoA cDNA sequence cockroach 217: 691
hydroxymethylglutaryl CoA gene promoter rat 213: 773
nitric oxide cDNA sequence rat 217: 37
nitric oxide structure conformation antibody 215: 801
peptide amide Xenopus tissue specificity 214: 811
thromboxane macrophage differentiation eicosanoid 212: 371
trehalose component regulation bakers yeast 216: 841
trehalose gene TSL1 sequence Saccharomyces 216: 849
trehalose phosphate gene sequence Kluyveromyces 217: 701
trehalose phosphate phosphatase complex subunit 212: 315
Synthetase
acyl CoA liver fibrate deriv 216: 615
CTP leukemia 216: 161
glutamine gene rat liver sequence 213: 1067
glyoxylate potato chloroplast 214: 889
tryptophanyl tRNA release factor comparison 212: 457
T
antigen interaction phosphoprotein phosphatase 2A 214: 281
cell epitope pertussis toxin conformation 217: 171
cell phosphoprotein tyrosine phosphatase specificity 211: 289
lymphocyte phosphorylation initiation factor 4alpha 218: 39
protein glycine decarboxylase complex pea 217: 377
Tachyglossus
protamine sequence 218: 457
Tachykinin
peptide cathepsin E specificity 216: 717
specificity endopeptidase 24 16 kidney 211: 79
Tadpole
arginase expression metamorphosis 211: 891
Tailspike
endorhamnosidase folding assembly amino domain 215: 653
Tat
protein helix equine anemia virus 218: 973
Taurocholate
transporting glycoprotein hepatocyte canaliculus membrane 214: 539
Tc85
glycoprotein glycosylphosphatidylinositol anchor Trypanosoma 217: 597
Teichoate
capsule antigen Actinobacillus 214: 209
oligosaccharide structure Streptococcus 215: 851
Teichoic
acid Glycomyces cell wall 218: 371
Temp
dependent conformation cytochrome c 211: 555
trehalose synthase regulation bakers yeast 216: 841
Tenascin
extracellular matrix structure marine sponge 216: 255
Tensin
cartilage chondrocyte embryo 217: 781
Terbium
energy transfer protein detn 211: 467
Termination
release factor functional domain Escherichia 213: 749
Testican
human sequence 214: 347
Testis
CRABP CRBP mRNA retinoid 211: 835
presorbitol dehydrogenase cDNA sequence rat 217: 83
rat gene Hst70 promoter sperm 212: 137
Tetraether
lipid archaeal proton transport protein 214: 917
Tetrahydrobiopterin
biosynthesis macrophage nitric oxide prodn 213: 833
Tetrahydropyrimidine
deriv conformation soln crystal 214: 897
Tetramethyltetrapyridino
porphyrazine chloro aluminum interaction DNA 217: 371
TF1
RNA formation factor arom residue 213: 865
TGF
inducible protein gene sequence mouse 217: 13
Theorem
enzyme pathway flux control coeff 212: 791
Thermodn
ATP synthase Spirulina 213: 957
maleate hydratase Pseudomonas 217: 1011
Thermolysin
binding zinc ligand hydrophobic probe 218: 523
carboxy terminal domain conformation 211: 569

Thermoplasma
glucose dehydrogenase gene sequence expression 211: 549
Thermostability
cysteine proteinase papaya 214: 129
interleukin 5 carbohydrate chain 211: 903
protein structure engineering mutation 211: 267
structure determinant hybrid beta glucanase 216: 829
Thermostable
beta glucosidase Pyrococcus 213: 305
Thermotoga
glyceraldehyde phosphate dehydrogenase gene sequence 214: 43
lactate dehydrogenase gene ldh sequence 216: 709
Thermotolerance
heat shock protein liver 218: 413
Thermus
DNA polymerase Tca 214: 135
Thiamin
diphosphate magnesium binding transketolase erythrocyte 218: 261
Thioesterase
acyl CoA carboxylesterase family microsome 214: 719
Thiol
glutathione activation glutathione transferase mechanism 215: 663
Thiolase
oxoacyl CoA gene sequence Yarrowia 216: 607
Thioredoxin
glutaredoxin sulfitolysis plant bacteria 211: 609
phosphoribulokinase activation enzyme complex chloroplast 217: 1075
reductase selenoprotein PA gene sequence 217: 791
Thiosphaera
cytochrome cd1 nitrite reductase 212: 377
nitrous oxide reductase 212: 467
Threonine
conserved role lactate dehydrogenase Bacillus 212: 447
dehydratase Clostridium 215: 341
phosphorylation site elongation factor 2 213: 689
role carbonic anhydrase active site 211: 821
Thrombin
platelet aggregation calpain peptide inhibitor 214: 233
receptor G protein platelet prostacyclin 216: 81
specificity modulation fibrinogen fragment E 215: 143
Thromboxane
synthase macrophage differentiation eicosanoid 212: 371
Thylakoid
membrane nitrate reductase Synechococcus pea 214: 533
membrane topol gene psaA protein 214: 907
protein expression stability tobacco 217: 345
Thymidine
phosphorylase endothelial cell growth factor 212: 201
Thymidylyltransferase
glucose phosphate Salmonella 211: 763
Thymine
adenine rich DNA Hoechst 33258 211: 437
Thymocyte
apoptosis nuclease radiation DNA 215: 893
proliferation glucose energy metab 212: 95
toxicity protein toxin variant transport 215: 411
Thymosin
beta4 conformation 218: 335
Thymus
lung histone protein HMG14 HMGI 213: 825
Thyroglobulin
proteolytic cleavage site 218: 603
Thyroid
hormone adipocyte malic enzyme 215: 285
Tienilic
acid oxidative activation cytochrome yeast 213: 223
Tissue
alc sorbitol dehydrogenase mRNA 215: 497
amidating enzyme mol diversity Xenopus 214: 811
nonmuscle myosin isoform 213: 5
parvalbumin 215: 719
urokinase plasminogen activator structure specificity 213: 437
Tobacco
apophytochrome B phycocyanobilin adduct 215: 587
thylakoid protein expression stability 217: 345
Tomato
phosphate starvation RNase LX sequence 214: 627
Topoisomerase
DNA gene regulatory region human 217: 813
II DNA drug resistance 218: 575
inhibitor DNA formation mammal cell 216: 177
Topol
eukaryote membrane protein prediction 213: 1333
membrane cytochrome P 450 Candida 216: 477
Torpedo
elec organ VAT1 protein complex 216: 189
Tosylphenylalanine
chloromethane neutrophil NADPH oxidase 218: 83
Toxicity
acetaminophen cell human cytochrome P450 214: 735
crotoxin isoform complex stability 214: 491
thymocyte protein toxin variant transport 215: 411
Toxin
pertussis conformation T cell epitope 217: 171
pertussis subunit receptor 211: 743
protein variant transport thymocyte toxicity 215: 411
TPA
breast cancer proliferation protein pS2 215: 671
insulin MAP kinase 218: 815
phospholipase D 215: 455
phosphorylation protein p28 keratinocyte 213: 1101
Trans
sialidase specificity glycolipid glycoprotein Trypanosoma 213: 765
Transacetylase
dihydrolipoyl domain linker region role 211: 591
Transacylase
mast cell platelet activating factor 216: 835
penicillin gene penDE Penicillium 215: 323
Transaldolase
pentose pathway flux 213: 477
Transcarbamylase
preornithine prechaperonin import processing mitochondria 211: 881
Transcription
factor acid glycoprotein gene promoter 216: 127
factor cMyb DNA domain conformation 216: 147
factor Ets family review 211: 7
factor glucocorticoid enhancer rat 211: 459
factor human interferon stimulable element 214: 617
factor lipoprotein AI rat rabbit 216: 247
factor Sp1 binding US1 element 215: 73
factor topoisomerase I gene human 217: 813
factor 1 SPO1 bacteriophage NMR 213: 865
galactoside sialyltransferase gene dexamethasone 211: 135
gene csis cell specific regulation 211: 509
gene heme oxygenase spermatogenesis 217: 633
glucocorticoid receptor antirepressor 215: 505
histone gene repression fibroblast cell 217: 683
H1 histone gene sequence neoplasm 217: 353
LDL lipoprotein receptor estrogen 216: 527
oleate response element peroxisome yeast 214: 323
phage T7 promoter mammalian cell 217: 387
RNA polymerase III gene review 212: 1
sequence cytochrome P4503A4 gene human 218: 585
Transfer
electron kinetics nitrite reductase Desulfovibrio 212: 79
hydride ion nicotinamide nucleotide transhydrogenase 217: 763
Transferase
glutathione conformation multiphasic folding Proteus 215: 741
glutathione isoenzyme neoplasm drug resistance 217: 671
glutathione isoenzyme sequence Proteus 211: 421
glutathione mechanism glutathione thiol activation 215: 663
glutathione mechanism histidine noninvolvement 211: 805
glutathione microsome aggregation fluoroscence probe 217: 661
glutathione P11 domain conformation interaction 218: 845
glutathione S cDNA sequence Arabidopsis 216: 579
malaria Plasmodium glycan erythrocyte infection 216: 779
prenyl Hevea polyisoprene formation 218: 267
Transferrin
doxorubicin conjugate 213: 427
Transformation
cell beta2 adrenoceptor G protein 213: 797
prorenin gene expression antisense oligonucleotide 212: 347
Transforming
growth factor inducible protein gene 217: 13
growth factor regulation cytokine gene 213: 113
Transglutaminase
amino acceptor glycoprotein gp41 HIV 215: 99
structure IR spectra 218: 499

trophoblast substrate plasminogen activator inhibitor 214: 141
Transhydrogenase
nicotinamide nucleotide inhibition photosynthetic bacteria 211: 663
nicotinamide nucleotide Rhodospirillum chromatophore 217: 763
Transketolase
binding thiamin diphosphate magnesium erythrocyte 218: 261
gene sequence deletion Saccharomyces 217: 487
pentose pathway flux 213: 477
Translation
arrest rev responsive element HIV1 216: 459
EF1alpha mRNA repression 213: 919
factor eEF2 phosphorylation ribosome complex 215: 291
mRNA iron regulatory factor aconitase 218: 657
regulation mRNA sialyltransferase 5prime flank 213: 467
rescue protein kinase PKR mutant 214: 945
rescue protein ribosome assembly 217: 839
T cell initiation factor phosphorylation 218: 39
Translocation
inhibitor macromol glucocorticoid receptor binding 218: 679
proton nicotinamide nucleotide transhydrogenase Rhodospirillum 217: 763
Translocator
ADP ATP gene regulation Saccharomyces 213: 547
Translocon
assocd protein subunit cDNA sequence 214: 375
Transport
anion channel porin Omp34 Acidovorax 212: 129
calcium creatine kinase ATPase coupling 213: 973
calcium mitochondria Saccharomyces 217: 657
calcium Saccharomyces ATPase Golgi 216: 573
electron bacteria hydrogen formation glycolate 217: 233
glucose leucine alkaliphile bacteria ammonium 217: 435
glucose protein reconstitution Trypanosoma 214: 593
metab sugar Kluyveromyces mutation 217: 701
protein toxin variant thymocyte toxicity 215: 411
proton protein archaeal tetraether lipid 214: 917
signal ribosomal protein YmL8 YmL20 214: 577
unidirectional arginine yeast membrane 211: 683
Transporter
glucose modulation glycosphingolipid erythrocyte 218: 637
urea erythrocyte Kidd antigen 218: 447
Transposon
terminal repeat DNA Drosophila 218: 95
Trefoil
factor intestinal cloning receptor organ 212: 557
Trehalose
phosphate synthase gene sequence Kluyveromyces 217: 701
phosphate synthase phosphatase complex subunit 212: 315
synthase component regulation bakers yeast 216: 841
synthase gene TSL1 sequence Saccharomyces 216: 849
TRH
like peptide sequence semen 212: 35
Trichosporon
phenol hydroxylase mechanism regioselectivity kinetics 218: 345
Trigonopsis
amino acid oxidase cysteine 218: 735
Triiodobenzoate
binding albumin 215: 205
Trimethylphosphine
myoglobin heme pocket 214: 405
Triose
phosphate methylglyoxal 212: 101
Triosephosphate
isomerase mutant recombinant form Trypanosoma 211: 703
Triplex
DNA sequence recognition 212: 395
tRNA
arginine methylaminomethyluridine anticodon wobble Escherichia 216: 369
assocd gene DRE element Dictyostelium 217: 627
bacteria recognition recombinant yeast synthetase 214: 869
fluorescent labeling aminoacyl prop erty 213: 583
glycine specific anticodon codon Bombyx 217: 131
Trophoblast
transglutaminase substrate plasminogen activator inhibitor 214: 141
Tropomyosin
gelsolin conformation calcium 212: 713
Troponin
conformation calcium muscle contraction 213: 599
isoform transition muscle 213: 1039
Truncated
analog charybdotoxin prepn activity 217: 157
Trypanosoma
bloodstream ATP formation 216: 75
chromatin protein a d 216: 387
dihydrolipoamide dehydrogenase sequence 212: 423
glucose transporting protein reconstitution 214: 593
glycoinositol phospholipid 218: 929
sialyltransferase specificity glycolipid glycoprotein 213: 765
Tc85 glycoprotein glycosylphosphatidylinositol anchor 217: 597
triosephosphate isomerase mutant recombinant form 211: 703
trypanothione reductase oxidative trypanosomicide 218: 29
Trypanosomicide
oxidative Trypanosoma Leishmania trypanothione reductase 218: 29
Trypanothione
reductase Leishmania Trypanosoma oxidative trypanosomicide 218: 29
reductase substrate complex crystal structure 213: 67
Trypsin
complex proteinase inhibitor crystal structure 212: 549
inhibitor interalpha gene sequence human 218: 283
inhibitor pancreas interaction protein HBP 214: 271
Trypsinogen
isoenzyme cDNA sequence cod 217: 1091
Tryptophan
adenylate kinase conformation Bordetella 218: 921
lysozyme chitooligosaccharide site conformation 212: 151
phenylalanine HBsu protein conformation Bacillus 217: 849
protein energy transfer terbium 211: 467
sulfenylation interleukin 6 activity conformation 217: 53
tryptophylquinone methylamine dehydrogenase cytochrome c 218: 711
tubulin colchicine site 216: 757
Tryptophanyl
tRNA synthetase release factor comparison 212: 457
TSH
astrocyte iodothyronine deiodinase cAMP 218: 1091
Tubulin
colchicine site fluorescent probe 212: 387
colchicine site fluorescent probe correction 216: 879
posttranslational modification erythrocyte 218: 107
tryptophan colchicine site 216: 757
Tumor
assocd antigen epitope membrane antibody 217: 337
assocd antigen formation fucosyltransferase 216: 769
necrosis factor cytotoxicity phospholipase D 212: 491
ornithine decarboxylase gene mutation 214: 837
Turkey
hen lysozyme conformation NMR 215: 255
Twayblade
orchid agglutinin carbohydrate binding 217: 677
Tyrosinase
isoenzyme melanocyte membrane matrix 217: 549
isoenzyme melanocyte MSH 217: 541
Tyrosine
aminotransferase gene transcription glucocorticoid enhancer 211: 459
deprotonation glutathione transferase mechanism thiol 215: 663
hydroxylase MAP MAPKAP kinase 217: 715
hydroxylase melanocyte MSH 217: 541
hydroxylase phosphorylated form inactivation ascorbate 218: 363
kinase platelet activating factor 216: 639
phosphoprotein phosphatase specificity T cell 211: 289
protein kinase fgr fyn spleen 216: 323
protein kinase HL60 cell 214: 503
protein kinase p72syk membrane IgM 213: 455
role carbonic anhydrase active site 211: 821
role glycolate oxidase active site 213: 1047
role hydroxybenzoate hydroxylase substrate activation 216: 137
T7
phage promoter transcription mammalian cell 217: 387
Ubiquinol
cytochrome c oxidoreductase Saccharomyces 215: 601
UDP
acetylglucosamine carboxyvinyltransferase intermediate mechanism 218: 861
Unbranched
pathway metab control model 213: 613
Uncoupling
intrinsic proton pump cytochrome oxidase 212: 827

Unfolding
conformation albumin histidine pH 212: 811
refolding conformation myosin rod model 218: 1049
Uptake
arginine yeast plasma membrane 211: 683
Urea
transporter erythrocyte Kidd antigen 218: 447
Urease
quaternary structure surfactant jack bean 215: 55
Urine
sodium potassium ATPase endogenous inhibitor 211: 317
Urocanase
gene mutation cloning Pseudomonas 217: 429
Urokinase
tissue plasminogen activator structure specificity 213: 437
US1
element binding transcription factor Sp1 215: 73
Vacuole
hydrogen ion pyrophosphatase kinetics Vigna 217: 755
Vascular
endothelial growth factor insect cell 211: 19
Vasopressin
V1a receptor bifunctional ligand 213: 711
V2 receptor sequence pig 215: 1
Vasopressor
factor blood hypertension 218: 67
VAT1
protein complex synaptic vesicle membrane 216: 189
Venom
Dendroaspis dendrotoxin I conformation 211: 813
phospholipase A2 oligosaccharide structure honeybee 213: 1193
snake nucleotide phosphodiesterase mechanism 213: 1139
snake phospholipase A2 neurotoxin 211: 57
Vertebrate
gene Hox morphogen regulation review 212: 273
Vesicle
membrane protein proteolysis botulin B 217: 965
Vibrio
lipid A oligosaccharide structure 218: 543
Vigilin
expression animal cell 213: 727
Vigna
vacuole hydrogen ion pyrophosphatase kinetics 217: 755
Vinylacetyl
CoA isomerase hydroxybutyryl dehydratase Clostridium 215: 421
Virucide
antisense oligodeoxyribonucleotide psoralen herpesvirus radiosensitizer 216: 19
Virus
cytomegalo gp58 glycoprotein epitope mapping 215: 383
equine anemia Tat protein helix 218: 973
hepatitis delta ribozyme important residue 217: 29
HIV1 rev response element 216: 459
human immunodeficiency glycoprotein gp41 transglutaminase 215: 99
influenza N9 sialidase antibody binding 217: 319
Vitamin
B12 formation Eubacterium hydroxybenzimidazole 217: 1117
K dependent protein S sequence 217: 857
Vitronectin
oligosaccharide 218: 797
Voltage
gating porin Omp34 Acidovorax membrane 212: 129
Water
chymotrypsin hydration activity reverse micelle 218: 1013
iron phenylalanine monooxygenase active site 211: 259
Whale
sperm myoglobin heme pocket 214: 405
Wheat
NADH dehydrogenase gene sequence mitochondria 217: 831
protein WZF1 gene sequence 217: 1049
White
adipocyte protein review 218: 785
rot fungus ligninase kinetics 211: 391
Wobble
arginine tRNA anticodon methylaminomethyluridine Escherichia 216: 369
Worm
marine cholinesterase dimeric form 215: 267
Wounding
ripening cDNA Cucumis 212: 27
X
ray diffraction lipopolysaccharide bacteria conformation 217: 771
Xanthine
dehydrogenase chick embryo hepatocyte 215: 307
Xenobiotic
metabolizing enzyme human engineered yeast 211: 63
Xenopus
actin gene promoter sequence 214: 425
D2 dopamine receptor cDNA sequence 213: 1349
sequence arginase 211: 891
tissue amidating enzyme mol diversity 214: 811
Xylose
isomerase metal binding site EPR 213: 1185
Yarrowia
oxoacyl CoA thiolase gene sequence 216: 607
Yeast
arginine uptake plasma membrane 211: 683
ATPase bacteriorhodopsin coreconstitution liposome 214: 563
bakers trehalose synthase component regulation 216: 841
complex III subunit sequence 215: 601
cycloheximide resistance ribosomal protein L41 213: 841
cytochrome oxidative activation tienilic acid 213: 223
engineered xenobiotic metabolizing enzyme human 211: 63
fructose bisphosphatase gene sequence 212: 193
fructose bisphosphatase gene sequence correction 214: 949
gene TPS2 sequence heat shock 212: 315
mitochondria pyrophosphatase calcium magnesium 217: 657
peroxisome transcription oleate response element 214: 323
phosphofructokinase structure proteolysis 217: 527
phosphoglucose isomerase mutation suppression 217: 469
phosphoglycerate kinase affinity labeling 212: 719
protein degrdn endoplasmic reticulum 218: 565
protein phosphatase PPQ gene 218: 689
ribosomal protein YmL8 YmL20 transport 214: 577
RNase P protein component purifn 217: 501
seryl tRNA synthetase activity bacteria 214: 869
YmL20
ribosomal protein transport yeast 214: 577
YmL8
ribosomal protein transport yeast 214: 577
Zinc
aminopeptidase specificity Streptomyces 212: 107
coordination astacin family active site 214: 215
coordination sorbitol dehydrogenase glutamate cysteine 216: 103
finger peptide ZF1 intestine 211: 377
finger protein histone gene promoter 217: 1049
ligand binding thermolysin hydrophobic probe 218: 523
protoporphyrin Hb alpha chain conformation 214: 383
site sorbitol dehydrogenase cysteine modification 211: 861
substitution iron acid phosphatase Moessbauer 214: 313
Zona
pelucida glycoprotein oligosaccharide 214: 763
Zymomonas
cyclohexadienyl dehydrogenase sequence 212: 157
Zymosan
eicosanoid macrophage protein kinase C 217: 69